

# Pharmaceutical Benefits



COMMONWEALTH DEPARTMENT OF HEALTH

DECEMBER 1972

SUPPLEMENT TO PHARMACEUTICAL  
BENEFITS BOOK DECEMBER 1972,  
EDITION FOR MEDICAL PRACTITIONERS.

EFFECTIVE 1 FEBRUARY 1973

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
DIMETHISTERONE with ETHINYL- OESTRADIOL Pack containing 16 tablets of ethinyloestradiol 100 micrograms and 5 tablets dimethisterone with ethinyloestradiol 25mg - 100 micrograms	#1	5	1.38	Ovin	MJ
ETHYNODIOL DIACETATE with ETHINYL- OESTRADIOL Tablet 500 micrograms- 50 micrograms, 21	#1	5	1.38	Ovulen 0.5/50	SR
1mg - 50 micrograms, 21	#1	5	1.38	Ovulen 1/50	SR
Pack containing 21 tablets 1mg - 50 micrograms and 7 inert tablets	#1	5	1.38	Eduleu	SR
ETHYNODIOL DIACETATE with MESTRANOL Tablet 500 micrograms - 100 micrograms, 21	#1	5	1.38	Ovulen 0.5	SR
1mg - 100 micrograms, 21	#1	5	1.38	Ovulen 1	SR
2mg - 100 micrograms, 21	#1	5	1.38	Ovulen 2	SR
LYNOESTRENOL with MESTRANOL Tablet 1mg - 100 micrograms, 22	#1	5	1.38	Microcyclin Ovostat	CB OR
2.5mg - 75 micrograms, 22	#1	5	1.38	Anacyclin Lyndiol 2.5	CB OR
MEGESTROL ACETATE with ETHINYL- OESTRADIOL Severe acne in females; Hirsutism in females; Sexual infantilism in females.  Pack containing 16 tablets 100 micrograms - 100 micrograms, 7 tablets 1mg - 100 micrograms and 5 inert tablets	#1	5	1.38	Serial C	AH
Pack containing 16 Tablets of ethinyloestradiol 100 micrograms, 5 tablets of megestrol acetate with ethinyloestradiol 1mg - 100 micrograms and 7 inert tablets	#1	5	1.38	Serial 28	AH

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
NORETHISTERONE with MESTRANOL Tablet 1mg - 50 micrograms, 21	#1	5	1.38	Norinyl-1 SD
				Ortho-Novum ET
1mg - 80 micrograms, 21	#1	5	1.38	Ortho-Novum ET
2mg - 100 micrograms, 21	#1	5	1.38	Norinyl-2 SD
				Ortho-Novum 2 ET
Pack containing 21 tablets 1mg - 50 micrograms and 7 inert tablets	#1	5	1.38	Norinyl 1/28 SD
NORETHISTERONE ACETATE with ETHINYLOESTRADIOL				
Tablet 1mg - 50 micrograms, 21	#1	5	1.38	Minovlar SC
3mg - 50 micrograms, 21	#1	5	1.38	Gynovlar SC
4mg - 50 micrograms, 21	#1	5	1.38	Anovlar SC
Pack containing 21 tablets 1mg - 50 micrograms and 7 inert tablets	#1	5	1.38	Minovlar ED SC Orlest PD
Pack containing 21 tablets 2.5mg - 50 micrograms and 7 inert tablets	#1	5	1.38	Norlestrin PD
Pack containing 21 tablets 2.5mg - 50 micrograms and 7 inert tablets	#1	5	1.38	Norlestrin PD
NORETHYNODREL with MESTRANOL				
Tablet 2.5mg - 100 micrograms, 21	#1	5	1.38	Conovid-E SR
NORGESTREL with ETHINYL- OESTRADIOL				
Tablet				
250 micrograms - 50 micrograms, 21	#1	5	1.38	Neogynon SC Nordiol 21 WY
500 micrograms - 50 micrograms, 21	#1	5	1.38	Eugynon SC Ovral WY
Pack containing 21 tablets				
250 micrograms - 50 micrograms and 7 inert tablets	#1	5	1.38	Neogynon ED SC Nordiol 28 WY
Pack containing 21 tablets				
500 micrograms - 50 micrograms and 7 inert tablets	#1	5	1.38	Eugynon ED SC Ovral 28 WY

## PHARMACEUTICAL BENEFITS

### Explanatory Circular regarding the December 1972 issue of the Schedule of Benefits for Medical Practitioners.

This reprint of the Schedule will take effect from 1 December 1972.

Your attention is drawn to the following important alterations which have been incorporated in this issue of the Schedule.

Diazepam (*Valium*) 2mg and 5mg tablets and 2mg per 5ml paediatric syrup are now listed as unrestricted benefits, with decreased maximum quantity and number of repeats for the two strengths of tablet. The 10mg diazepam tablet has been deleted from the Schedule.

The lower strength oral forms of the tetracycline group of drugs now require 'S.P.' endorsement.

An authority is no longer required to prescribe pyridoxine hydrochloride 25mg tablets for primary hyperoxaluria (*Antiderm, Pydox, Pyroxin, DH and RY brands*). However, 'S.P.' endorsement is still necessary.

Glycerin suppositories are no longer listed separately as adult and child strengths. These items have been regrouped under the one listing (1G suppositories).

Oxytetracycline with hydrocortisone (*Terra-Cortril*) is now available as a pharmaceutical benefit in the ear suspension form only.

#### ADDITIONS

##### NEW ITEMS

###### Section 2—General Benefits

**Hexamine Hippurate**, 1G tablet (*Hiprex*)

**Zinc with Phenylephrine**, 0.25%–0.12% eye drops (*Zincfrin*)

###### Section 2—Restricted Benefits

**Alginate Acid Compound**, 45G powder (*Gaviscon Infant*)

**Clindamycin**, 75mg and 150mg capsules (*Dalacin C*)

**Dipyridamole**, 100mg tablet (*Persantin*)

**Ferrous Sulphate Dried with Folic Acid**, 270mg–300mcg delayed release tablet (*Feritard Folic*), 270mg–300mcg sustained release tablet (*F.G.F.*); 270mg–300mcg delayed release capsule (*Fefol 2*)

**Thiopropazate**, 5 mg tablet (*Dartalan*)

**Triglycerides, Medium Chain**, 1 litre oil (*MCT Oil*)

**Vitamin Supplement**, tablet and 100ml liquid (*Ketovite*)

###### Section 3—Colostomy and Ileostomy

**Deodorant Concentrate**, 15ml liquid (*Zerodor*), 0.5fl oz liquid (*Banish*)

### Section 3—Hospital Use Only

**Clonidine**, 150mcg tablet and 150mcg in 1ml injection (*Catapres*)  
**Vancomycin**, 500mg injection (*Vancocin*)

### NEW FORMS AND STRENGTHS OF EXISTING ITEMS

#### Section 2—General Benefits

**Heparin**, 125,000 units in 5ml injection (*Pularin*, *BT* and *CS* brands)  
**Nystatin**, 100,000 units per 5G vaginal cream (*Nilstat*)  
**Phenethicillin**, 125mg per 5ml powder for syrup (*Pensig* 125); 250mg per 5ml powder for syrup (*Pensig* 250)  
**Prednisolone**, 1mg tablet (*Panafcortelone*)

#### Section 2—Restricted Benefits

**Ampicillin**, 250mg per 5ml powder for syrup (*Austrapen Forte*, *Penbritin Forte*)  
**Calcium**, 1G compound effervescent tablet (*Sandocal* 1000)  
**Cephalexin**, 500mg capsule (*Ceporex*)  
**Dextrose Polymer**, 2.5kg non-dialysed powder (*Gastro-Caloreen*)  
**Levodopa**, 100mg and 250mg tablets (*Larodopa*)  
**Methyltestosterone**, 5mg tablet (*Metestine*, *Testomet*, *ET* brand)

#### Section 3—Colostomy and Ileostomy

**Polyisobutylene**, compound adhesive wafers with discs (*Stomahesive Set*)  
**Sterculia**, discs and squares  
**Surgical Cement**, 20fl oz solvent (*Zoff*)

#### Section 3—Hospital Use Only

**Streptokinase**, 100,000 I.U. injection (*Kabikinase*)

### TRANSFERS

#### Unrestricted to Restricted

**Calcium**, 357.5mg compound effervescent tablet (*Calcium Sandoz*); 500mg compound effervescent tablet (*Spar-Cal*)  
**Cyclophosphamide**, 50mg tablet; 100mg and 200mg injections (*Endoxan-Asta*)  
**Demethylchlortetracycline**, 75mg per 5ml syrup only (*Ledermycin*)  
**Doxycycline**, 10mg per ml suspension only (*Vibramycin*)  
**Methacycline**, 75mg per 5ml suspension only (*Rondomycin*)  
**Oxytetracycline**, 100mg capsule and 125mg per 5ml suspension only (*Terramycin*)  
**Tetracosactrin**, 0.5mg in 1ml and 1mg in 1ml injections (*Cortrosyn Depot*, *Synacthen Depot*); 250mcg I.V. injection set (*Synacthen*)  
**Tetracycline**, 100mg capsule (*Achromycin*, *Panmycin P*); 125mg per 5ml syrup only (*Achromycin*)  
**Tetracycline with Nystatin**, 100mg–125,000 units capsule (*Achrostatin*, *Comycin*, *Mysteclin-V*); 125mg–125,000 units per 5ml syrup only (*Achrostatin*)  
**Tetracycline (Buffered)**, 100mg capsule (*Achromycin-V*, *Austramycin-V*, *Hostacycline-P*, *Tetrex*); 125mg per 5ml syrup only (*Achromycin-V*, *Hostacycline-P*, *Panmycin KM*, *Tetrex*)  
**Tetracycline (Buffered) with Amphotericin B**, 125mg–25mg per 5ml syrup (*Mysteclin-V Improved*)

*Restricted to Unrestricted*

**Diazepam, 2mg and 5mg tablets; 2mg per 5ml paediatric syrup (Valium)**

**DELETIONS**

*Section 2*

**Antizoline, 100mg in 2ml injection (Antistine)**  
**Chloramphenicol with Hydrocortisone, 12.5mg-25mg eye drops set; 1%-0.5% eye ointment (Chlorocort)**  
**Chlorpheniramine, 8mg tablet only (Enamine)**  
**Deoxycortone, 10mg oily injection only (Percorten)**  
**Diazepam, 10mg tablet only (Valium)**  
**Diethazine, 250mg tablet (Diparcol)**  
**Di-iodohydroxyquinoline, 300mg tablet (Direxiode) and 650mg tablet (Diodoquin) only**  
**Ethisterone, 5mg, 10mg and 25mg tablets (Etherone, all other brands)**  
**Fluphenazine, 2.5mg per ml, 10ml injection only (Anatensol)**  
**Hydrocortisone with Neomycin Sulphate, all eye drops and eye ointments (Cortocaps, Neo-Cortef, Neo-Hycor, Neohydrosone) only**  
**Methylcellulose, 0.5% eye drops**  
**Penicillin Benzyl, 300mg injection set only**  
**Pentobarbitone Sodium, 30mg capsule only (Penbarb)**  
**Phenylalanine Low Content Formula, 1.362kg powder only (Minafen)**  
**Phenytoin, 100mg delayed release capsule only (Dilantin D.A.)**  
**Prednisolone with Sulphaethidole, 1%-5% eye drops (Scherisolon)**  
**Protamine Sulphate, 1%, 5ml injection only (AH brand)**  
**Secbutobarbitone, 100mg capsule only (Buticaps)**  
**Seidlitz Powder, compound effervescent powders BPC**  
**Sodium Aminosalicylate, 50% granules (Bactylan); 96.4% granules (Pasade) only**  
**Tetracycline, 1% eye drops suspension only (Achromycin)**

**ALTERATIONS**

*Maximum Quantity*

<i>Item</i>	<i>From</i>	<i>To</i>
<b>Aspirin, 650mg sustained release tablet (Bi-Prin)</b> .. ..	50	100
<b>Diazepam, 2mg and 5mg tablets (Valium)</b> .. ..	100	50
<b>Prednisone, 1mg tablet (Panafcart)</b> .. ..	50	100

*Repeats*

<i>Item</i>	<i>From</i>	<i>To</i>
<b>Diazepam, 2mg and 5mg tablets (Valium)</b> .. ..	2	1
<b>Methenamine Mandelate, 500mg and 1G tablets (Mandelamine, Mandelamine Hafgrams, Methendalate 500)</b> .. ..	1	2

*Approved Name*

<i>From</i>	..	<i>To</i>
Dihydrocodeine Acid Tartrate ..	..	Dihydrocodeine Tartrate
Disodium Cromoglycate ..	..	Sodium Cromoglycate
Sodium Tauroglycocholate ..	..	Sodium Tauroglycocholate with Phenolphthalein
Testosterone Methyl .. ..	..	Methyltestosterone
Tragacanth Indian, Gum Karaya ..	..	Sterculia
Triglyde .. ..	..	Triglycerides, Medium Chain

*Proprietary Name*

<i>Item</i>	<i>From</i>	<i>To</i>	<i>Mfr</i>
<b>Betamethasone with Clioquinol,</b> 0.1%-3%, 5G ear ointment ..	<i>Betnovate-C</i>	<i>Betnovate Otic</i>	GL
<b>Quinine Bisulphate, 300mg tablet ..</b>	..	<i>Bi-Quinate</i>	KL
<b>Quinine Sulphate, 300mg tablet ..</b>	..	<i>Quinate</i>	KL
<b>Soya Formula, 384ml liquid ..</b>	.. <i>Similac Isomil</i>	<i>Isomil</i>	RD
<b>Tetracycline, 250mg capsule ..</b>	SP(N) brand	<i>Tetramykoin</i>	BZ
<b>Tetracycline (Buffered) 250mg capsule</b>	SP (N) brand	<i>Tetramykoin-V</i>	BZ

*Restrictions*

**Alprenolol, 100mg tablet** (*Aptin, Betacard*)

**Chlorpromazine, (Largactil, Plegomazine, Procalm, Promacid, Protran, Serazone)**

**Methysergide, (Deseril)**

**Prindolol, 5mg Tablet** (*Visken*)

**Propranolol, 10mg and 40mg tablets** (*Inderal*)

**Pyridoxine Hydrochloride, 25mg Tablet** (*Antiderm, Pydox, Pyroxin*)

*Listing*

Glycerin suppositories, 1G, adult and child strength, are now grouped under the one listing, Glycerin 1G suppository.

*Manner of Administration*

Oxytetracycline with Hydrocortisone (*Terra-Cortril*) is now available as a pharmaceutical benefit in the ear suspension form only.

**NOT FOR SALE**

All Previous Editions Cancelled

COMMONWEALTH OF AUSTRALIA



**SCHEDULE OF BENEFITS**  
**for**  
**MEDICAL PRACTITIONERS**

OPERATIVE FROM 1 DECEMBER 1972

Department of Health,  
CANBERRA, A.C.T.

December 1972

74354

## CONTENTS

	<i>paragraph</i>	<i>page</i>
<b>SECTION 1—LEMON PAGES</b>		
Metric Conversion Tables .....	4	5
Explanatory Notes—		
Prescribing of Benefits—Procedure by Doctors—		
Schedule of Benefits .....	1- 8	6
Prescriptions .....	9-12	6- 8
Manner of Administration .....	13	8
Restrictions .....	14	8
Maximum Quantities and Repeats ..	15-20	9- 10
Urgent Cases .....	21-22	10
Emergency Drug (Doctor's Bag)		
Supplies .....	23-26	10- 11
Poison Case Reporting .....	27-28	11
Addresses of Poisons Information		
Centres .....	29	12
Addresses of Commonwealth Department of Health Central Office and Branch Offices ...		13- 14
Manufacturers—Address and Code .....		15- 21
List of Emergency Drug (Doctor's Bag)		
Supplies .....		22- 23
<b>SECTION 2—WHITE PAGES</b>		
Schedule of Benefits—		
General, Pensioner and Restricted Benefits ...		1-121
Intravenous Fluids .....		122-124
<b>SECTION 3—PINK PAGES</b>		
Schedule of Benefits—		
Preparations Restricted to Colostomy and Ileostomy Use Only .....	2-	3
Preparations Restricted to Use in Approved Hospitals Only .....	5-	6
<b>SECTION 4—GREEN PAGES</b>		
Schedule of Benefits—Drug Tariff .....	1-	6
Table of Maximum Quantities and Number of Repeats for Extemporaneous Preparations ...		7
Prescribers' List Items .....	9-	15
<b>SECTION 5—OLD GOLD PAGES</b>		
Prescribers' List—Pharmaceutical Benefit Formulae .....		1- 19

**PROPRIETARY INDEX**

Part 1—Proprietary Names Index --- --- --- ---  
Part 2—Trade Names Index --- --- --- ---

*page*  
2- 29  
30

**POISONING CASE REPORT FORMS**

## METRIC CONVERSION TABLE

The following Table gives the approximate equivalents in the metric and imperial systems. These equivalents are for the convenience of prescribers in translating doses from one system to the other, and are not sufficiently accurate for pharmaceutical or other purposes.

<i>Grains</i>	<i>Milligrams</i>	<i>Grains</i>	<i>Milligrams</i>
15	1,000	1/12	5
12	800	1/15	4
10	600	1/20	3
8	500	1/24 } 1/25 }	2.5
7½	450	1/30	2
6	400	1/40	1.5
5	300	1/50	1.25
4	250	1/60	1
3	200	1/75 } 1/80 }	0.8
2½	150	1/100	0.6
2	125	1/120 } 1/130 }	0.5
1½	100	1/150 } 1/160 }	0.4
1¼	75	1/200	0.3
1	60	1/240	0.25
¾	50	1/300 } 1/320 }	0.2
⅔	40	1/400	0.15
½	30	1/480 } 1/500 }	0.125
⅓	25	1/600	0.1
⅒	20		
¼	15		
⅕	12.5		
⅙	10		
⅛	7.5		
1/10	6		

**1,000 MICROGRAMS (mcg) = 1 MILLIGRAM (mg)**

**Approximate Equivalents per Pound Body-Weight of Doses per  
Kilogram Body-Weight**

<i>Milligrams per kilogram body-weight</i>	<i>Milligrams per pound body-weight</i>	<i>Milligrams per kilogram body-weight</i>	<i>Milligrams per pound body-weight</i>
0.1 — — — —	0.05	50 — — — —	23
0.25 — — — —	0.1	60 — — — —	27
1.0 — — — —	0.45	70 — — — —	32
1.5 — — — —	0.7	75 — — — —	34
2.0 — — — —	0.9	80 — — — —	36
2.5 — — — —	1.0	90 — — — —	41
3 — — — —	1.4	100 — — — —	45
4 — — — —	1.8	120 — — — —	54
5 — — — —	2.3	150 — — — —	68
6 — — — —	2.7	200 — — — —	91
7 — — — —	3.2	220 — — — —	100
8 — — — —	3.6	250 — — — —	110
9 — — — —	4.0	300 — — — —	135
10 — — — —	4.5	400 — — — —	180
15 — — — —	7	500 — — — —	225
20 — — — —	9	600 — — — —	270
25 — — — —	11	700 — — — —	320
30 — — — —	14	800 — — — —	360
40 — — — —	18	900 — — — —	410
45 — — — —	20	1 gramme — —	450

**Conversion Factor\***

To convert milligrams per kilogram to milligrams per pound, multiply by 0.45.

\* This factor is approximate but sufficiently accurate for dosage purposes.

## SECTION 1—EXPLANATORY NOTES

### PRESCRIBING OF BENEFITS—PROCEDURE BY DOCTORS

1. All pharmaceutical benefits are listed in this book.
2. Ready prepared items are listed in Sections 2 and 3 of the Schedule of Benefits.

3. The benefit items and additives which may be used in extemporaneous preparations are listed in Section 4 (Green Pages). Where a restriction applies to the use of a drug listed in this Section it is indicated against the item.

4. The following admixtures are not pharmaceutical benefits:
  - (a) the admixture of two or more ready prepared items listed in the Schedule of Benefits; or
  - (b) the admixture of a ready prepared item and a drug or drugs listed in Section 4 of the Schedule of Benefits.

5. The Schedule of ready prepared items includes the form, manner of administration and brand in which these items may be prescribed. Where the words 'solvent required' are included after the form, the item and a solvent may be prescribed as one benefit. In such cases, any determined brand of solvent may be ordered with the item. For clarity, such benefits should be written as one prescription, e.g., 'Penicillin Benzyl, Injection 300 mg amp with 2 ml water for injections'.

6. The Schedule also shows the maximum quantity and the number of repeats allowable for each item. Further details may be found in these notes—paragraphs 15-20.

7. A proprietary name index of ready prepared items is included after Section 5.

8. Symbols used in the Schedule of Benefits:  
See page 1, section 2 (white pages).

#### Prescriptions

9. A prescription ordering a pharmaceutical benefit may be written only for the medical treatment of the person named on the prescription and requiring treatment with that drug. A prescription must not be written for any other purpose and is valid only when it is written by a registered medical practitioner.

10. CARE MUST BE TAKEN TO COMPLY WITH THE PROVISIONS OF STATE LAW, PARTICULARLY IN REGARD TO THE PRESCRIBING OF DRUGS LISTED AS NARCOTIC, SPECIFIED OR RESTRICTED UNDER STATE LEGISLATION.

11. Medical practitioners are required by National Health Act legislation to observe the following rules when writing prescriptions for pharmaceutical benefits:

- (a) Write the prescription in indelible form, i.e., ink or ball point pen in own handwriting (or with the approval of the Director-General otherwise record the prescription) either on the standard prescription form obtained from the printer nominated by the Department or on paper as near as convenient to 7" × 5". The name and address of the medical practitioner should be shown.
- (b) Write the prescription in duplicate marking the duplicate copy with the word 'Duplicate'. This is pre-printed on the standard prescription forms.
- (c) Set out the name and address of the patient, and where the patient holds an S.H.B. (Subsidised Health Benefits) entitlement card write the number in the space provided or at the end of the second line provided for the patient's address. Where the patient is a pensioner who holds an entitlement card write the pension number. EXCEPT WHERE THE PROVISIONS OF STATE LAW REGARDING NARCOTIC, SPECIFIED OR RESTRICTED DRUGS REQUIRE THE ADDRESS TO BE WRITTEN, it is not necessary to write the pensioner's or S.H.B. patient's address on the prescription form.
- (d) In the case of pharmaceutical benefits which are restricted in use, the prescription should be endorsed with the words 'Specified Purpose'. Abbreviations such as 'Spec. Purp.' or 'S.P.' will be accepted. However where a prescription is written for a pensioner for a drug which is restricted to pensioners for any disease or purpose it is not necessary to endorse the prescription 'Specified Purpose'.
- (e) If the benefit is a single drug, the manner of administration must be indicated.
- (f) Where a medical practitioner writes a prescription for a pharmaceutical benefit, but does not specify a particular formula or brand for the item prescribed, the chemist, when dispensing, shall give priority to either the formula, if any, for that item which is specified in the Prescribers' List (Section 5) or to one of the ready prepared brands, if any, for that item included in Section 2.
- (g) When directing that the maximum quantity and repeats of a pharmaceutical benefit be supplied at the one time the prescription must be endorsed in own handwriting with the words 'Regulation 24'. Further details are available in paragraph 20.
- (h) Mark the prescription form 'N.H.S.', date and sign it.

A doctor may write up to three prescriptions on a single sheet of paper, provided each prescription is legible.

The Prescribers' List formulations are expressed in metric terms and made up to metric doses or quantities. Prescriptions consisting of or containing a Prescribers' List formula should be written in the metric system.

Prescriptions for pharmaceutical benefits for more than one person must not be written on the one sheet of paper.

12. A prescription is not valid if the form—

- (a) prescribes a pharmaceutical benefit for a person in respect of whom another prescription for the same benefit has been written on the same day by the same medical practitioner.
- (b) prescribes on the one form a benefit that is a drug of addiction and another benefit and directs that the supply of either benefit is to be repeated. If no repeats of either item are ordered, the prescription may be accepted.
- (c) prescribes a narcotic drug for the medical practitioner writing the prescription.

To avoid confusing patients and the dispensing chemist, doctors should avoid writing prescriptions for pharmaceutical benefits and non-pharmaceutical benefits on the one form. Where the prescription is for a 'Specified Purpose' drug and the patient is not suffering from one of the allowable conditions the doctor should write the prescription on a private prescription form, or if he does use an N.H.S. standard prescription form, delete the N.H.S. printed endorsement. Likewise the 'N.H.S.' printed endorsement should be deleted where a prescription, other than a prescription for a pensioner, is written for a benefit for which the dispensed price is equal to or less than \$1 in respect of general patients and 50c in respect of patients with an S.H.B. entitlement. These prescriptions may be dispensed as private prescriptions.

### **Manner of Administration**

13. Where a particular manner of administration is indicated in the Schedule, the item may not be prescribed as a pharmaceutical benefit for administration in any other way.

### **Restrictions**

14. Certain pharmaceutical benefits may only be prescribed for a particular class of person, for a specified purpose, disease or condition, or with the written authority of the Commonwealth Director of Health. Full particulars of these items and their restrictions are printed in red in Section 2 (White Pages) of the Schedule. Items restricted for use in 'Approved Hospitals Only' are listed in Section 3 (Pink Pages) of the Schedule. These items are not available in all approved hospitals, and medical practitioners should ensure that the items are available at the particular hospital before prescribing.

Pharmaceutical benefits which are restricted to use for Colostomy and Ileostomy conditions are also listed in Section 3 of the Schedule.

## Maximum Quantities and Repeats

15. The allowable maximum quantity and number of repeats are shown in columns 2 and 3 of Sections 2 and 3. For other preparations, details are set out in the Table of Maximum Quantities and Repeats—Green Pages.

The maximum quantity of items marked with a double dagger (≠) has been determined as a single pack. Unbroken packs are to be supplied (see paragraph 8).

It would be appreciated if these items were prescribed in original pack sizes.

For other items, the quantity prescribed by a medical practitioner should be that which he believes is necessary for the proper treatment of his patient, provided that the maximum quantity is not exceeded.

If a medical practitioner requires a prescription to be repeated, he must show the quantity to be supplied and the number of repeats. It is not necessary for the maximum quantity to be ordered before the supply can be repeated. Repeats may be for any quantity up to the maximum, irrespective of whether the original supply is for an equal, greater or lesser quantity.

16. The relevant maximum quantity and number of repeats are not to be exceeded, unless the prescription is accompanied by a written authority (see paragraphs 17-18). A benefit shall not be supplied more than the number of times specified in the prescription.

17. Where a person is suffering from a chronic complaint a medical practitioner may, with the written authority of the Commonwealth Director of Health, direct the supply of more than the maximum quantity which would otherwise be allowed.

18. When it is desirable that the patient be not obliged to re-visit his doctor in order to secure repeat supplies, the doctor may, with the written authority of the Commonwealth Director of Health, direct that the supply of a pharmaceutical benefit be repeated more times than the number of repeats specified in the Schedule.

19.—(a) The written authority of the Commonwealth Director of Health to prescribe:

- (i) restricted drugs (paragraph 14); or
- (ii) increased maximum quantities (paragraph 17); or
- (iii) increased number of repeats (paragraph 18), will be forwarded to the doctor on an Authority to Prescribe (Form PB15).

(b) On receipt, the prescription is to be written by the doctor in the space provided for this purpose. The original and duplicate are to be handed to the patient and the green copy is retained by the doctor.

20. Generally, a pharmaceutical benefit may not be supplied to the same person more than once on any one day. However, a doctor may direct that the original supply and repeat supplies of a benefit be supplied at the one time, provided he is satisfied that—

- (a) the maximum quantity specified for the benefit is insufficient for the medical treatment of the person for whom it is prescribed;
- (b) that person is suffering from a chronic illness or is resident in a place remote from the nearest approved pharmaceutical chemist; and
- (c) that person, without great hardship, could not obtain the pharmaceutical benefit on separate occasions.

The doctor must endorse the prescription 'Regulation 24', as certification that the above conditions have been satisfied.

Where a prescription is endorsed 'Regulation 24' the chemist will make the appropriate charge (except to pensioners) for the original and the same charge for each repeat that would normally be needed to make up the total supplies. For example, if the prescription ordered two repeats a charge of \$3 would be made to a general patient and \$1.50 to a patient with S.H.B. entitlement.

#### **Urgent Cases**

21. In urgent cases, a chemist can supply a benefit before the prescription is surrendered to him, if the doctor communicates the prescription to the chemist by telephone or other means. *In such cases the doctor must write out the prescription and forward it to the approved chemist who made the supply within 24 hours of such communication.* This provision does not apply to prescriptions for supply by chemists where the law of the State in which the chemist's premises are situated requires the prescription to be in writing.

22. The provision for communication of prescriptions in urgent cases applies also to those drugs for which the written authority of the Commonwealth Director of Health is necessary for supply as a pharmaceutical benefit (see paragraph 14). In such cases the doctor must first obtain advice from the Commonwealth Director of Health in the particular State, by telephone or other means, that the authority will be issued, and notify the chemist accordingly when communicating the prescription. *The doctor must subsequently obtain the written authority and forward it, within 24 hours of its receipt, to the approved chemist who supplied the benefit.*

#### **Emergency Drug (Doctor's Bag) Supplies**

23. Doctors are entitled to obtain certain pharmaceutical benefits for emergency use. These emergency supplies are not available to ships' doctors. The patient is not required to make any payment when benefits are made available to him from these supplies.

24. Supplies of these drugs may be obtained from an approved chemist upon the production of an official Emergency Drug (Doctor's Bag) order form (except form PB7a) in duplicate, signed by the doctor personally. Each order form is valid only during the month printed thereon and each doctor may obtain the benefits not more often than once per month. Doctors approved to supply pharmaceutical benefits under Section 92 of the National Health Act must not present Doctor's Bag order form PB7a to an approved chemist for their supplies. Special instructions are issued to these doctors.

25. The maximum number of units of each listed form of Emergency Drug may be obtained at the one time, but only if the quantity of the drug that the doctor has on hand is less than that maximum quantity.

26. A doctor may also specify on the order form a particular brand of a benefit. If it is not available, the doctor should be requested to specify in the order a permitted brand which is available, and to initial the alteration. A receipt for the benefits supplied under this provision must be given on the order form. The receipt may be signed by the doctor himself or by any person authorised by him.

### **Poison Case Reporting**

27. In order to provide information for the National Poisons Register doctors are asked to send brief clinical reports on cases of poisoning to the National Poisons Service, Commonwealth Department of Health, Canberra. Report forms are included at the back of this book and should be torn out when required. Additional information may be written on the back of the form, or attached, and this applies particularly in fatal or unusual cases. Further supplies of the Poisoning Case Report forms are available from Commonwealth and State Health authorities.

28. In order to include all cases of poisoning and avoid duplication of reporting, the Poisoning Case Report form should be completed by hospital medical staff for all cases referred to hospital. Private practitioners are only asked to make reports on cases not referred to hospital, or when cases are referred to smaller hospitals without resident medical staff.

# ADDRESSES OF POISONS INFORMATION CENTRES

29. The principal Poisons Information Centre in each State and Territory is as follows:—

## **NEW SOUTH WALES**

Royal Alexandra Hospital for Children,  
Bridge Road,  
Camperdown.

Telephone No.

Sydney  
51 0466

## **VICTORIA**

Royal Children's Hospital,  
Flemington Road,  
Parkville.

Melbourne  
34 0288

## **QUEENSLAND**

Brisbane Royal Children's Hospital,  
Herston Road,  
Herston.

Brisbane  
5 0111

## **SOUTH AUSTRALIA**

Adelaide Children's Hospital (Incorporated),  
King William Road,  
North Adelaide.

Adelaide  
67 2351

## **WESTERN AUSTRALIA**

Princess Margaret Hospital for Children,  
Thomas Street,  
Subiaco.

Perth  
81 3222

## **TASMANIA**

Royal Hobart Hospital,  
Liverpool Street,  
Hobart.

Hobart  
23 0521

## **NORTHERN TERRITORY**

Darwin Hospital,  
Darwin,  
Northern Territory.

Darwin  
81 2171

## **AUSTRALIAN CAPITAL TERRITORY**

Canberra Hospital,  
Canberra.

Canberra  
48 9922

## **PAPUA AND NEW GUINEA**

Port Moresby General Hospital,  
Taurama Road,  
Port Moresby.

Port Moresby  
5 5566

# ADDRESSES OF COMMONWEALTH DEPARTMENT OF HEALTH OFFICES

Note: All applications for authority to prescribe should be forwarded to the appropriate Branch Office.

## CENTRAL OFFICE

Director-General,  
Commonwealth Department of Health,  
P.O. Box 100,  
Woden, A.C.T. 2606

## BRANCH OFFICES

### NEW SOUTH WALES

Commonwealth Department of Health,  
Commonwealth Centre,  
Chifley Square,  
Corner Phillip and Hunter Streets,  
Sydney, N.S.W. 2000 Telephone 28 8001

Commonwealth Director of Health—Dr R. R. Bull  
After hours: Telephone 969 8681

Medical—Dr W. Quinn  
After hours: Telephone 92 0980

### VICTORIA

Commonwealth Department of Health,  
Commonwealth Centre,  
Corner Spring and Latrobe Streets,  
Melbourne, Vic. 3000 Telephone 662 2999

Commonwealth Director of Health—Dr R. C. Webb  
After hours: Telephone 80 5333

Assistant Director (Medical)—Dr A. M. V. Cocks  
After hours: Telephone 96 2404

### QUEENSLAND

Commonwealth Department of Health,  
Commonwealth Government Offices,  
Anzac Square,  
Adelaide Street,  
Brisbane, Qld. 4000 Telephone 31 0101

G.P.O. Box 567, Brisbane, Qld. 4001

Commonwealth Director of Health—Dr A. H. Humphry  
After hours: Telephone 74 1037

Assistant Director (Medical)—Dr H. B. Cumpston  
After hours: Telephone 58 1696

## **SOUTH AUSTRALIA**

Commonwealth Department of Health,  
A.M.P. Building,  
1 King William Street,  
Adelaide, S. Aust. 5000 Telephone 51 7400  
G.P.O. Box 1790 N, Adelaide, S. Aust. 5001  
Commonwealth Director of Health—Dr A. C. Green  
After hours: Telephone 72 2930

## **WESTERN AUSTRALIA**

Commonwealth Department of Health,  
Victoria Centre,  
2-6 St George's Terrace,  
Perth, W. Aust. 6000 Telephone 23 0391  
G.P.O. Box M970, Perth, W. Aust. 6001  
Commonwealth Director of Health—Dr J. B. Mathieson  
After hours: Telephone Dr J. B. Mathieson 86 1262  
Dr W. H. Young 86 4719

## **TASMANIA**

Commonwealth Department of Health,  
Kirksway House, 6 Kirksway Place,  
Hobart, Tas. 7000 Telephone 20 2122  
G.P.O. Box 919 J, Hobart, Tas. 7001  
Commonwealth Director of Health—Dr A. S. Cumming Thom  
After hours: Telephone 25 2524

## **AUSTRALIAN CAPITAL TERRITORY**

Commonwealth Department of Health,  
A.C.T. Health Services Branch,  
C.M.L. Building,  
Darwin Place,  
Canberra City, A.C.T. 2601 Telephone 49 8077  
P.O. Box 825, Canberra City, A.C.T. 2601  
Commonwealth Director of Health—Dr R. H. C. Wells  
After hours: Telephone Dr M. Ryan 49 6351  
Assistant Director (Medical)—Dr H. C. Anderson  
After hours: Telephone 95 8895

## **NORTHERN TERRITORY**

Commonwealth Department of Health,  
Esplanade,  
Darwin, N.T. 5794 Telephone 81 3821  
P.O. Box 147, Darwin, N.T. 5794  
Commonwealth Director of Health—Dr W. A. Langsford  
After hours: Telephone 81 2171

# MANUFACTURERS — ADDRESS AND CODE

<i>Manufacturer</i>	<i>Code</i>
Abbott Australasia Pty Ltd Captain Cook Drive, Kurnell, N.S.W. 2231	AB
Adam Drug Co. 41 Barry Avenue, Mortdale, N.S.W. 2223	AV
Alcon Laboratories (Australia) Pty Ltd 8 Wattle Road, Brookvale, N.S.W. 2100	AQ
Allen and Hanburys Mountain Highway, Boronia, Vic. 3155	AH
Allergan Pharmaceuticals Pty Ltd 457 Miller Street, Cammeray, N.S.W. 2062	AG
Ames Company Wellington Road, Mulgrave, Vic. 3170	AM
Armour Pharmaceutical Co. Ltd, England	AR
Associated Drug Companies of Australia Pty Ltd 221-229 Mitchell Road, Alexandria, N.S.W. 2015	AD
Astra Chemicals Pty Ltd 10-14 Khartoum Road, North Ryde, N.S.W. 2113	AP
Australian Pharmaceutical Industries Ltd 221-229 Mitchell Road, Alexandria, N.S.W. 2015	AA
Ayerst Laboratories Pty Ltd Gregory Place, Parramatta, N.S.W. 2150	AY
Bakra Laboratories c/o Cambridge Laboratories, 397 Little Lonsdale Street, Melbourne, Vic. 3000	BK
Bayer Pharmaceutical Company 47-67 Wilson Street, Botany, N.S.W. 2019	BN
Beecham Research Pty Ltd Chesterville Road, Moorabbin, Vic. 3189	BR
Berk Pharmaceuticals (Australasia) Pty Ltd 6-8 Clarke Street, Crows Nest, N.S.W. 2065	BQ
Biopharm Pty Ltd 109 Willis Street, Hampton, Vic. 3188	BH
Boehringer Ingelheim Pty Ltd 504-520 Pacific Highway, St Leonards, N.S.W. 2065	BY
Boehringer, Mannheim, GmbH, Germany	BO
Boots Company (Australia) Pty Ltd, The Loyalty Road, North Rocks, N.S.W. 2151	BT
Boucher & Muir Pty Ltd 118-124 Willoughby Road, Crows Nest, N.S.W. 2065	BZ
Bramble Laboratories 17 Clements Avenue, Bankstown, N.S.W. 2200	BB
Bristol Laboratories Pty Ltd 345 Pacific Highway, Crows Nest, N.S.W. 2065	BC
British Pharmaceuticals Pty Ltd 34 Hotham Parade, Artarmon, N.S.W. 2064	BP

<i>Manufacturer</i>	<i>Code</i>
Bull Laboratory, David G. 19 Shierlaw Avenue, Canterbury, Vic. 3126	BL
Burroughs Wellcome & Co. (Aust.) Ltd Cressy Street, Rosebery, N.S.W. 2018	BW
Calmic Pharmaceuticals Cressy Street, Rosebery, N.S.W. 2018	CA
Cambridge Laboratories Pty Ltd 397 Little Lonsdale Street, Melbourne, Vic. 3000	CE
C.F.C. Pharmaceuticals Pty Ltd 9 Norton Street, Ashfield, N.S.W. 2131	CO
Chemos Pty Ltd 65 Park Road, Milton, Qld. 4064	CH
Ciba Pharmaceuticals 46-48 Nicholson Street, St Leonards, N.S.W. 2065	CB
Commonwealth Serum Laboratories 45 Poplar Road, Parkville, Vic. 3052	CS
Crookes Laboratories Ltd, The, England	CK
Denyer Brothers 250 Pitt Street, Sydney, N.S.W. 2000	DY
Difrex (Aust.) Laboratories 321 Pitt Street, Sydney, N.S.W. 2000	DF
Dista Products (Australia) Pty Ltd Waratah Street & Wharf Road, Ermington, N.S.W. 2115	DL
Dolder & Co., Switzerland	DR
Dome Laboratories Wellington Road, Mulgrave, Vic. 3170	DO
Drug Houses of Australia 504 Bourke Street, Melbourne, Vic. 3000	DH
Endo Laboratories (Aust.) Pty Ltd Loyalty Road, North Rocks, N.S.W. 2151	EN
Erba Carlo S.p.A, Italy	EC
Ethicals Ltd 180 Queen Street, Brisbane, Q'ld, 4000	EL
Ethnor Pty Ltd 1-5 Khartoum Road, North Ryde, N.S.W. 2113	ET
Evans Medical Australia (Pty) Ltd Mountain Highway, Boronia, Vic. 3155	EV
Farmer Hill Division, Abbott Australasia Pty Ltd Captain Cook Drive, Kurnell, N.S.W. 2231	FH
Faulding & Co. Ltd, F.H. James Place, Adelaide, S.A. 5000	FA

<i>Manufacturer</i>	<i>Code</i>
Fawns and McAllan Pty Ltd 432 Mount Dandenong Road, Croydon, Vic. 3136	FM
Fisons Pty Ltd 97 Pacific Highway, North Sydney, N.S.W. 2060	FC
Frosst, Charles E. 576 St Kilda Road, Melbourne, Vic. 3000	FR
Gamaprod Pty Ltd 169 Lygon Street, Carlton, Vic. 3053	GA
Gedeon Richter Ltd, Hungary	GR
Geigy Pharmaceuticals 46-48 Nicholson Street, St Leonards, N.S.W. 2065	GE
Glaxo Mountain Highway, Boronia, Vic. 3155	GL
G.P. Laboratories Wharf Road, West Ryde, N.S.W. 2114	GP
Hamilton Laboratories Pty Ltd 217 Flinders Street, Adelaide, S.A. 5000	HA
Harvey Pharmaceuticals Pty Ltd 44 Wharf Road, West Ryde, N.S.W. 2114	HY
Hoechst Australia Ltd 606 St Kilda Road, Melbourne, Vic. 3000	HP
ICI Australia Ltd ICI House, 1 Nicholson Street, Melbourne, Vic. 3000	IC
Inter-Continental Pharmaceuticals (Australia) Pty Ltd 79 Old South Head Road, Bondi Junction, N.S.W. 2022	IP
Ioquin Company, The Captain Cook Drive, Kurnell, N.S.W. 2231	IQ
Irving F. H. (Medical Products) Pty Ltd 363 George Street, Sydney, N.S.W. 2000	IR
Jackson-Mitchell Pharmaceuticals Inc. U.S.A.	JM
Kinfort Laboratories 31 Sirius Road, Lane Cove, N.S.W. 2066	KF
Knoll Laboratories (Aust.) Pty Ltd 176 Princes Highway, Arncliffe, N.S.W. 2205	KL
Knoll, A. G., Germany	KN

<i>Manufacturer</i>	<i>Code</i>
Lancet Pharmaceuticals Pty Ltd .... 8 Hornsby Street, Hornsby, N.S.W. 2077	LP
Langley Laboratories Pty Ltd --- 116 Cabramatta Road, Cremorne, N.S.W. 2090	LF
Lederle Laboratories Division --- Cyanamid Australia Pty Ltd, 88 Christie Street, St Leonards, N.S.W. 2065	LE
Lilly (Australia) and Company, Eli --- Wharf Road, West Ryde, N.S.W. 2114	LY
Maw Son & Sons, S., England ---	ME
May and Baker (Aust.) Pty Ltd --- Paramount Road, Footscray West, Vic. 3012	MB
McGloin Pty Ltd, J. --- 150 Dean Street, Enfield, N.S.W. 2136	MG
McGrath Laboratories --- 364 The Boulevard, Sutherland, N.S.W. 2232	MW
Mead Johnson Pty Ltd --- 345 Pacific Highway, Crows Nest, N.S.W. 2065	MJ
Medical Research Pty Ltd --- 31 Sirius Road, Lane Cove, N.S.W. 2066	MR
Medichem Pharmaceuticals Pty Ltd --- 39 Arterial Road, St Ives, N.S.W. 2075	MC
Merck (Aust.) Pty Ltd, E. --- 605 M.L.C. Building, North Sydney, N.S.W. 2060	MQ
Merck, Sharp & Dohme (Aust.) Pty Ltd --- 62-68 Ferndell Street, South Granville, N.S.W. 2142	MK
Merrell, Wm S. Company --- 64 Seville Street, Fairfield, N.S.W. 2165	ML
Muir & Neil Pty Ltd --- 479 Kent Street, Sydney, N.S.W. 2000	MN
Nativelle Laboratories, France ---	NA
Nestle Company (Aust.) Ltd, The --- 17 Foveaux Street, Sydney, N.S.W. 2000	NT
Nicholas Pty Ltd --- 699 Warrigal Road, Chadstone, Vic. 3148	NS
Nordia, Denmark ---	NR
Ohio Drug Co. Pty Ltd --- 100 Clarence Street, Sydney, N.S.W. 2000	OD
Organon Laboratories Ltd, London ---	OR

<i>Manufacturer</i>	<i>Code</i>
Parke, Davis and Co. .... 32-40 Cawarra Road North, Caringbah, N.S.W. 2229	PD
Pfizer Pty Ltd .... Wharf Road, West Ryde, N.S.W. 2114	PF
Pfrimmer & Co., West Germany	PC
Pharmax Ltd, England	PN
Phial Pty Ltd .... 32 Punch Street, Artarmon, N.S.W. 2064	PY
Philips-Duphar Pty Ltd .... 95-99 York Street, Sydney, N.S.W. 2000	PI
Prosana Laboratories Pty Ltd .... 22 Daisy Street, Revesby, N.S.W. 2212	PR
Protea Pharmaceuticals Pty Ltd .... 13-19 Glebe Street, Glebe, N.S.W. 2037	PT
Queensland Ethicals .... Enterprise Street, Salisbury, Q <sup>ld</sup> 4107	QE
Reckitt and Colman Pty Ltd .... 44 Wharf Road, West Ryde, N.S.W. 2114	RC
Richter of Milan	RM
Riker Laboratories Australia Pty Ltd .... 9-15 Chilvers Road, Thornleigh, N.S.W. 2120	RK
Robins, A. H., Pty Ltd .... 32 Punch Street, Artarmon, N.S.W. 2064	RS
Roche Products Pty Ltd .... Inman Road, Dee Why, N.S.W. 2099	RO
Rocke, Tompsitt & Co. Ltd .... 10 Griffiths Street, Richmond, Vic. 3121	RT
Rona Laboratories Ltd, London, U.K.	RN
Ross Laboratories .... Captain Cook Drive, Kurnell, N.S.W. 2231	RD
Rotary Tableting Corp. Pty Ltd .... 432 Mt Dandenong Road, Croydon, Vic. 3136	RY
Roussel Pharmaceuticals (Pty) Ltd .... 32 Cross Street, Brookvale, N.S.W. 2100	RL
Salmond and Spraggon (Aust.) Pty Ltd .... 104-108 Mount Street, North Sydney, N.S.W. 2060	SS
Sandoz Ltd .... 54 Waterloo Road, North Ryde, N.S.W. 2113	SZ
Sanitarium Health Food Co. .... 148 Fox Valley Road, Wahroonga, N.S.W. 2076	SA
Schering Corporation, U.S.A.	SH
Schering, A. G., Berlin	SC
Scott and Bowne (Australasia) Ltd .... 66-78 Talavera Road, North Ryde, N.S.W. 2113	SB

<i>Manufacturer</i>	<i>Code</i>
Searle, G. D. (Australia) Pty Ltd 1 McLaren Street, North Sydney, N.S.W. 2060	SR
Sigma Co. Ltd 589-605 Collins Street, Melbourne, Vic. 3000	SI
Smith, Kline & French Laboratories (Aust.) Ltd Warringah Road, French's Forest, N.S.W. 2086	SK
Smith & Nephew (Aust.) Pty Ltd Wellington Road, Clayton, Vic. 3168	SN
Soul Pattinson (Laboratories) Pty Ltd 158 Pitt Street, Sydney, N.S.W. 2000	SL
SPOFA United Pharmaceutical Works, Czechoslovakia	SP
Squibb & Sons, E. R. Pty Ltd Princes Highway, Noble Park, Vic. 3174	SQ
Stansen & Co. Pty Ltd, A. E. 121 Ricketts Road, Notting Hill, Vic. 3168	ST
St Just Laboratories Ltd Cnr Harris and President Streets, Carlisle, W.A. 6101	SJ
Syntex Pharmaceuticals Ltd, England	SD
Tongala Milk Products Pty Ltd 17 Foveaux Street, Sydney, N.S.W. 2000	TM
Toppin & Sons Pty Ltd, R. D. 9-15 Chilvers Road, Thornleigh, N.S.W. 2120	TO
Trane Pharmacal Co. 98 Collins Street, Melbourne, Vic. 3000	TR
Travenol Laboratories Pty Ltd Rothschild Avenue, Rosebery, N.S.W. 2018	TV
United Works of Pharmaceutical and Dietetic Products, Hungary	UW
Upjohn Pty Ltd 55-73 Kirby Street, Rydalmere, N.S.W. 2116	UP
Vifor, S. A., Geneva, Switzerland	VF
Virax Ethicals Ltd 77-79 Market Street, South Melbourne, Vic. 3205	VR
Warner & Co. Pty Ltd, Wm R. 10-28 Biloela Street, Villawood, N.S.W. 2163	WW
W. B. Pharmaceuticals Ltd, London, England	WB
Weddel Pharmaceuticals, England	WP

<i>Manufacturer</i>	<i>Code</i>
Winthrop Laboratories 75-89 Atkins Road, Ermington, N.S.W. 2115	WL
Woods, H. W. Pty Ltd 10 Clifford Street, Huntingdale, Vic. 3166	WH
World Agencies Pty Ltd 55-61 Talavera Road, North Ryde, N.S.W. 2114	WO
Wyeth Pharmaceuticals Pty Ltd Gregory Place, Parramatta, N.S.W. 2150	WY
Zero Chemicals (Aust.) Pty Ltd Unit 3, 25 Hotham Parade, Artarmon, N.S.W. 2064	ZR
Zyma, S. A. Orion Road, Lane Cove, N.S.W. 2066	ZY

# EMERGENCY DRUG (DOCTOR'S BAG) SUPPLIES

<i>Name of Pharmaceutical Benefit</i>	<i>Strength and Volume</i>	<i>Form</i>	<i>Maximum Quantity</i>
Adrenaline Injection BP ....	1 mg in 1 ml	Ampoule	5
Aminophylline Injection BP ....	250 mg in 10 ml	Ampoule	5
Chlorpromazine Injection BP	50 mg in 2 ml	Ampoule	5
Diazepam injection .....	10 mg in 2 ml	Ampoule	5
Digoxin Injection BP .....	500 micrograms in 2 ml	Ampoule	10
Ethylnoradrenaline injection ...	2 mg in 1 ml	Ampoule	5
Frusemide injection .....	20 mg in 2 ml	Ampoule	5
Heparin Injection BP .....	5,000 units in 1 ml	Ampoule	1
<i>or</i>			
Heparin Injection BP .....	5,000 units in 5 ml	Vial	1
<i>or</i>			
Heparin Injection BP .....	12,500 units in 1 ml	Ampoule	1
<i>or</i>			
Heparin Injection BP .....	25,000 units in 5 ml	Vial	1
Hydrocortisone sodium succinate injection set .....	Equivalent to 100 mg hydrocortisone and 2 ml solvent	Vial and Ampoule	1 set
Lignocaine injection .....	100 mg in 5 ml	Ampoule	4
Metaraminol Injection BP ...	10 mg in 1 ml	Ampoule	1
Morphine Sulphate Injection BP .....	10 mg in 1 ml	Ampoule	5
<i>or</i>			
Morphine Sulphate Injection BP .....	15 mg in 1 ml	Ampoule	5
<i>or</i>			
Morphine Sulphate Injection BP .....	20 mg in 1 ml	Ampoule	5
<i>or</i>			
Morphine Sulphate Injection BP .....	30 mg in 1 ml	Ampoule	5
Morphine sulphate with atropine sulphate injection .....	10 mg-400 mcg in 1 ml	Ampoule	5
<i>or</i>			
Morphine sulphate with atropine sulphate injection .....	15 mg-400 mcg in 1 ml	Ampoule	5

**EMERGENCY DRUG (DOCTOR'S BAG) SUPPLIES—continued**

<i>Name of Pharmaceutical Benefit</i>	<i>Strength and Volume</i>	<i>Form</i>	<i>Maximum Quantity</i>
<i>or</i> Morphine sulphate with atropine sulphate injection ... ..	15 mg-600 mcg in 1 ml	Ampoule	5
Penicillin benzyl injection set ..	900 mg and 2 ml Water for Injections	Vial and Ampoule	10 sets
<i>or</i> Penicillin Procaine Injection BP ... ..	600 mg	Disposable syringe pack	10
<i>or</i> Penicillin Procaine Injection BP ... ..	900 mg	Disposable syringe pack	10
<i>or</i> Penicillin Procaine Injection BP ... ..	1 G	Disposable syringe pack	10
<i>or</i> Penicillin Procaine Injection BP ... ..	1.5 G	Disposable syringe pack	10
Pethidine Injection BP ... ..	100 mg in 2 ml	Ampoule	5
Prochlorperazine Injection BP	12.5 mg in 1 ml	Ampoule	10
Tetanus Antitoxin (Bovine) BP Injection Set ... ..	1,500 units and 15 units diluted 1 in 50	Ampoules	1 set
Tetanus Antitoxin (Equine) BP Injection Set ... ..	1,500 units and 15 units diluted 1 in 50	Ampoules	1 set
Tetanus Vaccine BP (purified aluminium hydroxide adsorbed) ... ..	0.5 ml	Ampoule	10
<i>or</i> Tetanus Vaccine BP (purified aluminium phosphate adsorbed) ... ..	0.5 ml	Ampoule	10

No professional fee is payable for the above items when supplied on presentation of a Doctor's Bag Order Form.

+

SCHEDULE OF BENEFITS

Operative from 1 December 1972

SECTION 2

SYMBOLS USED IN THE SCHEDULE

- (a) An asterisk (\*) in front of a restriction indicates an additional or amended purpose in this issue.
- (b) A dagger (†) in front of the form of an item and in the price column indicates a packed line which will be supplied under the original label when prescribed unless the prescription bears specific instructions for use.
- (c) A double dagger (‡) in the maximum quantity column indicates an item for which the maximum quantity has been specially determined to correspond to the manufacturer's pack and the manufacturer's original pack will be supplied.
- (d) A gauge sign (#) against the price of an item indicates that the product is not preconstituted.
- (e) Where a STATE is indicated after the manufacturer's code, that brand may be available only in the State indicated.  
N.S.W. - (N); Vic. - (V); Qld. - (Q); S.A. - (S);  
W.A. - (W); Tas. - (T).

---

Attention is drawn to paragraph 11(d) of the explanatory notes which provides for the endorsement of prescriptions for pharmaceutical benefits with the words "specified purpose". Abbreviations such as "Spec. Purp." or "S.P." will be accepted. Where a prescription is written for a pensioner for a drug which, although restricted, is not restricted as to a disease for a pensioner, the pension number is sufficient identification and it is not necessary to endorse the prescription "specified purpose".

---

The maximum quantity and/or number of repeats in respect of any item shown in the Schedule may be varied by the Commonwealth Director of Health when issuing an authority to prescribe (Form PB15). The quantity and number of repeats shown on the authority shall be supplied. (See paragraphs 17 and 18 of Section 1 - Explanatory Notes (Lemon pages)).

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ACEPIFYLLINE Tablet 250mg	100	2	2.02	Etaphylline DF
Paediatric Syrup 125mg per 5ml, 500ml	#1	4	2.49	Etaphylline DF
Injection 500mg in 5ml	5	..	1.19	Etaphylline DF
ACETARSOL Compound Pessary 250mg	25	1	1.35	S.V.C. MB
ACETAZOLAMIDE Tablet 250mg	50	6	5.11 5.19 5.62	Glaucomide PT Fonurit BZ(NWS) Diamox LE
Capsule 500mg (sustained release)	50	2	11.09	Diamox LE
Injection 500mg (solvent required)	1	..	3.47	Diamox LE
ACETOHEXAMIDE Tablet 500mg	100	2	4.42	Dimelor LY
ACETYLCHOLINE CHLORIDE Ophthalmic Solution 1%, 2ml	2	..	10.28	Miochol IR
ACETYLCYSTEINE Cystic fibrosis (mucoviscidosis). Solution 20%, 10ml	5	3	10.67	Mucomyst M.J
ADRENALINE Eye Drops 0.5%, 7.5ml	#1	6	3.09	Eppy ET Isopto AQ Epinal
0.5%, 10ml	#1	6	3.22	Epifrin AG
1%, 7.5ml	#1	6	3.42	Eppy ET Isopto AQ Epinal
1%, 10ml	#1	6	3.55	Epifrin AG Glaucan AQ
2%, 10ml	#1	6	6.75	Epifrin AG Glaucan AQ
2% (100mg and 5ml diluent) (continued)	#1	6	#5.87	Lyophrin AQ

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ADRENALINE - cont.				
Solution BP 0.1% (1 in 1,000), 28.5ml	1	..	0.82	PD
Solution 1% (1 in 100), 7ml	1	1	0.81	PD
Injection BP 1mg in 1ml (1 in 1,000)	5	1	0.90 0.93 0.97	GR(NWS) BL, FH, WO KL, PD, SI
10mg in 10ml (1 in 1,000)	1	1	0.82	PD
ADRENALINE ACID TARTRATE				
Inhalation, metered aerosol spray replacement pack, 7mg per ml, 15ml (300 dose)	≠1	..	2.82	Medihaler-Epi RK
ADRENALINE MUCATE				
Injection 1 in 1,000, 1ml	5	1	1.29	GL
ALGINIC ACID COMPOUND				
Oesophageal reflux in infants.				
Powder 45G	≠1	4	2.22	Gaviscon Infant RC
ALLOPURINOL				
Tablet 100mg	100	2	8.69	Zyloprim BW
ALOXIPRIN				
Tablet 600mg	100	2	2.49	Palaprin Forte NS
ALPRENOLOL				
Dissecting aneurysm (aortic); Idiopathic hypertrophic sub- aortic stenosis; Right ventricular outflow tract obstruction; Serious arrhythmias; Thyrotoxicosis; Frequent disabling angina with- out evidence of cardiac failure, and not responding to other therapeutic agents.				
Injection 1mg per ml, 10ml	1	..	1.91	Aptin Betacard AP BR
* * *				
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ALPRENOLOL - cont. Authority required. Dissecting aneurysm (aortic); Idiopathic hypertrophic sub- aortic stenosis; Right ventricular outflow tract obstruction; Serious arrhythmias; Thyrotoxicosis; Frequent disabling angina with- out evidence of cardiac failure and not responding to other therapeutic agents; *Treatment of severe hypertensive disease which is not responding adequately to other therapy.				
Tablet 100mg	100	1	8.42	Aptin AP Betacard BR
ALUMINIUM ACETYSALICYLATE Tablet 400mg	100	2	1.98	Asopax NS
ALUMINIUM HYDROXIDE GEL Mixture 320mg per 5ml, 360ml	1	2	/0.71 /0.72 /1.01	Minajel MG AA(N) Alox KL Alusorb DH Amphojel WY Gelox PR Metem CH(Q)
ALUMINIUM HYDROXIDE GEL DRIED Tablet 300mg	100	2	1.35	Actal WL Alox KL Amphotabs WY HA
ALUMINIUM HYDROXIDE GEL with KAOLIN Mixture 137mg-1G per 5ml, 360ml	#1	2	1.27	Kaogel FA Kaomagma WY
ALUMINIUM HYDROXIDE GEL with MAGNESIUM HYDROXIDE Tablet 300mg-90mg	100	2	1.51	Aludrox WY Brislox BC
200mg-200mg	100	2	1.50	Mylanta PD

(continued)

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
ALUMINIUM HYDROXIDE GEL with MAGNESIUM HYDROXIDE - cont. Mixture 300mg-100mg per 5ml, 360ml	≠1	2	1.29	Aludrox Milagel	WY PR
Suspension 215mg-80mg per 5ml, 360ml	≠1	2	1.62	Dijene Simeco	BT WY
200mg-100mg per 5ml, 360ml	≠1	2	1.62	Polycral Gel	NS
200mg-200mg per 5ml, 360ml	≠1	2	1.62	Alkolac Almacarb Merasynt Mylanta	GL AH ML PD
ALUMINIUM HYDROXIDE GEL WITH MAGNESIUM HYDROXIDE and OXETHAZINE Suspension 306mg-97.5mg-10mg per 5ml, 360ml	≠1	2	1.89	Mucaine	WY
ALUMINIUM HYDROXIDE GEL with MAGNESIUM TRISILICATE Tablet 250mg-500mg	100	2	1.55	Gelusil	WW
Mixture 250mg-500mg per 4ml, 360ml	≠1	2	1.62	Gelusil	WW
ALUMINIUM HYDROXIDE GEL with MAGNESIUM TRISILICATE and MAGNESIUM HYDROXIDE Tablet 250mg-120mg-120mg	100	2	1.75	Alox Compound Binesia Gastrogel Gastroid Neutratabs	KL FA FM BB HA
Mixture 250mg-120mg-120mg per 5ml, 360ml	≠1	2	1.55	Gastrogel	FM
ALUMINIUM HYDROXIDE-MAGNESIUM CARBONATE CO-DRIED GEL Tablet 375mg	100	2	1.82	Actal Complex Alkolac Almacarb Dijene Polycral Simeco	WL GL AH BT NS WY
ALUMINIUM SODIUM SILICATE Powder 100G	1	2	1.22	Neutralon	SC

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
AMANTADINE HYDROCHLORIDE Authority required. Parkinson's disease which is not drug induced.				
Capsule 100mg	100	..	18.66	Symmetrel GE
AMBENONIUM CHLORIDE Tablet 10mg	100	2	4.62	Mytelase WL
AMILORIDE Tablet 5mg	50	2	2.42	Midamor MK
AMINACRINE HYDROCHLORIDE Eye Drops 3mg in 15ml	#1	2	1.27	Aminopt SI
AMINO ACID FORMULA without PHENYLALANINE Authority required. Phenylketonuria.				
Powder 200G	#1	..	24.70	Aminogran GL
250G	#1	..	32.36	PK AID I MN
250G	#1	..	37.51	PK AID II MN
AMINO ACIDS with SORBITOL See Intravenous Fluids				
AMINO ACIDS with SORBITOL and ALCOHOL See Intravenous Fluids				
AMINOPHYLLINE Tablet 100mg	100	2	0.75 0.85	SL(N) Cardophyllin HA Carine KL AD,RT(V),RY,SI
125mg (enteric coated)	100	2	1.29	Androphyllin ET
150mg	100	2	1.86	Glucophylline AB
Injection I.V. 250mg in 10ml	5	..	1.53 1.65 1.73	LP DH,FH,WO Cardophyllin HA Carine KL SI
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
AMINOPHYLLINE - cont. Injection I.M. 500mg in 2ml	5	..	1.22 1.25 1.33	WO FH Cardophyllin HA
Suppository 175mg	12	1	1.11	Cardophyllin HA Carine KL
250mg	12	1	1.38	Cardophyllin HA Carine KL DH
400mg	12	1	1.38	Cardophyllin HA Carine KL
AMINOPHYLLINE with EPHEDRINE HYDROCHLORIDE and AMYLOBARBITONE Tablet				
130mg-25mg-25mg	100	2	2.15	Phyline CO
130mg-25mg-25mg(enteric coated)	100	2	2.49	Amesec LY
Capsule 130mg-25mg-25mg	100	2	2.22	Amesec LY Efal KL Protasma PT
AMINOSALICYLIC ACID Tuberculosis.				
Tablet 500mg	500	2	4.85	KL
AMITRIPTYLINE Tablet 10mg	50	1	1.55	Laroxyl RO Saroten NS Tryptanol MK
25mg	50	1	2.55	Laroxyl RO Saroten NS Tryptanol MK
Capsule 10mg	50	1	1.55	Elavil FR
25mg	50	1	2.55	Elavil FR
Mixture 10mg (base) in 5ml, 100ml	71	4	1.33	Elavil FR Tryptanol MK
Injection 25mg per ml, 2ml	10	..	2.59	Laroxyl RO
AMMONIUM CHLORIDE Tablet 500mg	100	3	1.11	QE(QNVS),RY

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
AMODIAQUINE Tablet equivalent to 150mg Amodiaquine base	100	2	2.55	Camoquin PD
AMPHOTERICIN B Mycoses, systemic.  Injection 50mg (solvent required) * * *	1	..	4.35	Fungizone SQ
AMPHOTERICIN B Tablet 100mg	50	..	6.89	Fungilin SQ
Suspension 100mg per ml, 24ml	≠1	..	2.69	Fungilin SQ
Lozenge 10mg	20	..	1.69	Fungilin SQ
Vaginal Tablets 50mg, 15	≠1	1	2.26	Fungilin SQ
AMPICILLIN Infections by susceptible organ- isms where these cannot be safely and effectively treated with sulphonamides, oral forms of benzyl penicillin, phenoxy- methylpenicillin or phenethic- illin; Urinary tract infections where sulphonamide treatment has proved ineffective and where positive bacteriological evi- dence shows the organism to be sensitive to ampicillin or where the patient is sensitive to sulphonamides.				
Tablet 125mg	25	..	2.49	Austrapen CS Penbritin BR
Capsule 250mg	25	..	4.01	Austrapen CS Penbritin BR
500mg	12	..	3.86	Austrapen CS Penbritin BR
Powder for Syrup 125mg per 5ml, 100ml	≠1	..	#2.69	Austrapen CS Penbritin BR
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
AMPICILLIN - cont. Powder for syrup 250mg per 5ml, 100ml	#1	..	#4.09	Austrapen Forte CS Penbritin Forte BR
Injection 100mg (solvent required)	5	..	3.14	Austrapen CS Penbritin BR
250mg (solvent required)	5	..	4.98	Austrapen CS Penbritin BR
500mg (solvent required)	5	..	7.77	Austrapen CS Penbritin BR
1G (solvent required)	5	..	13.65	Austrapen CS Penbritin BR
AMYLOBARBITONE Tablet 15mg	100	1	0.89	Amylbarb PT Sedal FA
			0.90	Amal KL
				Amytal LY
				Neur-Amyl FM
				Restal HA
				Sednotic DL
				RY
30mg	100	1	1.05	Amal KL
				Amylbarb PT
				Amytal LY
				Mylosed VR
				Neur-Amyl FM
				Restal HA
				Sedal FA
				Sednotic DL
				RY, SL(N)
50mg	100	1	1.14	Amylbarb PT Sedal FA
				SL(N)
			1.15	Amal KL
				Amytal LY
				Mylosed VR
				Neur-Amyl FM
				Restal HA
				Sednotic DL
				RY

(continued)

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
AMYLOBARBITONE - cont. Tablet 100mg	25	..	0.63 0.65 0.71 0.73	Amylbarb PT SL(N) Restal HA Mylosed VR Amal KL Amytal LY Neur-Amyl FM Sedal FA RY
AMYLOBARBITONE SODIUM Capsule 50mg	100	1	1.49	Amal Sodium KL Amsal AV Amylobeta BB Amytal Sodium LY Neur-Amyl FM Sodium
200mg	25	..	1.13 1.35	Amylbarb PT Sodium LF Amylosol KL Amylobeta BB Amytal Sodium LY Mylosed VR Neur-Amyl FM Sodium Sedal FA
Injection 250mg (solvent required) 500mg (solvent required)	5	..	2.62 3.77	Amytal Sodium LY Amytal Sodium LY
ANGIOTENSIN AMIDE Injection 0.5mg (solvent required) 2.5mg (solvent required)	5	..	2.42 9.65	Hypertensin CB Hypertensin CB
ANTAZOLINE with NAPHAZOLINE Eye Drops 10ml	1	2	1.11	Antistine- Privine CB
ANTIVENENE - RED BACK SPIDER Injection 500 Units	2	..	8.42	CS

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ASCORBIC ACID For pensioners for any disease or purpose.				
Tablet 25mg	100	2	0.69	Ascorb "25" PT HY AD 0.75 0.81 Cetamin KL DH,RT(V),RY,SI
50mg	100	2	0.85	Ascorb "50" PT HY,LP,SL(N) 0.93 Cetamin KL Scorbettes PR AD,DH,RT(V),RY, SI
500mg	100	..	2.62	Cetamin KL Colascor DH AV,HY
ASPIRIN				
Tablet 150mg	100	2	0.82	KL
300mg	100	2	0.75	KL,RY
650mg (sustained release)	100	2	1.98	Bi-prin BT
ASPIRIN (BUFFERED)				
Tablet 325mg	100	2	1.98	Bufferin BC
ASPIRIN (SOLUBLE)				
Tablet 150mg	100	2	1.09	Aspisol KL Prodol BB
300mg	100	2	1.13	SB
			1.19	Prodol BB Solcetas BW Solusal HA DH,RT(V)
			1.25	Aspisol KL Novosprin VR Solprin RC Talis Soluble NS RY
500mg	100	2	1.55	Provoprin 500 DH

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ASPIRIN with PARACETAMOL and CAFFEINE For pensioners for any disease or purpose.  Tablet 225mg-150mg-50mg	100	2	0.95	KL,RT(V),RY,SI
ATROPINE Eye Drops Oily 1%, 15ml	#1	2	1.42	Atroptol SI
ATROPINE METHONITRATE Tablet 1mg  Oral Solution 0.6%, 15ml	50	2	1.55	Eumydrin WL
	1	..	1.11	Eumydrin WL
ATROPINE SULPHATE Tablet 600 micrograms	100	2	0.99	RY
Injection 0.4mg in 1ml	5	1	1.01 1.02	BL,FH,LP KL
0.6mg in 1ml	5	1	1.01 1.02	BL,FH,LP DH,KL
1.25mg in 1ml	5	1	1.01 1.02	BL,FH,LP KL
Eye Drops 0.5%, 15ml	#1	2	1.22 1.38	IR Atropt SI ET,KL
1%, 15ml	#1	2	1.33 1.49	DH,IR,LP Atropt SI ET,KL
Eye Ointment 1%, 4G	#1	..	0.75	PD
AZATHIOPRINE Authority required. Continuing azathioprine therapy after discharge from an approved hospital.	100	..	29.75	Imuran BW
BACITRACIN Eye Drops 15,000 Units and 15ml solvent	#1	2	#3.34	ET

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
BARBITONE SODIUM Tablet 300mg	25	..	0.95	KL
500mg	25	..	0.98	KL
BARBITONE with PENTOBARBITONE and PHENOBARBITONE Capsule 250mg-100mg-30mg	25	..	1.95	Barbico AB KL
BELLADONNA Tablet 45mg	100	2	1.15	RY
BELLADONNA with PHENOBARBITONE Prepared Belladonna Herb BP (or equivalent of Dry Extract of Belladonna) with Phenobarbitone	100	2	1.11	Bellafran PT Phenadon LF Solamal DH
Tablet 30mg-20mg	100	2	1.13	Alkabarb SI Bellabarb TR Donnabarbita1 FM
40mg-16mg	100	2	1.29	Donnatal RS
45mg-30mg	100	2	1.11 1.13 1.15 1.29	Phenadon F LF Bellafran PT Forte PT Solamal Fort DH Alkabarb SI Forte SI Bellabarb TR Forte TR Donnabarbita1 FM Forte FM
120mg-48mg (sustained release)	100	2	2.42	Donnatal-LA RS
BENDROFLUAZIDE Tablet 2.5mg	50	2	1.94	Aprinox-M BT Bristuric BC Neo-Naclex-M GL Pluryl ET
5mg	50	2	2.77	Aprinox BT Bristuric BC Neo-Naclex GL Pluryl ET

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
BENZALKONIUM CHLORIDE Compound Suppository	12	1	1.27	Anoidal HA Paxyl FA
Solution 10%, 4fl oz	#1	..	1.11	Zephiran Conc- entrated WL
BENZHEXOL Tablet 2mg	100	2	1.93 2.01	Anti-Spas PT Artane LE
5mg	100	2	3.39 3.57	Anti-Spas PT Artane LE
BENZOCAINE with ADRENALINE Compound Ointment 50G	1	1	1.42	Rectinol GP
Compound Suppository	12	1	1.18	Rectinol GP
Suppository APF 1955	12	1	1.42	Adaben KL
BENZTROPINE Tablet 2mg	100	..	4.69	Cogentin MK
Injection 2mg in 2ml	1	..	1.11	Cogentin MK
BENZYL BENZOATE Application 25%, 100ml	#1	2	1.22	Ascabiol MB
BETAHISTINE HYDROCHLORIDE Meniere's syndrome.	100	..	6.15	Serc PT
Tablet 4mg				
BETAMETHASONE Intra-articular use. * * *				
Authority required. Prophylactic therapy pre-and post-operatively for those pat- ients undergoing or recently subjected to steroid therapy.				
Injection 6mg in 1ml * * *	5	..	10.09	Celestone SH Chronodose
BETAMETHASONE Tablet 0.25mg	30	..	1.22	Betnelan GL
0.5mg	30	..	1.75	Betnelan GL Celestone SH
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
BETAMETHASONE - cont. Syrup 0.5mg per ml, 30ml	≠1	..	2.35	Celestone SH
Injection 4mg in 1ml	5	..	7.07	Betnelan GL Celestone SH
Eye Drops 0.1%, 5ml	≠1	2	2.42	Betnelan GL
Eye Ointment 0.1%, 3G	≠1	..	1.75	Betnelan GL Celestone SH
BETAMETHASONE with CLIOQUINOL Ear Ointment 0.1%-3%, 5G	≠1	..	1.39	Betnovate GL Otic
BETAMETHASONE VALERATE Cream 0.05%, 30G	≠1	..	1.74	Betnovate 1/2 GL Celestone-V Half Strength SH
Ointment 0.05%, 30G	≠1	..	1.74	Betnovate 1/2 GL Celestone-V Half Strength SH
BETHANIDINE Tablet 10mg	100	2	3.09	Esbatal BW
25mg	100	2	6.42	Esbatal BW
BIPERIDEN Tablet 2mg	100	2	3.55	Akineton KN
BISMUTH SUBGALLATE Compound Ointment 50G	≠1	1	1.42	Anusol WW
Compound Suppository	12	1	1.15 1.49	Anusol WW Anagal KL
Powder-See Colostomy & Ileostomy				
BORIC ACID /Powder 100G	1	..	≠0.29 ≠0.41	AA(N),FA DH,SI(V)
BROMPHENIRAMINE Tablet 4mg	50	1	1.55	Dimetane RS
12mg	50	1	3.02	Dimetane-LA RS
Syrup 2mg per 5ml, 100ml	≠1	4	1.15	Dimetane RS

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
BUSULPHAN Treatment in malignant neoplasia					
Tablet 0.5mg	100	2	2.69	Myleran	BW
2mg	100	2	4.15	Myleran	BW
BUTOBARBITONE Tablet 100mg	25	..	0.67 0.69	Sonabarb Soneryl	PT MB
CALCIFEROL For pensioners for any disease or purpose. * * *					
Authority required. Hypoparathyroidism; Osteomalacia following gastrect- omy; Vitamin D-resistant rickets.					
Tablet 1.25mg (50,000 Units)	100	2	2.53	Ostelin High Potency	GL
Oral Solution 15mg(600,000 Units) in 1.5ml alcoholic solution	3	..	2.15	Sterogyl-15	RL
CALCIUM Hypocalcaemia; Hypoparathyroidism; Osteoporosis.					
Compound Effervescent Tablet equivalent to 375.5mg calcium	100	2	5.82	Calcium Sandoz	SZ
equivalent to 500mg calcium	100	2	5.82	Spar-Cal	MJ
equivalent to 1G calcium	30	2	4.95	Sandocal 1000	SZ
CALCIUM AMINOSALICYLATE Tuberculosis.					
Tablet 500mg	500	2	4.69	Calcipas	KL
Cachet 1.5G	500	2	14.09	Calcipas	KL
2G	500	2	20.75	Calcipas	KL

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CALCIUM GLUCONATE Tablet 600mg	100	2	1.05	AD, DH, KL, PR, RT(V), RY, SI, SL(N)
Injection 10%, 10ml	5	1	1.42	Calcium Sandoz            SZ FH
CALCIUM LACTATE Tablet 300mg	100	2	0.82 0.87	AD DH, KL, SI, TO
CAPREOMYCIN Tuberculosis.  Injection 1G (solvent required)	5	..	19.17	Caprocin            LY
CARBACHOL Injection 0.25mg in 1ml	5	..	0.98	FH
Eye Drops 0.75%, 15ml	≠1	6	2.35	AQ
1.5%, 15ml	≠1	6	2.42	AQ
3%, 15ml	≠1	6	2.55	AQ
CARBAMAZEPINE Epilepsy; Trigeminal neuralgia.  Tablet 200mg	200	1	12.77	Tegreto1            GE
CARBENICILLIN Authority required. Infections where positive bact- eriological evidence confirms that carbenicillin is the most appropriate therapeutic agent.  Injection 1G (solvent required)	5	..	18.82	Carbapen            CS Pyopen            BR
CARBENOXOLONE SODIUM Authority required. Gastric ulcer, proven.  Tablet 50mg	100	..	11.79	Biogastrone        BQ
CARBIMAZOLE Tablet 5mg	100	2	2.09 2.75	Carbazole            PT Neo-Mercazole    NS

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CARBINOXAMINE				
Tablet 4mg	50	1	1.69	Clistin ET
12mg (sustained release)	50	1	3.75	Clistin R-A ET
Capsule 12mg (sustained release)	50	1	3.75	Histex SI
Paediatric Elixir 4mg per 5ml, 100ml	≠1	4	1.15	Clistin ET
CASCARA				
Tablet 200mg	25	3	0.69	RT(V), SI
300mg	25	3	0.73	RT(V), SI
∕Liquid Extract BP 25ml	1	1	∕0.32	AA(N)
50ml	1	1	∕0.45	AA(N)
CASEIN HYDROLYSATE with LAEVULOSE and ALCOHOL See Intravenous Fluids.				
CEPHALEXIN				
Authority required. Infections where positive bacteriological evidence confirms that cephalixin is the most appropriate therapeutic agent.				
Tablet 500mg	12	..	13.49	Keflex LY
Capsule 250mg	25	..	14.02	Ceporex GL Keflex LY Keforal DI
500mg	12	..	13.49	Ceporex GL
Granules for Syrup 125mg per 5ml, 100ml	≠1	..	≠7.49	Ceporex GL Keflex LY
CEPHALORIDINE				
Authority required. Infections where positive bacteriological evidence confirms that cephaloridine is the most appropriate therapeutic agent.				
Injection 250mg (solvent required)	5	..	9.22	Ceporan GL
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
CEPHALORIDINE - cont. Injection					
500mg (solvent required)	5	..	15.82	Ceporan	GL
1G (solvent required)	5	..	29.82	Ceporan	GL
CEPHALOTHIN SODIUM Authority required.					
Infections where positive bacteriological evidence confirms that cephalothin sodium is the most appropriate therapeutic agent.					
Injection 1G (solvent required)	5	..	26.27	Keflin	LY
CERATONIA Oesophageal reflux in infants.					
Powder 100G	71	4	1.75	Nestargel	NT
135G	71	4	2.22	Carobel	MN
CHLORAL HYDRATE Capsule 500mg	50	..	1.66 1.75	Lanchloral Chloradorm Chloralix Eudorm Noctec	LP KL RK VR SQ
Mixture 250mg per 5ml, 400ml	71	4	1.62	Dormel	DH
1G per 10ml, 200ml	71	4	1.62	Chloradorm Chloralix Chlorhydrate Noctec Syrup	KL RK PT SQ
CHLORAMBUCIL Treatment in malignant neoplasia.					
Tablet 2mg	100	2	6.30	Leukeran	BW
5mg	100	2	10.02	Leukeran	BW
CHLORAMPHENICOL Bacterial meningitis; Rickettsioses; Intraocular infections; Typhoid;					

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
<b>CHLORAMPHENICOL - cont.</b>				
Other serious infections where positive bacteriological evidence confirms that chloramphenicol is the ONLY appropriate antibiotic.				
Capsule 125mg	16	..	1.25	Chlomin KL Chloromycetin PD
250mg	16	..	1.78 1.82	Chloramol PT Chlomin KL Chloromycetin PD Kemicetine EC
Paediatric Suspension 125mg per 5ml, 100ml	≠1	..	1.98	Chloromycetin Palmitate PD EC
Injection 250mg per ml, 2ml	5	..	3.18	Chloromycetin PD
1G (solvent required)	3	..	5.01	Chloromycetin Succinate PD EC
Paediatric Injection 250mg (solvent required)	3	..	3.15	Chloromycetin Succinate PD
* * *				
<b>CHLORAMPHENICOL</b>				
Ear Drops 10%, 6ml	≠1	2	1.42	Chlomin KL Chloromycetin PD
Eye Drops 25mg and 10ml solvent	≠1	2	#1.80	Chloromycetin PD
0.5%, 10ml	≠1	2	1.22	Chlomin KL Chloroptic AG Opclor PD
Eye Ointment 1%, 4G	≠1	..	0.81	Chlomin KL Chloromycetin PD
<b>CHLORAMPHENICOL with POLYMYXIN B</b>				
Eye Ointment 1%-5,000 Units per G, 4G	≠1	..	0.81	Chlopex KL Chloromyxin PD
<b>CHLORCYCLIZINE</b>				
Tablet 50mg	50	1	1.79 1.82	PT Di-Paralene AB Perazil BW

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CHLORHEXIDINE Solution 5%, 100ml	#1	1	1.62	Hibitane Concentrate IC
CHLOROQUINE Tablet equivalent to 150mg (approx.) Chloroquine base	100	2	3.02	Chlorquin PT Malaquin DR RT(V)
			3.14	Aralen WL Avloclor IC Nivaquine MB Resochin BN DH,ET,KL
Injection 40mg per ml, 2ml	5	1	1.56	Nivaquine MB
Injection 40mg per ml, 5ml	5	1	2.37	Nivaquine MB
CHLOROTHIAZIDE Tablet 500mg	50	2	3.09	Chlotride MK
CHLOROTRIANISENE Carcinoma of the prostate.				
Tablet 24mg	30	2	4.18	Tacc ML
CHLORPHENIRAMINE Tablet 4mg	50	1	1.78	Allergex PT Chloramin LF Histoids OD
			1.86	Chlor- Trimeton SH
			1.89	Bramahist BB Piranex KL Piriton GL
8mg (sustained release)	50	1	2.18	Chloramin LF Histoids OD
			2.29	Bramahist BB Chlor- Trimeton SH Piranex RA KL Piriton GL
12mg (sustained release)	50	1	2.82	Piriton GL Spandets
Capsule 8mg (sustained release)	50	1	2.30	Teledrin SK
12mg (sustained release)	50	1	2.91	Teledrin SK
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CHLORPHENIRAMINE - cont. Paediatric Syrup 2mg per 5ml, 100ml	≠1	4	1.11	Bramahist BB Piranex KL Piriton GL
Injection 10mg in 1ml	5	..	1.70	Piriton GL
CHLORPROMAZINE Hereditary chorea(Huntington's); Malignant neoplasia(late stage); Radiation sickness; *Severe conduct disorders of children; Major psychoses including:- Major organic psychoses; Manic psychoses; Paranoid states; Schizophrenia.	100	1	1.25	Largactil MB Plegomazine UW(NWS) Promacid KL Protran PT Serazone VR
Tablet 10mg	100	1	1.62	Largactil MB Plegomazine UW(NWS) Procalm BB Promacid KL Protran PT Serazone VR
25mg	100	1	2.82	Largactil MB Plegomazine UW(NWS) Procalm BB Promacid KL Protran PT Serazone VR
50mg	100	1	5.22	Largactil MB Plegomazine UW(NWS) Procalm BB Promacid KL Protran PT
100mg	100	1	1.11	Largactil MB Plegomazine UW(NWS) Procalm BB Promacid KL Protran PT
Mixture 25mg per 5ml, 100ml	≠1	4	1.11	Largactil MB Promacid KL

(continued)

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CHLORPROMAZINE - cont. Injection BP, 25mg in 1ml	10	..	1.62	Largactil MB
50mg in 2ml	10	..	1.62	Plegomazine
			1.95	Largactil MB
				Promacid KL
Suppository 100mg	5	1	1.35	Largactil MB
CHLORPROPAMIDE				UW(NWS)
Tablet 100mg	100	2	2.69	Diabinese M PF
250mg	100	2	4.42	Diabinese PF
CHLORTETRACYCLINE				
Capsule 250mg	25	..	2.37	Aureomycin LE
				Chlortet LF
				KL
CHLORTHALIDONE				
Tablet 50mg	50	2	3.11	Hygroton 50 GE
100mg	50	2	5.15	Hygroton GE
CHOLERA VACCINE				
Injection 1ml	2	..	1.22	CS
CHOLESTYRAMINE				
Authority required.				
Bile salt malabsorption associated with ileal resection or proven ileal disease;				
Initial treatment of proven hyperbetalipoproteinaemia (Type II) not responding to other therapy;				
NOTE: Evidence of a positive diagnosis of hyperbetalipoproteinaemia (Type II) established by laboratory tests is required.				
A second or subsequent course of treatment for proven hyperbetalipoproteinaemia (Type II) in patients who respond to treatment with cholestyramine but do not respond to other therapy;				
Pruritis associated with partial biliary obstruction not responding to other therapy.				
Powder 50%, 378G	≠1	..	10.26	Questran MJ

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
CHOLINE THEOPHYLLINATE Tablet 100mg	100	2	2.55	Choledyl	WW
200mg	100	2	3.09	Choledyl	WW
Syrup 50mg per 5ml, 500ml	∓1	4	2.02	Choledyl	WW
CHOLINE THEOPHYLLINATE with GUAIPHENESIN Tablet 200mg-100mg	100	2	3.09	Brondecon	WW
Elixir 50mg-25mg per 5ml, 500ml	∓1	4	2.15	Brondecon	WW
CLEMASTINE Tablet 1mg	50	1	3.45	Tavegyl	SZ
Mixture 0.25mg(base) per 5ml, 100ml	∓1	4	1.29	Tavegyl	SZ
Injection 2mg (base) in 2ml	5	..	1.82	Tavegyl	SZ
CLEMIZOLE Tablet 20mg	50	1	1.70	Allercur	SC
Paediatric Syrup 100ml	∓1	4	1.11	Allercur	SC
CLINDAMYCIN Gram-positive coccal infections where these cannot be safely and effectively treated with a penicillin; Osteomyelitis.					
Capsule 75mg	25	..	4.02	Dalacin C	UP
150mg	25	..	7.22	Dalacin C	UP
CLIOQUINOL Cream 1%, 30G	∓1	..	1.15	Vioform	CB
CLOFIBRATE Authority required. Diabetic retinopathy (exudative); Initial treatment of hyperlipid- aemia not responding to dietary therapy; NOTE: An acceptable level of hyp- erlipidaemia for the issue of an authority for initial treatment is a demonstrated serum cholest- erol level in excess of 300mg per 100ml, or 250mg per 100ml in					

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
<p>CLOFIBRATE - cont.</p> <p>cases of familial disease (in parents or siblings) or a fasting serum triglyceride level in excess of 200mg per 100ml, following dietary therapy for an adequate period (8 weeks).</p> <p>A second or subsequent course of treatment for hyperlipidaemia where significant lowering of serum cholesterol subsequent to initial treatment has been established by laboratory report.</p>					
Capsule 500mg	50	..	5.49	Atromid-S	IC
CLOPAMIDE Tablet 20mg	50	2	2.69	Brinaldix	SZ
CLOREXOLONE Tablet 10mg	50	2	2.09	Nefrolan	MB
25mg	50	2	2.49	Nefrolan	MB
50mg	50	2	3.09	Nefrolan	MB
CLOXACILLIN Authority required. Serious infections where bacteriological evidence confirms the presence of penicillinase-producing staphylococci.					
Capsule 250mg	25	..	8.22	Austrastaph Orbenin	CS BR
Powder for Syrup 125mg per 5ml, 100ml	#1	..	#5.77	Austrastaph Orbenin	CS BR
Injection 250mg (solvent required)	5	..	6.75	Austrastaph Orbenin	CS BR
CODEINE PHOSPHATE Tablet 30mg	25	..	1.61 1.67	HY, LP, DH, KL, RT(V), RY	
CODEINE PHOSPHATE with ASPIRIN For pensioners for any disease or purpose.					
Tablet 10mg-300mg	100	2	1.22 1.46	Ethidyne Acode	EL KL
(continued)				Codacet	BY

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CODEINE PHOSPHATE with ASPIRIN - cont. Tablet 10mg-500mg	100	2	1.67	Ascotin FA
Soluble 10mg-300mg	100	2	1.62	Prodol Co. BB
			1.75	Aspalgin FM
				Codacet BW
				Neocodsol KL
10mg-500mg	100	2	1.99	Hycodin FA
				Solcode RC
CODEINE PHOSPHATE with ASPIRIN and PARACETAMOL For pensioners for any disease or purpose.				
Tablet 8mg-250mg-250mg	100	2	1.39	RY
			1.53	RT(V), SI
			1.59	Angesil DH
				Burco BW
				Co-Com VR
				Code-Co HA
				Nollipyrin KL
				AD
10mg-250mg-250mg	100	2	1.70	Codaspren SI
				Panalgescic WL
Soluble 8mg-250mg-250mg	100	2	1.94	Solusal Co HA
			1.95	Burcosol BW
				Codsol KL
				Solgesil DH
CODEINE PHOSPHATE with ASPIRIN, PARACETAMOL and CAFFEINE For pensioners for any disease or purpose.				
Tablet 12mg-250mg-150mg-15mg	100	2	2.11	Codiphen GP
30mg-225mg-150mg-30mg	50	..	1.91	Codiphen
				Forte GP
				Panalgescic Co WL
			1.95	Codral Forte BW
COD LIVER OIL Cod Liver Oil BP 8fl oz	1	4	/0.51	FA
200ml	1	4	/0.57	AA(N), DH
Emulsion 50%, 450ml	1	4	/0.99	Elliott's Clinic DH

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
COLCHICINE Tablet 0.5mg	100	2	2.79	Colgout PT LP, PR, RT (V)
			2.82	DH
			2.91	Coluric AV
			2.95	BW, KF
			3.09	Colcin KL MR, RC
COLISTIN Gram-negative infections where NO other drug is effective; Pyocyaneus infection.				
Injection I.M. 150mg (solvent required)	5	..	34.57	Coly-Mycin WW
COLISTIN with NEOMYCIN Ear Drops 3mg-3.3mg per ml, 10ml	≠1	2	1.62	Coly-Mycin WW
COPPER SULPHATE /Diagnostic Compound Tablets, 36	1	3	/0.71	Clinitest AM
CORTISONE ACETATE Tablet 5mg	50	..	1.62	Cortate PT Cortone MK
25mg	30	..	2.42	Cortate PT DH, KL, PD
Injection 25mg per ml, 10ml	1	..	5.75	Cortisyl RL
CYANOCOBALAMIN Neuroblastoma; Pernicious anaemia and other proven vitamin B12 deficiencies (post-gastrectomy treatment; subacute combined degeneration of the cord).				
Injection 100 micrograms in 1ml	5	1	1.15	Panalamine PT LP
			1.22	Benol Forte KL
				Cytamen 100 GL
1,000 micrograms in 1ml	5	..	2.22	Panalamine PT 1000 LP
			2.55	Benol 1000 KL
				Cytamen 1000 GL

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CYCLOBARBITONE Tablet 200mg	25	..	1.11 1.22	Placyl HA Amnosed BW Cybal KL Fabadorm BN
CYCLOPENTHIAZIDE Tablet 0.5mg	50	2	2.69	Navidrex CB
CYCLOPHOSPHAMIDE Arthritis, rheumatoid, with vasculitis or visceral complica- tions; Dermatomyositis; Granulomatosis, Wegener's; Lupus erythematosus, systemic; Malignant disease including leukaemia; Nephritis; Nephrosis; Polyarteritis nodosa; Scleroderma.  Tablet 50mg  Injection 100mg (solvent required) 200mg (solvent required)	50	..	6.09 7.91 8.15	Endoxan-Asta MJ Endoxan-Asta MJ Endoxan-Asta MJ
CYCLOSERINE Tuberculosis.  Capsule 250mg	250	2	49.31	Closina LY
CYCLOTHIAZIDE Tablet 5mg	50	2	3.09	Doburil BY
CYGRIMINE HYDROCHLORIDE Tablet 1.25mg  2.5mg	100	2	3.62 5.55	Pagitane LY Pagitane LY
CYPROHEPTADINE Allergic dermatoses; Allergic rhinitis; Migraine.  Tablet 4mg  Capsule 4mg  (continued)	50	1	2.15 2.15	Periactin NK Antegan FR

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CYPROHEPTADINE - cont. Paediatric Syrup 1.2mg per 5ml, 100ml	#1	4	1.15	Antegan Periactin FR MF
DAPSONE Tablet 100mg	100	2	0.95	Avlosulfon IC
DARROW'S SOLUTION See Intravenous Fluids.				
DEBRISOQUINE Tablet 10mg	100	2	3.49	Declinax RO
20mg	100	2	4.87	Declinax RO
DEMECARIUM BROMIDE Eye Drops 0.1%, 5ml	#1	6	1.79	Tosmilen AP
0.25%, 5ml	#1	6	1.91	Tosmilen AP
0.5%, 5ml	#1	6	2.19	Tosmilen AP
DEMETHYLCHLORTETRACYCLINE Conditions where a tetracycline is the only appropriate anti- biotic; Patients over the age of eight (8) years who are unable to swallow capsules and tablets.				
Syrup 75mg per 5ml, 100ml * * *	#1	..	2.19	Ledermycin LE
DEMETHYLCHLORTETRACYCLINE Capsule 150mg	21	..	2.65	Ledermycin LE
DEMETHYLCHLORTETRACYCLINE with NYSTATIN Capsule 150mg-250,000 Units	21	..	2.65	Lederstatin LE
DEOXYCORTONE Adrenal cortical hypofunction (including Addison's disease, bilateral adrenalectomy and salt-losing congenital adrenal hyperplasia).				
Tablet 5mg	20	..	6.82	Percorten CB
Implant 100mg	1	..	9.09	Doca OR

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
DESFERRIOXAMINE MESYLATE Acute iron poisoning; Hepatolenticular degeneration.  Injection 500mg (solvent required)	10	..	28.42	Desferal CB
DESIPRAMINE Tablet 25mg	50	1	3.35	Pertofran GE
DESLANOSIDE Injection 0.2mg per ml, 2ml	5	1	1.25	Cedilanid SZ
DEXAMETHASONE Tablet 0.5mg  Cream 0.04%, 30G	30	..	1.75	Dexamethsone PT Oradexon OR KL
Injection 4mg in 1ml	5	..	7.07	Decadron MK Decasone FR
5mg in 1ml	5	..	8.77	Oradexon OR
4mg per ml, 2ml	5	..	12.42	Decadron MK Decasone FR
DEXAMETHASONE with FRAMYCETIN and GRAMICIDIN Ear Ointment 0.5mg-5mg-0.05mg per G, 3G	#1	..	1.61	Sofradex RL
DEXAMETHASONE METASULPHOBENZOATE with FRAMYCETIN and GRAMICIDIN Ear Drops 0.5mg(base)-5mg-0.05mg per ml, 8ml	#1	2	1.74	Sofradex RL
DEXCHLORPHENIRAMINE Tablet 2mg	50	1	1.66	Polaramine SH
6mg (sustained release)	50	1	3.45	Polaramine SH
Paediatric Syrup 2mg per 5ml, 100ml	#1	4	1.29	Polaramine SH
Injection 5mg in 1ml	5	..	1.35	Polaramine SH
DEXTRAN 40 See Intravenous Fluids.				

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
DEXTRAN 70 See Intravenous Fluids.				
DEXTRIFERRON Injection I.V. 5ml	5	..	3.75	Astrafer AP
DEXTROMORAMIDE Treatment in malignant neoplasia				
Tablet 5mg	25	..	1.72	Palfium FA
Injection 5mg in 1ml	10	..	3.18	Palfium FA
DEXTROSE Injection 20%, 10ml	5	..	1.75	BL
50%, 10ml	5	..	1.89	BL
500ml and 1 litre Injections See Intravenous Fluids				
DEXTROSE POLYMER Authority required. Phenylketonuria.				
Powder 2.5kg	≠1	..	13.20	Caloreen MN
(non-dialysed) 2.5kg	≠1	..	9.75	Gastro- Caloreen MN
DIAZEPAM Tablet 2mg	50	1	1.71	Valium RO
5mg	50	1	2.49	Valium RO
Paediatric Syrup 2mg per 5ml, 100ml	≠1	4	1.93	Valium RO
Injection 10mg in 2ml	5	..	2.45	Valium RO
DIBENZEPIN Tablet 80mg	50	1	2.69	Noveril SZ
DICHLORALPHENAZONE Tablet 650mg	50	..	1.75	Bonadorm AH
Oral Liquid 225mg per 5ml, 100ml	≠1	4	1.62	Bonadorm AH
DICHLORPHENAMIDE Tablet 50mg	50	6	5.22	Daranide Oratrol MK AQ

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
DICYCLOMINE with DOXYLAMINE and PYRIDOXINE Vomiting in pregnancy. Tablet 10mg-10mg-10mg	50	1	2.29	Debendox            ML
DICYCLOMINE HYDROCHLORIDE Tablet 10mg Paediatric Syrup 5mg per 5ml, 100ml	100	2	2.55	Dicycol            OD Procyclomin      PT 2.89 Diclomyl            KL Merbenty1        ML
DIENOESTROL Tablet 0.3mg 1mg 5mg 10mg Cream 0.01%, 85G	100	2	0.71	AD, HA, KL, RT(V)
	100	2	0.79	AD, HA, KL, RT(V), SL(N)
	100	2	1.09	AD, HA, KL
	100	2	1.69	HA, KL
	1	..	1.18	ET
DIGITALIS, PREPARED Tablet 30mg 60mg	100	2	0.95	DH
	100	2	1.09	DH
DIGOXIN Tablet 62.5 micrograms 250 micrograms Oral Solution 500 micrograms per ml, 30ml Oral Solution for Children 50 micrograms per ml, 50ml Injection BP 500 micrograms in 2ml	100	2	1.11	Lanoxin-PG        BW Natigoxin            NA Prodigox            PT LP,RY 1.25 Cardiox            AV Digolan              KL Fibroxin            VR Lanoxin              BW FA,PR,RT(V),TO
	≠1	..	1.38	Lanoxin            BW
	≠1	2	1.69	Lanoxin            BW
	10	1	2.42	Lanoxin            BW

(continued)

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
DIGOXIN - cont. Injection for Infants 50 micrograms in 2ml	10	1	2.34	Lanoxin BW
DIHYDROCODEINE TARTRATE Linctus 0.19%, 100ml	#1	2	0.95	Fortuss GP Paracodin KN Rikodeine RK
DIHYDROERGOTAMINE Injection 1mg in 1ml	5	..	1.75	Dihydergot SZ
DIHYDROERGOTOXINE MESYLATE For the treatment of patients who have suffered an attack of paralytic poliomyelitis.				
Sublingual Tablet 0.25mg	100	..	5.71	Hydergine SZ
Injection 0.3mg in 1ml	5	..	1.94	Hydergine SZ
DIHYDROSTREPTOMYCIN with KAOLIN, PECTIN and ALUMINIUM HYDROXIDE GEL Suspension 317mg-3G-260mg per 30ml, 100ml	#1	..	1.55	Streptomagma WY
DIHYDROSTREPTOMYCIN SULPHATE with ATTAPULGITE, PECTIN and HYDRATED ALUMINA POWDER Tablet 150mg-350mg-45mg-70mg	16	..	1.53	Streptomagma WY
DIHYDROTACHYSTEROL Hypoparathyroidism.				
Capsule 0.125mg	100	1	10.49	A.T.10 WL
Oral Solution 0.25mg per ml, 15ml	1	..	3.81	A.T.10 WL
DI- IODOHYDROXYQUINOLINE Compound Vaginal Tablets 100mg, 25	#1	1	1.62	VAAM-D.H.Q. VR
Effervescent Gynaecological Pessaries 200mg, 20	#1	1	2.02	Floraquin SR
DILOXANIDE FUROATE Tablet 500mg	30	..	4.42	Furamide BT
DIMERCAPROL Injection 5%, 2ml	10	..	4.02	B.A.L. BT

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
<b>DIMETHICONE</b>				
For use with surgical appliances.				
Cream 10%, 50G	1	..	1.15	Siopel IC
			1.18	Dermabase-S HA
10%, 75G	1	..	1.06	Dermafilm PD
10%, 100G	1	..	1.13	Silcon FA
20%, 20G	1	..	1.18	Vasogen Silicone SS
Solutions - See Colostomy and Ileostomy.				
<b>DIMETHINDENE</b>				
Tablet 1mg	50	1	1.62	Fenostil CB
2.5mg (sustained release)	50	1	2.82	Fenostil Retard CB
<b>DIOCTYL SODIUM SULPHOSUCCINATE</b>				
For pensioners for any disease or purpose.				
Tablet 50mg	100	2	1.22	Coloxyl 50 FM
120mg	100	2	1.86	Coloxyl 120 FM
<b>DIOCTYL SODIUM SULPHOSUCCINATE</b> with DANTHRON				
For pensioners for any disease or purpose.				
Tablet 50mg-50mg	100	2	1.33	Coloxyl with Danthron FM
<b>DIPHENHYDRAMINE</b>				
Capsule 50mg	50	1	1.35	Alergicap PT
			1.38	Benadryl PD
Paediatric Elixir 12.5mg per 5ml, 100ml	≠1	4	1.11	Benadryl Bidramine PD AV
Injection 10mg per ml, 10ml	1	1	1.55	Benadryl PD
<b>DIPHENYLPYRALINE</b>				
Tablet 2.5mg	50	1	1.35	Allerzine VR Anti-Hist PT Histalert RK

(continued)

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
DIPHENYLPYRALINE - cont. Tablet 5mg (sustained release)	50	1	2.29	Allerzine VR Anti-Hist PT Histalet-SR RK
Capsule 2.5mg (sustained release)	50	1	2.29	Histryl SK
5mg (sustained release)	50	1	2.58	Histryl SK
Paediatric Syrup 2.5mg per 5ml, 100ml	≠1	4	1.15	Histalet RK Histryl SK
DIPHTHERIA ANTITOXIN				
Injection 1,000 Units	2	1	3.36	CS
4,000 Units	2	1	8.28	CS
10,000 Units	2	1	18.76	CS
20,000 Units	2	1	34.34	CS
DIPHTHERIA and TETANUS VACCINE For immunisation of children up to the age of 8 years.				
Injection 0.5ml	3	..	1.74	CS
For immunisation of adults and children over the age of 8 years.				
Injection 0.5ml	3	..	1.74	CS
DIPHTHERIA, TETANUS and PER- TUSSIS VACCINE				
Injection 0.5ml	3	..	1.42	GL, PD
			1.98	CS
DIPHTHERIA VACCINE (PURIFIED TOXOID ALUMINIUM PHOSPHATE) For immunisation of children up to the age of 8 years.				
Injection 0.5ml	2	1	1.30	CS
DIPHTHERIA VACCINE (PURIFIED TOXOID ALUMINIUM PHOSPHATE) DILUTED FOR ADULT USE				
For immunisation of adults and children over the age of 8 years.				
Injection 0.5ml	2	..	1.12	CS

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
<b>DIPYRIDAMOLE</b> Supplementing anticoagulants in patients with cardiac prosthe- sis.				
Tablet 100mg	100	2	12.97	Persantin BY
<b>DITHRANOL</b> Ointment 0.1%, 50G	#1	1	0.99	Dermaline HY
0.25%, 50G	#1	1	1.06	Dermaline HY
0.5%, 50G	#1	1	1.11	Dermaline HY
Strong 1%, 50G	#1	1	1.22	Dermaline HY
<b>DOXYCYCLINE</b> Conditions where a tetracycline is the only appropriate anti- biotic; Patients over the age of eight (8) years who are unable to swallow capsules and tablets.				
Suspension 10mg per ml, 40ml * * *	#1	..	2.58	Vibramycin PF
<b>DOXYCYCLINE</b> Capsule 100mg	7	..	4.22	Vibramycin PF
<b>ECOTHIOPATE IODIDE</b> Eye Drops 0.06%, 3mg and 5ml solvent	#1	6	#3.98	Phospholine Iodide AY
0.125%, 6.25mg and 5ml solvent	#1	6	#4.38	Phospholine Iodide AY
0.25%, 12.5mg and 5ml solvent	#1	6	#4.92	Phospholine Iodide AY
<b>ELECTROLYTE REPLACEMENT (ORAL)</b> Powder for Solution, 40G sachet	6	..	1.35	Repalyte DH
<b>EMETINE</b>				
Injection 20mg in 1ml	10	..	2.82	KL
30mg in 1ml	10	..	3.42	KL
65mg in 1ml	5	..	3.42	KL

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
EMETINE AND BISMUTH IODIDE Tablet 60mg	36	1	5.75	BW
EPHEDRINE HYDROCHLORIDE Tablet 15mg	100	2	0.71 0.75 0.82	LP AD KL, RT(V), RY, SI
30mg	100	2	0.82 0.89 0.95	LP, SL(N) AD KL, RY, SI
Injection 30mg in 1ml	5	1	1.14	KL
50mg in 1ml	5	1	1.14	KL
Elixir PL - See Section 4				
EPHEDRINE HYDROCHLORIDE with PHENOBARBITONE Tablet 15mg-15mg	100	2	0.98	Ephedrobarb- ital Mitis FM
30mg-15mg	100	2	1.06	Ephedrobarb- ital FM
30mg-30mg	100	2	1.11	Ephedrobarb- ital Forte FM
Paediatric Elixir 30mg-20mg per 5ml, 100ml	≠1	4	1.31	Ephedrobarb- ital FM
EPICILLIN Infections by susceptible organ- isms where these cannot be safely and effectively treated with sulphonamides, oral forms of benzyl penicillin, phenoxy- methyl penicillin or phenethic- illin; Urinary tract infections where sulphonamide treatment has proved ineffective and where positive bacteriological evi- dence shows the organism to be sensitive to epicillin or where the patient is sensitive to sulphonamides.				
Capsule 125mg	25	..	2.49	Dexacillin SQ
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
EPICILLIN - cont.				
Capsule 250mg	25	..	4.01	Dexacillin SQ
500mg	12	..	3.86	Dexacillin SQ
Powder for Syrup				
125mg per 5ml, 100ml	#1	..	#2.69	Dexacillin SQ
250mg per 5ml, 100ml	#1	..	#4.09	Dexacillin SQ
ERGOMETRINE MALEATE				
Tablet 0.2mg	25	3	1.75	Ergomine PT
			1.79	Ergotrate LY
			SP(NWS)	
0.5mg	25	3	3.78	Ergomine PT
			4.15	Ermalate BW
Injection 0.125mg in 1ml	5	..	1.25	FH
0.5mg in 1ml	5	..	1.47	SP(NWS)
			1.49	BL
			1.62	DH, FH
			1.91	Ermalate BW
ERGOTAMINE TARTRATE				
Tablet 1mg	50	2	2.39	Etin KL
			2.49	Lingraine WL
				Gynergen SZ
Injection 0.25mg in 1ml	5	..	1.42	Gynergen SZ
0.5mg in 1ml	5	..	1.50	SP(NWS)
			1.78	Gynergen SZ
ERGOTAMINE TARTRATE with CAFFEINE				
Tablet 1mg-100mg	50	2	3.09	Cafergot SZ
				Cafergot Q SZ
				Cotin KL
Compound Suppository	6	2	1.77	Cafergot PB SZ
ERGOTAMINE TARTRATE with CAFFEINE and CYCLIZINE HYDROCHLORIDE				
Tablet 2mg-100mg-50mg	50	2	3.75	Migral BW
ERGOTAMINE TARTRATE with CAFFEINE and MECLOZINE HYDROCHLORIDE				
Tablet 1mg-100mg-10mg	50	2	3.65	Ergalan AH

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
ERGOTAMINE TARTRATE with CAFFEINE CITRATE and DIPHENHYDRAMINE HYDROCHLORIDE Capsule 1mg-100mg-25mg	50	2	3.75	Ergodryl	PD
ERYTHRITYL TETRANITRATE Tablet 5mg	100	2	1.11	Cardilate	BW
ERYTHROMYCIN Tablet 125mg	25	..	2.42	EMU-V Eromycin Ilosone	UP DL LY
200mg	25	..	3.05	Erythrocin	AB
250mg	25	..	3.86	EMU-V Eromycin Erythrocin Ethryn Ilosone	UP DL AB FA LY
Capsule 125mg	25	..	2.42	Erostin Erythrocin Ilosone	KL AB LY
250mg	25	..	3.86	E-Mycin Eratrex Eromycin Erostin Erythrocin Ethryn Ilosone	PT BC DL KL AB FA LY
Paediatric Drops 100mg per ml, 10ml	#1	..	1.50	Ilosone	LY
Paediatric Suspension 125mg per 5ml, 100ml	#1	..	2.91	Eratrex Eromycin Erostin Erythrocin Ilosone	BC DL KL AB LY
250mg per 5ml, 100ml	#1	..	4.93	Eromycin Erythrocin Ilosone	DL AB LY
Injection I.M. 50mg per ml, 2ml	5	..	6.03	Erythrocin	AB
I.V. 1G in 50ml (solvent required)	1	..	6.82	Ilotycin	LY
300mg in 10ml	5	..	12.27	Erythrocin	AB

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
<b>ETHACRYNIC ACID</b> Fluid retention associated with heart failure, cirrhosis of the liver or nephrotic syndrome; Fluid retention associated with other conditions and not responding to thiazides.	50	2	5.35	Edecril MK
<b>ETHANOLAMINE OLEATE</b> Injection 5%, 2ml	5	1	0.97	Ethamolin GL
<b>ETHCHLORVYNOL</b> Capsule 500mg	25	..	1.33	Placidyl AB
<b>ETHINYLOESTRADIOL</b> For pensioners for any disease or purpose. * * * Carcinoma of the breast - post menopausal; Carcinoma of the prostate; Menopause, premature, surgically induced; Telangiectasis - hereditary; Turner's syndrome.	50	..	0.82 0.87 0.88	Edrol VR HA Estigyn AH Lynoral OR
0.02mg	50	..	1.04 1.05 1.06 1.08	Estigyn AH Lynoral OR HA Edrol VR Primogyn C SC
0.05mg	50	..	1.10	Edrol VR Ertonyl SH Estigyn AH Lynoral OR HA
1mg	50	..	4.42 4.55	HA Estigyn AH Lynoral OR KL
<b>ETHOPROPAZINE</b> Tablet 50mg	100	2	3.22	Lysivane MB

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
ETHOSUXIMIDE Capsule 250mg	200	1	8.35	Zarontin	PD
Paediatric Syrup 250mg per 5ml, 250ml	#1	4	2.82	Zarontin	PD
ETHOTOIN Tablet 500mg	200	1	9.09	Peganone	AB
ETHOXZOLAMIDE Tablet 125mg	50	6	6.18	Cardrase	UP
ETHYLIDENE DICOUMARIN Tablet 100mg	100	2	6.69	E.D.C.	NS
ETHYLNORADRENALINE Injection 2mg in 1ml	5	..	2.01	Bronkephrine	WL
ETHYLOESTRENOL Authority required. Intermittent use for cortico- steroid-induced osteoporosis; Intermittent use for patients on long-term treatment with corticosteroids; Osteomalacia following gastrect- omy.	100	..	8.29	Orabolin	OR
FERRIC HYDROXIDE Colloidal Paediatric Solution 100ml	#1	4	1.47	Colliron	AH
FERROUS AMINOACETOSULPHATE Tablet equivalent to 50mg Ferrous Iron	100	2	1.22	Ferro-Chel Plesmet	CO BP
Paediatric Syrup 100ml	#1	4	1.22	Ferro-Chel Plesmet	CO BP
FERROUS FUMARATE Tablet 150mg	100	2	1.29	Fumiron	KL
FERROUS GLUCONATE Tablet 300mg	100	2	1.14	Fergon Ferro G Glucohaem Ironate RT(V),RY	WL HA VR KL
Paediatric Elixir 6%, 100ml	#1	4	1.19	Fergon	WL

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
FERROUS PHOSPHATE COMPOUND /Syrup 100ml	1	4	/0.48	DH
FERROUS SUCCINATE Capsule 150mg	100	2	1.30	Ferromyn CA
Paediatric Elixir 150mg per 5ml, 100ml	/1	4	1.22	Ferromyn CA
FERROUS SULPHATE Paediatric Drops 120mg per ml, 30ml	/1	4	1.19	Haemofort MJ
FERROUS SULPHATE DRIED Tablet 160mg (delayed release)	30	2	1.22	Slow-Fe ZY
300mg	100	2	0.95	Haemofort MJ
320mg (sustained release)	30	2	1.22	Sorbifer AP
350mg (sustained release)	30	2	1.22	Feritard Ferro- Gradumets AB
Capsule 320mg (delayed release)	30	2	1.22	Fespan SK
FERROUS SULPHATE DRIED with FOLIC ACID Prophylactic use in pregnancy.				
Tablet 270mg-300 micrograms (delayed release)	30	2	1.35	Feritard Folic PT
Tablet 270mg-300 micrograms (sustained release)	30	2	1.35	F.G.F. AB
Capsule 270mg-300 micrograms (delayed release)	30	2	1.35	Fefol 2 SK
FLUDROCORTISONE ACETATE Adrenal cortical hypoplasia including Addison's disease; Adrenalectomy - total.				
Tablet 0.1mg	100	..	4.53	Florinef SQ
1mg	30	..	10.66	Florinef SQ
FLUMETHASONE with CLIOQUINOL Ear Drops 0.02%-1%, 7.5ml	/1	..	1.75	Locacorten Vioform CB

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
FLUMETHASONE PIVALATE Cream 0.02%, 30G	#1	..	1.74	Locacorten	CB
Ointment 0.02%, 30G	#1	..	1.74	Locacorten	CB
FLUOCINOLONE ACETONIDE Cream 0.01%, 30G	#1	..	1.74	Synalar 01	IC
Ointment 0.01%, 30G	#1	..	1.74	Synalar 01	IC
FLUCORTOLONE ESTERS Cream 0.2%, 30G	#1	..	1.74	Ultralan-D	SC
Ointment 0.2%, 30G	#1	..	1.74	Ultralan-D	SC
FLUOROURACIL Treatment in malignant neoplasia.	10	..	10.55	RO	
FLUOXYMESTERONE Carcinoma of the breast; Eunuchism; Eunuchoidism. * * *					
Authority required. Aplastic anaemias, proven; Intermittent use for cortico- steroid-induced osteoporosis.					
Tablet 5mg	100	..	20.22	Halotestin	UP
FLUPHENAZINE Hereditary chorea(Huntington's); Malignant neoplasia(late stage); Radiation sickness; Major psychoses including:- Major organic psychoses; Manic psychoses; Paranoid states; Schizophrenia.					
Tablet 1mg	100	1	3.71	Anatensol	SQ
2.5mg	100	1	5.42	Anatensol	SQ
5mg	100	1	6.35	Anatensol	SQ
Elixir 0.5mg per ml, 60ml	#1	4	1.94	Anatensol	SQ

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
<b>FLUPHENAZINE DECANOATE</b> Hereditary chorea(Huntington's); Malignant neoplasia(late stage); Radiation sickness; Major psychoses including:- Major organic psychoses; Manic psychoses; Paranoid states; Schizophrenia.	5	..	13.75	Modecate      SQ
<b>FLUPHENAZINE ENANTHIATE</b> Hereditary chorea(Huntington's); Malignant neoplasia(late stage); Radiation sickness; Major psychoses including:- Major organic psychoses; Manic psychoses; Paranoid states; Schizophrenia.	5	..	9.33	Anatenzol Euanthate      SQ
<b>FLURANDRENOLONE ACETONIDE</b> Cream 0.025%, 30G	#1	..	1.74	Haelan      DL
<b>FOLIC ACID</b> Cystic fibrosis; Folic acid deficiency, proven; Sprue or the sprue-like syndrome.	100	2	1.34 1.35 1.42	PT PR Folic      AV AD,ET,KL,LP,PD, RT(V),RY,SI
Injection 15mg in 1ml *      *      * Cystic fibrosis; Pregnancy.	10	..	2.75 3.28	FH ET
Tablet 0.5mg	100	..	1.11 1.15 1.22	LP,PT Folettes      FM Millafol      PD AD,ET,KL,SI

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
FRAMYCETIN Bowel sterilisation preparatory to major surgery.	20	..	6.82	Soframycin	RL
Tablet 250mg * * * Sub-conjunctival injection in the treatment of serious ocular inflammation.	20	..	6.82	Soframycin	RL
Injection 500mg (solvent required) * * *	1	2	6.25	Soframycin	RL
FRAMYCETIN Mixture 300mg per 20ml with adsorbent, 100ml	#1	..	2.07	Enterfram	FC
Eye Ointment 0.5%, 3.5G	#1	..	1.31 1.37	Framygen Soframycin	FC RL
Eye/Ear Drops 0.5%, 5ml	#1	2	1.81	Framygen Soframycin	FC RL
FRUSEMIDE Fluid retention associated with heart failure, cirrhosis of the liver or nephrotic syndrome; Fluid retention associated with other conditions and not resp- onding to thiazides.	50	2	5.59	Lasix	HP
FRUSEMIDE Injection 20mg in 2ml	5	..	3.58	Lasix	HP
FUSIDIC ACID Authority required. For use in combination with another antibiotic in the treatment of proven serious staphylococcal infections.	36	..	46.82	Fucidin	ET
Tablet (Sodium salt) 250mg (enteric coated)	#1	..	18.91	Fucidin	ET
Suspension (Diethanolamine salt) 40mg per ml, 90ml	#1	..	18.91	Fucidin	ET

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
GAS GANGRENE ANTITOXIN (OEDEMATIENS) Injection 10,000 Units	3	1	28.14	CS	
GAS GANGRENE ANTITOXIN (SEPTICUM) Injection 5,000 Units	2	1	29.36	CS	
GAS GANGRENE ANTITOXIN (WELCHII) Injection 10,000 Units	10	1	125.12	CS	
GAS GANGRENE ANTITOXIN-MIXED (POLYVALENT) Injection - 1 amp containing: 10,000 Units Welchii; 10,000 Units Oedematiens; 5,000 Units Septicum	2	1	33.80	CS	
GASTRIC REPLACEMENT SOLUTION See Intravenous Fluids					
GLIBENCLAMIDE Tablet 5mg	100	2	11.69	Daonil Euglucon	HP FM
GLUCAGON HYDROCHLORIDE Injection 1mg with 1ml diluent	1	.	3.89	LY	
GLUCOSE INDICATOR Authority required. Diabetes mellitus where blood sugar levels cannot be deter- mined to be within a satisfact- ory range by urine testing.					
25 Blood Test Strips * * *	1	.	8.42	Dextrostix	AM
GLUCOSE INDICATOR /400cm Test Dispenser	1	1	/2.43	Tes-Tape	LY
/100 Reagent Strips	1	1	/2.13	Clinistix	AM
/100 Reagent Strips	1	1	/2.21	Diastix	AM
GLUCOSE and KETONE INDICATOR /50 Reagent Strips	1	1	/1.61	Keto-Diastix	AM

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
GLUTETHIMIDE				
Tablet 125mg	50	..	1.42	Doriden Sed    CB Gludorm            KL
250mg	25	..	1.22	Doriden            CB Gludorm            KL
500mg	25	..	1.35	Doriden            CB Forte                KL Gludorm            KL Forte                KL
Capsule 125mg	50	..	1.42	Gludorm            KL
250mg	25	..	1.22	Doriden            CB Gludorm            KL
500mg	25	..	1.35	Doriden            CB Forte                KL Gludorm            KL Forte                KL
GLYCERIN				
/Glycerin 100ml	1	1	/0.54	AA(N),DH
/Suppositories 1G, 12	1	1	/0.69	FA
GLYCERYL TRINITRATE				
Tablet 0.6mg	100	2	0.82	Anginine            BW Stabilised
GLYCOPYRRONIUM BROMIDE				
Tablet 1mg	100	2	4.42	Robinul            RS
GLYMIDINE				
Tablet 500mg	100	2	3.69	Gondafon            SC Lycanor            BN
1G	50	2	3.62	Gondafon            SC Lycanor            BN
GOATS' MILK				
Authority required.				
Cows' milk allergy in children under the age of four (4) years				
Dehydrated Powder 14oz	2	10	8.75	Meyenberg          JM
450G	2	10	9.95	Dale                CE
Whole (sterilised) 14fl oz	12	10	5.43	TM

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
<b>GRISEOFULVIN</b> Authority required. Use in severe tinea infections due to microsporum, tricho- phyton or epidermophyton species which have been proven by laboratory examination or Wood's Light.				
Tablet 125mg	100	..	8.42	Fulcin 125 IC Grisovin GL
500mg	25	..	6.82	Fulcin 500 IC Grisovin 500 GL
<b>GUANETHIDINE</b> Tablet 10mg	100	2	4.95	Ismelin CB
25mg	100	2	11.22	Ismelin CB
Injection 10mg	5	..	3.11	Ismelin CB
<b>HALIBUT LIVER OIL</b> For pensioners for any disease or purpose.				
Capsule 4,500 Units Vitamin A	100	1	2.02	CK, KL, MG, SL(N)
6,000 Units Vitamin A	100	1	1.91	CK
<b>HALOPERIDOL</b> Hereditary chorea(Huntington's); Malignant neoplasia(late stage); Radiation sickness; Major psychoses including:- Major organic psychoses; Manic psychoses; Paranoid states; Schizophrenia.				
Tablet 0.5mg	100	1	3.59	Serenace SR
1.5mg	100	1	5.42	Serenace SR
Injection 5mg in 1ml	10	..	9.09	Serenace SR
<b>HEPARIN</b> Injection BP 5,000 Units in 1ml	5	..	3.22	Pularin AH
			3.33	CS WP(NVW)

(continued)

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
HEPARIN - cont. Injection BP 5,000 Units in 5ml	5	..	3.22	Pularin AH BT,CS,WP(NVW)
12,500 Units in 1ml	2	..	2.42	Pularin AH CS
25,000 Units in 5ml	2	..	3.76	Pularin AH BT,CS,WP(NVW)
125,000 Units in 5ml	1	..	7.75	Pularin AH BT,CS
HEXAMINE HIPPURATE Tablet 1G	100	2	7.02	Hiprex RK
HEXOCYCLIUM METHYLSULPHATE Tablet 50mg (sustained release)	100	2	7.98	Tra1 AB
75mg (sustained release)	100	2	8.69	Tra1 AB
HOMATROPINE HYDROBROMIDE Eye Drops 2%, 15ml	#1	2	2.14 2.15	AG,KL,LP AQ
5%, 15ml	#1	2	2.46 2.49	AG,KL AQ
HYALURONIDASE Injection 150 I.U. (solvent required)	5	1	3.77	Wydase WY
1,500 I.U. (solvent required)	5	1	3.65 4.18	Hyalase FC Rondase AH
HYDRARGAPHEN Pessary 5mg	15	1	2.42	Versotrane Tri- ple Strength WB
HYDROCHLOROTHIAZIDE Tablet 25mg	50	2	2.31	Dichlotride MK Esidrex CB Neo-Flumen GA
50mg	50	2	3.66	Dichlotride MK Esidrex CB Neo-Flumen GA

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
HYDROCORTISONE				
Ear Drops 1%, 10ml	#1	..	1.75	Hydrosone KL
Eye Drops 0.5%, 2ml	#1	2	1.35	Scheroson F Ophthalmicum SC
0.5%, 5ml	#1	2	1.42	Hycor SI Hydrosone KL
0.5%, 10ml	#1	2	1.95	Hycor SI Hydrosone KL
1%, 3ml	#1	2	1.49	Hycor SI
1%, 5ml	#1	2	1.55	Hydrosone KL
1%, 10ml	#1	2	2.35	Hycor SI Hydrosone KL
2.5%, 5ml	#1	2	2.09	Hycor SI Hydrosone KL
2.5%, 10ml	#1	2	2.82	Hycor SI Hydrosone KL
Eye Ointment 0.5%, 4G	#1	..	1.22	Cortef UP Cortril PF Hydrosone KL
0.5%, 5G	#1	..	1.22	Hycor SI
1%, 5G	#1	..	1.75	Hycor SI Hydrosone KL
Cream 1%, 30G	#1	..	1.54	Adacor AV Cortef UP
			1.62	Dermacort PD Hysone PT Cort-Dome DO Cortril PF Efcortelan GL Hydrosone KL Hynax VR Phiacort PY Sigmacort SI Squibb-HC SQ HA, LP, PR

(continued)

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
HYDROCORTISONE - cont. Topical Ointment 1%, 30G	#1	..	1.54	Cortef UP
				Dermacort "O" PD
				Hysone PT
			1.62	Efcortelan GL
				Hydrosone KL
				Hynax VR
				Sigmacort SI
				Squibb-HC SQ
				HA,LP,PR,ZY
HYDROCORTISONE with NEOMYCIN SULPHATE				
Ear Drops 1.5%-0.5%, 5ml	#1	..	1.75	Neo-Cortef UP
Ear Ointment 1.5%-0.5%, 4G	#1	..	1.75	Neo-Cortef UP
				Neohydrosone KL
HYDROCORTISONE ACETATE Intra-articular use.				
Injection 25mg in 1ml	5	..	3.86	Hysone-A PT
			4.86	Hydrocort BT
				Hydrocortisyl RL
				Hydrocortone MK
HYDROCORTISONE SODIUM SUCCINATE Acute medical or surgical crises; Prophylactic therapy before, during and after surgical proce- dures for patients requiring or recently subjected to ster- oid therapy.				
Injection set containing equi- valent of 100mg hydrocortisone and 2ml solvent	2	..	9.08	Venocort PT
			9.70	Efcortelan GL
			9.86	Nordicort NR
			10.34	Flebocortid RM
				Intracort BT
				Solu-Cortef UP
HYDROFLUMETHIAZIDE Tablet 50mg	50	2	3.93	Di-Ademil SQ
				Hydrenox BT

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
HYDROGEN PEROXIDE SOLUTION /Solution 10 vol, 100ml	1	..	/0.29 /0.32	AA(N) FA
10 vol, 200ml	1	..	/0.36	AA(N),FA
20 vol, 100ml	1	..	/0.36 /0.41	AA(N) DH
HYDROMORPHONE Injection 1.1ml	5	..	1.72	Dilaudid KN
HYDROXOCOBALAMIN Neuroblastoma; Pernicious anaemia and other proven vitamin B12 deficiencies (post-gastrectomy; subacute combined degeneration of the cord).				
Injection 100 micrograms in 1ml	5	1	1.22	Neo-Benol 100 KL Neo-Cytamen GL
1,000 micrograms in 1ml	5	..	2.55	Neo-Benol . KL 1000 GL Neo-Cytamen
HYDROXYCHLOROQUINE Tablet 200mg	100	2	4.55	Plaquenil WL
HYDROXYPROGESTERONE Carcinoma of the endometrium.				
Injection 250mg	3	..	9.62	Proluton SC Depot
			9.63	Luteocrin RM Depot
HYOSCINE BUTYLBROMIDE Tablet 10mg	100	2	4.51	Buscopan BY
Injection 20mg in 1ml	5	..	1.75	Buscopan BY
HYOSCINE HYDROBROMIDE Eye Drops 0.25%, 15ml	/1	2	2.82	AQ
HYOSCINE METHOBROMIDE Tablet 2.5mg	100	2	4.85	Pamine UP

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
HYPROMELLOSE Eye Drops 0.5%, 15ml	≠1	6	1.22	Isopto Tears AQ Lacril AG Methopt SI IQ,KL
IDOXURIDINE Infections caused by herpes simplex virus.				
Eye Drops 0.1%, 15ml	≠1	2	3.62	Herplex AG Stoxil SK
Eye Ointment 0.5%, 5G	≠1	..	3.62	Stoxil SK
IMIPRAMINE Tablet 10mg	50	1	1.55 1.75	Imiprin PT Iramil KL Prodepress BB Tofranil GE
25mg	50	1	2.55 2.89	Imiprin PT Melipramine UW(NWS) 3.01 Iramil KL Prodepress BB Tofranil GE
Injection I.M. 25mg in 2ml	10	..	3.95	Tofranil GE
INDOMETHACIN Capsule 25mg	50	2	3.34	Indocid MK
Suppository 100mg	10	2	3.09	Indocid MK
INFLUENZA VACCINE For pensioners only.				
Injection 1ml	1	..	1.26	CS
INSECT ALLERGEN EXTRACT - HONEY BEE Authority required. Severe constitutional reaction to bee stings.				
Injection Set - strengths A,B,C each 5ml	1	..	8.78	CS
Strength D, 5ml	1	..	7.35	CS

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
INSECT ALLERGEN EXTRACT - JUMPER ANT				
Authority required. Severe constitutional reaction to jumper ant stings.				
Injection Set - strengths A,B,C each 5ml	1	..	8.78	CS
Strength D, 5ml	1	..	7.35	CS
INSECT ALLERGEN EXTRACT - PAPER WASP				
Authority required. Severe constitutional reaction to wasp stings.				
Injection Set - strengths A,B,C each 5ml	1	..	8.78	CS
Strength D, 5ml	1	..	7.35	CS
INSULIN				
Injection 20 Units per ml, 10ml	10	2	4.93	BW,CS
40 Units per ml, 10ml	10	2	9.03	AH,BT,BW,CS, WP(NVW)
80 Units per ml, 10ml	10	2	15.23	AH,BT,BW,CS
160 Units per ml, 10ml	10	2	33.83	CS
300 Units per ml, 5ml	10	2	42.43	CS
(specially purified) 40 Units per ml, 10ml	10	2	25.43	CS
INSULIN BIPHASIC				
Injection 40 Units per ml, 10ml	10	2	12.63	Rapitard
80 Units per ml, 10ml	10	2	24.03	Rapitard
INSULIN GLOBIN ZINC				
Injection 40 Units per ml, 5ml	10	2	5.53	BW
80 Units per ml, 5ml	10	2	9.63	BW

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
INSULIN ISOPHANE (N.P.H.)				
Injection				
40 Units per ml, 10ml	10	2	10.45	AH, BT, BW, CS, WP
80 Units per ml, 10ml	10	2	20.03	AH, BT, BW, CS, WP
160 Units per ml, 10ml	10	2	35.53	CS
(specially purified)				
40 Units per ml, 10ml	10	2	21.13	CS
INSULIN NEUTRAL				
Injection 40 Units per ml, 10ml	10	2	9.03	Actrapid AH Nuso BW
80 Units per ml, 10ml	10	2	17.03	Actrapid AH Nuso BW
INSULIN PROTAMINE ZINC				
Injection 40 Units per ml, 10ml	10	2	9.63	AH, BT, BW, CS, WP (NVW)
80 Units per ml, 5ml	10	2	9.63	BT
80 Units per ml, 10ml	10	2	17.93	AH, BW, CS
INSULIN SPECIAL P (PIG)				
Injection 40 Units per ml, 10ml	10	2	12.13	CS
INSULIN ZINC SUSPENSION				
Injection 40 Units per ml, 10ml	10	2	11.23	AH, BT, BW, CS
80 Units per ml, 10ml	10	2	21.53	AH, BT, BW, CS
INSULIN ZINC SUSPENSION (AMORPHOUS)				
Injection 40 Units per ml, 10ml	10	2	11.23	AH, BT, BW, CS
80 Units per ml, 10ml	10	2	21.53	AH, BT, BW, CS
INSULIN ZINC SUSPENSION (CRYSTALLINE)				
Injection 40 Units per ml, 10ml	10	2	11.23	AH, BT, BW, CS
80 Units per ml, 10ml	10	2	21.53	AH, BT, BW, CS
INTESTINAL REPLACEMENT SOLUTION				
See Intravenous Fluids.				
INTRAVENOUS FLUIDS				
500ml and 1 litre -				
See Special Section				

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
INVERT SUGAR See Intravenous Fluids.					
IRON DEXTRAN Injection 2ml	5	..	4.02	Imferon	FC
5ml	5	..	6.62	Imferon	FC
IRON POLYMALTOSE COMPLEX Tablet 40mg (Iron)	100	2	1.29	Ferrum H	SI
Injection 100mg (Iron) in 2ml	5	..	4.42	Ferrum H	SI
IRON SORBITOL Injection, Trivalent Iron 2ml	5	..	4.42	Jectofer	AP
ISONIAZID Tuberculosis.					
Tablet 50mg	200	2	1.22 1.49	AD,RY Isotiny1 HA	KL
100mg	100	2	1.42 1.57	AD,RY Isotiny1	KL
ISOPRENALINE HYDROCHLORIDE Stokes-Adams syndrome.					
Tablet 30mg (sustained release) * * *	100	2	5.43	Saventrine	PN
ISOPRENALINE HYDROCHLORIDE Tablet 10mg	100	2	1.55	Isuprel	WL
Inhalation 1 in 200, 15ml	1	1	1.11	Isuprel	WL
Injection 1 in 5,000, 1ml	5	..	4.26	Isuprel	WL
1 in 5,000, 5ml	5	..	6.55	Isuprel	WL
ISOPRENALINE SULPHATE Tablet 20mg	100	2	1.99 2.02	Isolin Neo-Epinine	PT BW
Inhalation Solution 10mg per ml, 7ml	1	1	1.06	Neo-Epinine Spray No.1	BW
Inhalation, metered aerosol spray replacement pack 2mg per ml, 15ml (300 dose)	#1	..	2.82	Medihaler-Iso	RK

(continued)

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ISOPRENALINE SULPHATE - cont.				
Inhalation metered aerosol spray replacement pack.				
4mg per ml, 7.5ml (300 dose)	#1	..	2.82	Iso-Autohaler RK
10mg per ml, 15ml (300 dose)	#1	..	2.89	Medihaler-Iso Forte RK
ISOPROPAMIDE IODIDE				
Tablet 5mg	100	2	5.35	Tyrimide SK
KANAMYCIN				
Authority required.				
Infections where positive bact- eriological evidence confirms that kanamycin is the MOST appropriate antibiotic; Septicaemia, suspected or proven.				
Injection 30mg in 1ml	5	..	2.55	Kanasig SI
250mg in 2ml	5	..	5.42	Kanasig SI
500mg in 2ml	5	..	7.77	Kantrex BC
1G in 3ml	5	..	12.42	Kanasig SI Kantrex BC
* * *				
KANAMYCIN				
Ear Drops 1%, 10ml	#1	..	1.42	Kantrex BC
Eye Drops 1%, 10ml	#1	..	1.55	Kantrex BC
KAOLIN with PECTIN				
Mixture				
5.91G-132mg per 30ml, 360ml	#1	2	1.27	Kaopectate UP
LACTULOSE				
Hepatic coma or precoma (chronic porto-systemic encephalopathy).				
Mixture 50%, 340ml	#1	4	5.09	Duphalac PI
LAEVULOSE				
See Intravenous Fluids				
LANATOSIDE-C				
Tablet 0.25mg	100	2	2.10	Lanimerck MQ Lanoside PT
			2.19	Cedilanid SZ

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
LEUCOVORIN Antidote to folic acid antag- onists.					
Injection 3mg in 1ml	5	..	9.75	LE	
LEVODOPA Authority required. Treatment of Parkinson's disease					
Tablet 100mg	50	..	2.22	Larodopa	RO
250mg	100	..	6.75	Larodopa	RO
500mg	250	..	29.75	Larodopa	RO
Capsule 100mg	50	..	2.22	Syndopa	FA
250mg	100	..	6.75	Larodopa Levopa Syndopa	RO PT FA
500mg	250	..	29.75	Larodopa Levopa Syndopa	RO PT FA
LIGNOCAINE Cardiac arrhythmias,					
Injection 100mg in 5ml	#2	..	2.09	Xylocard 100	AP
Infusion 500mg in 5ml	5	..	5.01	Xylocard 500	AP
LINCOMYCIN Gram-positive coccal infections where these cannot be safely and effectively treated with a penicillin; Osteomyelitis.					
Capsule 250mg	24	..	4.74	Lincocin	UP
500mg	20	..	7.01	Lincocin	UP
Paediatric Syrup 250mg per 5ml, 100ml	#1	..	4.42	Lincocin	UP
Injection 300mg in 1ml	5	..	4.29	Lincocin SS Paediatric	UP
600mg in 2ml	5	..	7.09	Lincocin	UP

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
LIOTHYRONINE Myxoedema.  Tablet 20 micrograms	50	..	1.38	Tertroxin GL
LITHIUM CARBONATE Authority required. Manic depression.				
Tablet 250mg	100	2	1.55	Lithicarb PT
300mg	100	2	1.75	DH
LYPRESSIN Diabetes insipidus.				
Nasal Spray 50 Units per ml, 5ml	4	2	8.70	Vasopressin SZ
MAGNESIUM-ALUMINIUM HYDROXIDE Tablet 375mg	100	2	1.51	Maalox SI
Mixture 375mg per 5ml, 360ml	#1	2	1.62	Maalox SI
MAGNESIUM SULPHATE /Crystals 400G (16oz)	1	..	0.26	AA(N),FA
Paste 50G	#1	1	0.75	Magnoplasm FA
100G	#1	1	0.91	Magnoplasm FA
MANNITOL See Intravenous Fluids.				
MEBEVERINE HYDROCHLORIDE Tablet 50mg	100	2	3.95	Duspatalin PI
MEBHYDROLIN Tablet 50mg	50	1	1.69	Fabahistin BN
150mg (sustained release)	50	1	3.75	Fabahistin-TR BN
Paediatric Suspension 50mg per 5ml, 100ml	#1	4	1.29	Fabahistin BN
MECAMYLAMINE Tablet 2.5mg	100	2	2.42	Mevasine MK
10mg	100	2	8.02	Mevasine MK

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Ppts	Price \$	Proprietary Name and Manufacturer	
MECLOZINE Tablet 25mg	50	1	1.89	Ancolan	AH
Syrup 12.5mg per 5ml, 100ml	≠1	4	1.29	Ancolan	AH
MEDROXYPROGESTERONE Carcinoma of the endometrium; Precocious puberty.					
Tablet 2.5mg	25	..	3.75	Provera	UP
* 10mg *	25	..	9.75	Provera	UP
* * * Carcinoma of the breast; Carcinoma of the endometrium; Hypernephroma.					
Tablet 100mg * * *	100	..	80.42	Provera	UP
* * * Carcinoma of the endometrium, Hypernephroma.					
Injection 50mg in 1ml	1	..	4.29	Depo-Provera	UP
* 50mg per ml, 5ml *	1	..	15.09	Depo-Provera	UP
* * * Carcinoma of the endometrium; Hypernephroma; Precocious puberty.					
Injection 150mg in 1ml	1	..	10.55	Depo-Provera	UP
MELPHALAN Treatment in malignant neoplasia.					
Tablet 2mg	100	2	10.02	Alkeran	BW
5mg	100	2	18.02	Alkeran	BW
MEPACRINE HYDROCHLORIDE Tablet 100mg	100	2	1.43	IC	
MEPENZOLATE Tablet 25mg	100	2	4.09	Cantil	SI
MEPHENTERMINE Injection 15mg per ml, 10ml	1	..	2.53	Wyamine Sulphate	WY
MERCAPTOMERIN SODIUM Injection 1.4G in 10ml	3	..	5.91	Thiomerin Sodium	WY

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
<b>MERCAPTOPURINE</b> Allergic granulomatous angiitis; Lupus erythematosus; Nephrotic syndrome; Periarthritis (nodosa); Treatment in malignant neoplasia.					
Tablet 50mg	50	1	14.42	Purinethol	BW
<b>MERSALYL</b> Injection 1ml	10	..	1.75	SI	
2ml	10	..	2.08 2.09	DH SI	
<b>METARAMINOL</b> Injection 10mg in 1ml	3	..	1.62	Aramine	MK
<b>METFORMIN</b> Tablet 500mg 500mg (sustained release)	100	2	8.45	Glucophage	RN
	100	2	8.46	Diabex S.R.	DF
<b>METHACYCLINE</b> Conditions where a tetracycline is the only appropriate anti- biotic; Patients over the age of eight (8) years who are unable to swallow capsules and tablets.					
Suspension 75mg per 5ml, 100ml * * *	#1	..	2.58	Rondomycin	GP
<b>METHACYCLINE</b> Capsule 150mg	21	..	4.22	Rondomycin	GP
300mg	11	..	4.22	Rondomycin	GP
<b>METHADONE</b> Tablet 5mg	25	..	1.39	Physeptone	BW
10mg	25	..	1.56	Physeptone	BW
Injection 10mg in 1ml	5	..	1.72	Physeptone	BW

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
METHANDIENONE Authority required. Intermittent use for cortico- steroid-induced osteoporosis; Intermittent use for patients on long-term treatment with corticosteroids.				
Tablet 5mg	100	..	8.29	Dianabol CB
METHAQUALONE Tablet 150mg	25	..	1.11	Dormir LF Melsedin BT Methalon AV Methased PT Oblioser GA Quaalude SI Sleepinal MC Thendorm KL
250mg	25	..	1.19	OD Melsedin BT Methased PT Quaalude SI Thendorm KL
Capsule 150mg	25	..	1.11	Mequelon FR Thendorm KL
250mg	25	..	1.19	Thendorm KL Forte KL 1.29 Mequelon FR
METHDILAZINE Tablet 4mg	50	1	1.55	Bristaline BC Dilosyn AH Tacaryl MJ
8mg	50	1	1.82	Bristaline BC Dilosyn AH Tacaryl MJ
Paediatric Syrup 4mg per 5ml, 100ml	≠1	4	1.29	Bristaline BC Dilosyn AH Tacaryl MJ
METHENAMINE MANDELATE Tablet 250mg	100	2	1.54	Methendalate 250 PT 1.55 Mandaze HA Mandelamine WW
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
METHENAMINE MANDELATE - cont. Tablet 500mg	100	2	2.27	Methendalate 500 PT
			2.29	Mandelamine Hafgrams WW
1G	100	2	3.62	Mandelamine WW
Paediatric Suspension 500mg per 5ml, 200ml	#1	1	2.55	Mandelamine WW
METHENOLONE ACETATE Authority required. Intermittent use for cortico- steroid-induced osteoporosis; Intermittent use for patients on long-term treatment with corticosteroids.				
Tablet 1mg	100	..	2.68	Primobolan SC
5mg	100	..	8.16	Primobolan SC
METHICILLIN Septicaemia, staphylococcal, suspected or proven.				
Injection 1G (solvent required)	5	1	16.27	Celbenin Metin BR CS
METHOIN Tablet 100mg	200	1	3.09	Mesantoin SZ
METHOTREXATE Pemphigus vulgaris; Treatment in malignant neoplasia.				
Tablet 2.5mg	100	..	14.42	LE
Injection 5mg (solvent required)	5	..	11.42	LE
50mg (solvent required)	5	..	83.37	LE
METHOXAMINE HYDROCHLORIDE Injection 20mg in 1ml	3	..	1.39	Vasylox BW
METHSUXIMIDE Capsule 300mg	200	1	8.02	Celontin PD

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
METHYLCLOTHIAZIDE Tablet 2.5mg	50	2	2.29	Enduron-M AB
5mg	50	2	3.29	Enduron AB
METHYLDOPA Tablet 250mg	100	2	6.62	Aldomet MK
METHYLERGOMETRINE Tablet 0.125mg	25	1	2.39	Methergin SZ
Injection 0.2mg in 1ml	5	..	1.46	Methergin SZ
METHYL PHENOBARBITONE Tablet 30mg	200	1	1.11	Prominal Promitone RY WL KL
60mg	200	1	1.33	Prominal Promitone RY,SI WL KL
200mg	200	1	2.53	Prominal Promitone RY,SI WL KL
METHYLPREDNISOLONE Eye Ointment 0.1%, 4G	#1	..	2.02	Medrol UP
METHYLPREDNISOLONE ACETATE Intra-articular use.				
Injection 40mg in 1ml * * *	5	..	16.55	Depo-Medrol UP
Authority required. Colitis, ulcerative, proven by sigmoidoscopy or radiological report; Proctitis proven by sigmoid- oscopy.				
Retention Enema 40mg, 6 * * *	#1	..	17.09	Medrol Enpak UP
METHYLPREDNISOLONE ACETATE Cream 0.25%, 30G	#1	..	1.74	Medrol UP
METHYLPREDNISOLONE SODIUM SUCCINATE				
Injection 40mg (base) in 1ml	5	..	12.42	Solu-Medrol UP

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
METHYLTESTOSTERONE Hypogonadism in children				
Tablet 5mg	100	2	1.75 1.89	Testomet PT Metestine KL ET
* * * Carcinoma of the breast; Eunuchism; Eunuchoidism; Klinefelter's syndrome (seminiferous tubule dysgenesis).				
Tablet 25mg	100	2	4.86	Metestine KL Testomet PT ET,PR
50mg	100	2	8.55	Metestine KL Testomet PT ET,PR
Sublingual Tablet 25mg	100	..	11.06	Perandren CB
METHYSERGIDE *Carcinoid syndrome; Migraine, severe recalcitrant, when other treatment has failed.				
Tablet 1mg	100	..	8.01	Deseril SZ
METRONIDAZOLE Tablet 200mg	21	1	2.95	Flagyl MB
MILK POWDER - SYNTHETIC Authority required. Hypercalcaemia in children under the age of two (2) years.				
Low Calcium Compound Powder 14oz * * *	2	10	7.29	Locasol MN
Authority required. Galactosaemia; Conditions needing an extreme restriction of lactose in diet in children under the age of four (4) years.				
Low Lactose Compound Powder 397G (14oz) * * *	2	10	7.15	Galactomin MN Formula 17

..(continued)

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
MILK POWDER - SYNTHETIC - cont. Authority required. Glucose-galactose malabsorption.  Fructose Formula, Reduced Fat, Low Lactose Compound Powder 454G (16oz)	2	10	16.21	Galactomin Formula 19 MN
MINOCYCLINE Capsule 100mg	11	..	4.49	Minomycin LE
MORPHINE with TACRINE Severe intractable pain.  Tablet 30mg-15mg * * *	50	..	10.92	Mortha WH
MORPHINE with TACRINE Injection 15mg-13mg in 1.5ml  30mg-13mg in 1.5ml  15mg-30mg in 1.5ml  30mg-30mg in 1.5ml	5	..	2.59	Mortha WH
	5	..	2.65	Mortha WH
	5	..	3.12	Mortha WH
	5	..	3.25	Mortha WH
MORPHINE SULPHATE Injection 10mg in 1ml  15mg in 1ml  20mg in 1ml  30mg in 1ml	5	..	1.59 1.61 1.64	BL FH, KL, LP DH, SI
	5	..	1.59 1.61 1.64	BL FH, KL, LP DH, SI
	5	..	1.61	BL, KL
	5	..	1.61	BL, FH, KL
MORPHINE SULPHATE with ATROPINE SULPHATE Injection 10mg-400 micrograms in 1ml  15mg-400 micrograms in 1ml  15mg-600 micrograms in 1ml	5	..	1.64	BL, FH
	5	..	1.64 1.69	BL, FH KL, SI
	5	..	1.64	BL, FH

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
<b>MUSTINE</b> Treatment in malignant neoplasia				
Injection 10mg (solvent required)	1	..	2.09	BT
<b>NALIDIXIC ACID</b> Urinary tract infections where sulphonamide treatment has proved ineffective and where positive bacteriological evi- dence shows the organism to be sensitive to nalidixic acid or where the patient is sensitive to sulphonamides.				
Tablet 500mg	56	..	7.09	Negram WL
Paediatric Suspension 50mg per ml, 200ml	71	..	3.02	Negram WL
<b>NALORPHINE</b> Injection 10mg in 1ml	5	1	2.22	Lethidrone BW
1mg per ml, 5ml	1	..	1.33	Lethidrone BW
<b>NANDROLONE DECANOATE</b> Carcinoma of the breast. * * *				
Authority required. Intermittent use for cortico- steroid-induced osteoporosis; Intermittent use for patients on long-term treatment with corticosteroids; Severe osteoporosis due to proven pancreatitis.				
Injection 50mg in 1ml	1	..	6.35	Deca- Durabolin OR
<b>NANDROLONE HEXANOYLPHENYL- PROPIONATE</b> Carcinoma of the breast. * * *				
Authority required. Intermittent use for cortico- steroid-induced osteoporosis; Intermittent use for patients on long term treatment with corticosteroids.				
Injection 50mg in 1ml	1	..	4.42	Anadur SI

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
NANDROLONE PHENYLPROPIONATE Carcinoma of the breast. * * *				
Authority required. Intermittent use for cortico- steroid-induced osteoporosis.				
Injection 25mg in 1ml	3	..	6.15	Durabolin OR
NATAMYCIN Tablet 100mg	50	..	6.89	Pimafucin BP
Suspension 1%, 5ml	#1	..	2.09	Pimafucin BP
Vaginal Tablets 25mg, 20	#1	..	3.89	Pimafucin BP
NATAMYCIN, NEOMYCIN SULPHATE and HYDROCORTISONE Ear Ointment 1%-0.35%(base)-1%, 5G	#1	..	1.49	Pimafucort Otic BP
NEOMYCIN Bowel sterilisation preparatory to major surgery; Encephalopathy, hepatic; Enteropathogenic E. Coli infect- ions in infants.				
Tablet 500mg	25	..	11.35 11.62	Neomate LF Neosulf PT ET, KL
* * *				
Authority required. Use by inhalation in cystic fibrosis (mucoviscidosis).				
Powder 500mg * * *	40	..	51.22	ET
NEOMYCIN Eye Drops 0.5%(0.35% Neomycin Base) 10ml	#1	2	1.19	Neopt SI KL
NEOMYCIN with GRAMICIDIN, THONZ- ONIUM BROMIDE, THONZYLAMINE and HYDROCORTISONE ACETATE Ear Drops 0.1%-0.005%-0.05%-1%- 0.02%, 15ml	#1	..	1.50	Biomydrin WW
NEOMYCIN with KAOLIN Tablet 150mg-1.5G	10	..	1.62	Kalicin KL

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
NEOMYCIN SULPHATE MIXTURE Mixture 300mg per 20ml with adsorbent, 100ml	#1	..	2.02 2.22	Neobram BB Cefrocyn FR Cremomycin MK Entamycin VR Gastromycin DH Kalicin KL Kaomycin UP Komin SI Neogastrin NS Quintress-N LY
NEOMYCIN UNDECENOATE with BACITRACIN ZINC Ear Ointment 12mg(3.5mg base)- 400 Units per G, 10G	#1	..	1.54	Nemdyn HA
NEOSTIGMINE Tablet 15mg	100	2	2.62	Prostigmin RO
Injection 0.5mg in 1ml	5	3	1.11	Prostigmin RO
2.5mg in 1ml	5	3	1.42	Prostigmin RO
Eye Drops 3%, 7.5ml	#1	6	1.53	Prostigmin RO
NICLOSAMIDE Tablet 500mg	4	..	2.09	Yomesan DN
NICOTINIC ACID For pensioners for any disease or purpose.				
Tablet 25mg	100	2	0.62 0.75	LP KL
50mg	100	2	0.75 0.85	LP, MG AD, DH, KL, RT(V), SI
100mg	100	2	0.94	DH, KL, RT(V)
250mg	100	2	1.09 1.30	LP AD, KL, RT(V), SI
NICOUMALONE Tablet 4mg	50	2	3.49	Sintrom GE

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
NITRAZEPAM Tablet 5mg	25	..	1.34	Mogadon	RO
NOTE: Authority to prescribe increased maximum quantity and/or repeats should be sought for treatment of epilepsy.					
NITROFURANTOIN Urinary tract infections where sulphonamide treatment has proved ineffective and where positive bacteriological evidence shows the organism to be sensitive to nitrofurantoin or where the patient is sensitive to sulphonamides.					
Tablet 50mg	25	1	3.46	Furadantin	SK
100mg	25	1	5.51	Furadantin	SK
Paediatric Suspension 25mg per 5ml, 200ml	71	..	2.86	Furadantin	SK
NITROMIN Treatment in malignant neoplasia.					
Tablet 5mg	100	2	11.75	RC	
Injection 50mg (solvent required)	5	1	8.75	RC	
NORADRENALINE Injection 1 in 10,000, 2ml	5	..	3.55	Levophed	WL
Infusion 1 in 1,000, 2ml	5	..	3.49	Levophed	WL
NORETHISTERONE Endometriosis; Metropathia haemorrhagica; Precocious puberty.					
Tablet 5mg	30	5	3.95	Primolut-N	SC
NORETHISTERONE ACETATE Carcinoma of the breast.					
Tablet 10mg	100	1	17.75	SH420	SC

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
<b>NORTRIPTYLINE</b>					
Tablet 10mg	50	1	1.55	Allegron Nortab	DL SQ
25mg	50	1	2.55	Allegron Nortab	DL SQ
Capsule 10mg	50	1	1.55	Aventyl1	LY
25mg	50	1	2.55	Aventyl1	LY
Paediatric Elixir 10mg per 5ml, 100ml	≠1	4	1.33	Allegron Aventyl1	DL LY
<b>NUTRAMIGEN</b>					
Authority required. Cows' milk allergy in children under the age of four(4) years; Cystic fibrosis (mucoviscidosis) Galactosaemia; Lactose intolerance.					
Powder 454G	2	10	6.83	Nutramigen Glucose	MJ
<b>NYSTATIN</b>					
Tablet 500,000 Units	50	..	6.89	Diastatin Mycostatin Nilstat	GP SQ LE
Mixture 100,000 Units per ml, 24ml	≠1	..	2.69	Mycostatin Nilstat	SQ LE
Vaginal Tablets 100,000 Units,15	≠1	1	2.26	Diastatin Mycostatin	GP SQ
Vaginal Cream 100,000 Units per 5G, 75G	≠1	1	2.35	Nilstat	LE
<b>OCTATROPINE METHYLBROMIDE</b>					
Tablet 10mg	100	2	3.09	Valpin	EN
Paediatric Elixir 5mg per 5ml, 100ml	≠1	4	1.55	Valpin	EN
<b>OESTRADIOL BENZOATE</b>					
Injection 2mg in 1ml	5	1	2.75	Oestramine	KL
<b>OESTRONE</b>					
Pessary 1,000 Units	12	1	1.99	Kolpon	OR
10,000 Units	12	1	3.19	Kolpon	OR

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
ORCIPRENALINE Tablet 20mg	100	..	4.45	Alupent	BY
Syrup 10mg per 5ml, 100ml	≠1	4	1.46	Alupent	BY
Inhalation Solution for use in NEBULISER 5%, 7.5ml	≠1	..	1.50	Alupent	BY
for use in RESPIRATOR 2%, 75ml	≠1	..	4.31	Alupent	BY
Inhalation, metered aerosol spray replacement pack, 15mg per ml, 15ml (300 dose)	≠1	..	2.95	Alupent	BY
ORPHENADRINE CITRATE Tablet 100mg	100	2	4.15	Norflex	RK
Injection 30mg per ml, 2ml	5	..	2.69	Norflex	RK
ORPHENADRINE HYDROCHLORIDE Tablet 50mg	100	2	3.49	Disipal	RK
OXPRENOLOL Dissecting aneurysm (aortic); Idiopathic hypertrophic sub- aortic stenosis; Right ventricular outflow tract obstruction; Serious arrhythmias; Thyrotoxicosis; Frequent disabling angina with- out evidence of cardiac failure, and not responding to other therapeutic agents.	5	..	4.50	Trasicor	CB
Injection 2mg (solvent required) * * * Authority required. Dissecting aneurysm (aortic); Idiopathic hypertrophic sub- aortic stenosis; Right ventricular outflow tract obstruction; Serious arrhythmias; Thyrotoxicosis; Frequent disabling angina with- out evidence of cardiac failure, and not responding to other therapeutic agents.					

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
OXPRENOLOL - cont. Tablet 20mg  40mg	100  100	1  1	7.82  11.02	Trasicor	CB  CB
OXYCODONE Treatment in malignant neoplasia.  Injection 10mg in 1ml  Suppository 30mg	5  12	.  .	2.39  4.12	Proladone	CK  CK
OXYMETHOLONE Authority required. Aplastic anaemias, proven; Myelosclerosis.  Tablet 5mg  50mg  100mg	100  100  100	.  .  .	7.89  65.42  130.42	Adroyd  Anapolon	PD  SD  PD
OXYPHENCYCLIMINE Tablet 5mg  10mg	100  100	2  2	4.09  7.09	Spazamin  Daricon Spazamin	GP  PF GP
OXYPHENONIUM BROMIDE Tablet 5mg  10mg	100  100	2  2	2.59  4.27	Antrenyl  Antrenyl Duplex	CB  CB CB
OXYTETRACYCLINE Conditions where a tetracycline is the only appropriate anti- biotic.  Capsule 100mg * * * Conditions where a tetracycline is the only appropriate anti- biotic; Patients over the age of eight (8) years who are unable to swallow capsules and tablets.  Suspension 125mg per 5ml, 100ml * * *	25  #1	.  .	1.82  1.78	Terramycin	PF  PF

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
OXYTETRACYCLINE Capsule 250mg	25	..	2.37	Bramcycline BB Oxycycline PT Oxymycin KL Terramycin PF
Injection I.M. 100mg	5	..	4.17	Terramycin PF Vendarcin BP
I.M. 250mg	5	..	7.22	Terramycin PF Vendarcin BP
I.V. 250mg	5	..	7.22	Terramycin PF Vendarcin BP
Ophthalmic Suspension 1%, 6ml	≠1	2	1.13	Terramycin PF
OXYTETRACYCLINE with HYDROCORTI- SONE Ear Suspension 0.5%-1.5%, 5ml	≠1	..	1.75	Terra- Cortril PF
OXYTETRACYCLINE with NYSTATIN Capsule 250mg-250,000 Units	25	..	2.37	Oxymycin-V KL Terrastatin PF
OXYTETRACYCLINE with POLYMYXIN B Eye Ointment 0.5%-10,000 Units per G, 4G	≠1	..	0.73	Terramycin PF
OXYTOCIN Injection 2 Units in 2ml	5	..	1.11	Syntocinon SZ
5 Units in 1ml	5	..	1.33	Syntocinon SZ
10 Units in 1ml	5	..	1.78	Pitocin PD Syntocinon SZ
OXYTOCIN with ERGOMETRINE Injection 5 Units and 0.5mg in 1ml	5	..	1.35	Syntometrine SZ
PANCREATIN CONCENTRATE Cystic fibrosis(mucoviscidosis); Following pancreatico-duoden- ectomy; Steatorrhoea, pancreatic.				
Tablet 300mg (3 times BP strength)	200	2	4.10	Panteric PD
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PANCREATIN CONCENTRATE - cont. Powder 30G (twice BP strength) 500G (5 times BP strength)	8 1	2 ..	10.02 29.09	PD Pancrex "V" ST
PANCREATIN ENZYME (4 times USNF.XII strength) Cystic fibrosis (mucoviscidosis); Following pancreatico-duoden- ectomy; Steatorrhoea, pancreatic.	500	1	31.98	Viokase ET
Tablet 325mg Powder 227G	≠1	2	24.29	Viokase ET
PANCRELIPASE Cystic fibrosis (mucoviscidosis); Following pancreatico-duoden- ectomy; Steatorrhoea, pancreatic.	250	1	19.42	Cotazym OR
PAPAVERETUM Tablet 10mg Injection 10mg in 1ml 20mg in 1ml	20 5 5	.. .. ..	1.32 1.64 1.61 1.65	Omnopon RO BL BL, FH Omnopon RO
PAPAVERETUM with HYOSCINE HYDROBROMIDE Injection 20mg-0.43mg in 1ml	5	..	1.64 1.69	FH Omnopon- Scopolamine RO BL
PAPAVERINE HYDROCHLORIDE Injection 20mg in 1ml 120mg in 10ml	5 5	.. ..	1.14 1.75	KL FH, KL
PARACETAMOL Mixture 120mg per 5ml, 100ml	≠1	4	1.06	Dymadon CA Panadol WL Parmol KL Tempra MJ

(continued)

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PARACETAMOL - cont. Tablet 300mg	50	1	0.95	Panadol WL Paediatric Parmol KL Junior
Tablet 500mg	50	1	1.06	Ceetamol PT Panacete PR Parasin AV Placemol VR
			1.14	Dymadon CA Panadol WL Paralgin FM Parmol KL RY
PARACETAMOL with CODEINE PHOSPHATE and SODIUM PENTOBARBITONE For pensioners for any disease or purpose.				
Tablet 300mg-15mg-50mg	100	2	2.50	Barbidein DH P.P.C. PT
			2.31	Pentalgin FM
			2.45	Nembudeine AB Panabarb WL Pentonal Co. KL
PARAFFIN LIQUID For pensioners for any disease or purpose.				
/Emulsion 450ml	1	4	/0.75	Petrolagar WY
/Emulsion with Phenolphthalein 450ml	1	4	/0.68	Paramul MG
			/0.75	AA(N)
				Agarol WW
				Evactil FA
				Lubarol DH
				Petrolagar with
				Phenolphthalein WY
* * *				
PARAFFIN LIQUID /Liquid Paraffin 200ml	1	4	/0.32	AA(N)
			/0.41	DH
PARALDEHYDE Injection 5ml	5	1	1.49	BL
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
PARALDEHYDE - cont. Injection 10ml	5	1	1.95	BL	
PARAMETHADIONE Capsule 300mg	200	1	13.55	Paradione	AB
PARAMETHASONE Tablet 2mg	30	..	1.75	Metilar	SD
PEMPIDINE Tablet 5mg	100	2	3.30	Perolysen	MB
PENICILLAMINE Authority required. Acute heavy metal intoxication; Cystinosis; Cystinuria with calculus formation; Haemoglobinuria, paroxysmal cold; Wilson's disease (hepatolenticular degeneration)					
Tablet 250mg	100	3	42.42	D-Penamamine	DL
Capsule 120mg	100	3	24.42	D-Penamamine	DL
250mg	100	3	42.42	Cuprimine	MK
PENICILLINASE Injection sets containing 0.8megaU and 1ml solvent	1	..	10.42	Compenase	CS
0.8megaU and 2ml water for injections	1	..	11.42	Neutrapen	RK
PENICILLIN BENETHAMINE COMPOUND Benethamine Penicillin 500mg; Procaine Penicillin 250mg; Sodium Penicillin 300mg. Injection Vial (solvent required)	1	..	1.11	Triplopen	GL
Set containing 1 vial and 2ml water for injections	1	..	1.19	Triplisol	GL
PENICILLIN BENZATHINE Prophylaxis of recurrent streptococcal infections (including rheumatic fever).					
(continued)					

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PENICILLIN BENZATHINE - cont. Tablet 150mg	100	1	4.93	Bicillin WY Dulcepen G AB L.P.G. CS
Capsule 150mg	100	1	4.95	L.P.G. CS
PENICILLIN BENZATHINE COMPOUND Benzathine Penicillin 450mg; Procaine Penicillin 300mg; Potassium Penicillin 187mg. Injection set containing 1 vial and 2ml water for injections	1	..	1.35	Bicillin All WY Purpose
PENICILLIN BENZYL Endocarditis, bacterial; Septicaemia, bacterial.	10	..	14.02	AH,CS,GL,SI
Injection 3G (solvent required) * * * Endocarditis, bacterial; Gastrointestinal surgery; Septicaemia, bacterial.	10	..	23.62	AH,CS,GL,SI
Injection 6G (solvent required) * * *	10	..	23.62	AH,CS,GL,SI
PENICILLIN BENZYL Tablet 125mg	25	..	1.51	Abbecillin G AB Crystapen '200' GL
250mg	25	..	2.30	Abbecillin G AB Crystapen '400' GL
Capsule 125mg	25	..	1.51	Crystapen GL
250mg	25	..	2.30	Abbecillin G AB Crystapen GL
Injection 300mg (solvent required)	5	..	1.87	Crystapen GL CS,SI
600mg (solvent required)	5	..	2.02	Crystapen GL AH,CS,SI
900mg (solvent required)	5	..	2.97	Crystapen GL AH,SI
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PENICILLIN BENZYL - cont. Injection				
Set containing 1 vial 600mg and 2ml water for injections	5	..	2.37	Pensol GL
Set containing 1 vial 900mg and 2ml water for injections	5	..	3.22	Pensol GL
PENICILLIN PHENOXYMETHYL Tablet 125mg	25	..	1.57	Abbocillin AB Bramcillin BB C.V.K. GL L.P.V. CS PVK LY P.V.O. FM Vicin KL
250mg	25	..	2.35 2.37	Propen-VK PT Abbocillin-VK AB Bramcillin BB Cilicaine-VK SI Cillaphen PR C.V.K. GL Distaquaine V-K DL Falcopen VK FA Lanpen LP L.P.V. CS Pen-Cilin V LF Peni-Vee K DH PVK LY P.V.O. FM Vicin KL V.P.V. VR
500mg	12	..	2.15	Vicin 500 KL
Capsule 125mg	25	..	1.57	Cilicaine-VK SI Falcopen VK FA L.P.V. CS PVK LY P.V.O. FM Vicin KL
250mg	25	..	2.35 2.37	Adacillin AV Propen-VK PT Abbocillin-VK AB Cilicaine-VK SI C.V.K. GL Distaquaine V-K DL Falcopen VK FA L.P.V. CS
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PENICILLIN PHENOXYMETHYL - cont. Capsule 250mg - cont.				Pfipen V PF PVK LY P.V.O. FM Vicin KL V.P.V. VR
Capsule 500mg	12	..	2.29	Cilicaine-VK SI Falcopen VK FA
Paediatric Sachet 125mg	25	..	2.82	Vicin KL
Paediatric Suspension 125mg per 5ml, 100ml	#1	..	1.81	Abbocillin-V AB Cilicaine-V SI Cillaphen PR C.V.L."125" GL Falcopen V FA Flavopen GP L.P.V. CS Peni-Vee DH Pfipen V PF Vicin KL V.P.V. VR
Suspension 250mg per 5ml, 100ml	#1	..	2.55	Abbocillin-V AB Cilicaine-V SI Falcopen V FA Flavopen GP L.P.V. Aqueous Forte CS Peni-Vee DH Pfipen V PF
Injection set containing 1 vial 480mg and 2ml water for injections	1	..	2.55	Vicin-800 KL
PENICILLIN PROCAINE Injection BP, 600mg	5	..	3.37	Aquacillin FA
900mg	5	..	3.02	Aquacaine G CS Cilicaine SI
1G	5	..	4.27	Cilicaine SI Megacillin FA Megapen BT
1.5G	5	..	4.02	Aquacaine G CS Viraxacillin VR
			4.57	Aquacillin FA Cilicaine SI

(continued)

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PENICILLIN PROCAINE - cont. Crystalline Injection 300mg (solvent required)	5	..	1.87	Aquacaine G CS
900mg (solvent required)	5	..	2.67	Aquacaine G CS
1.5G (solvent required)	5	..	3.87	Aquacaine G CS
PENICILLIN PROCAINE FORTIFIED Injection 360mg (solvent required)	5	..	1.87	Aquacaine G Fortified Cilicaine Fort CS SI
1.08G (solvent required)	5	..	3.27	Aquacaine G Fortified Cilicaine Fort CS SI
PENTAERYTHRITOL TETRANITRATE Tablet 20mg	100	2	1.11	Mycardol WL Penritol LF Pentathryn KL Peritrate WW
80mg (sustained release)	100	2	1.62	Peritrate WW
PENTAZOCINE Injection 30mg in 1ml	5	..	2.35	Fortral WL
60mg in 2ml	5	..	4.15	Fortral WL
PENTHIENATE Tablet 5mg	100	2	4.22	Monodral WL
PENTOBARBITONE SODIUM Tablet 30mg	100	1	1.01	QE(QNVS) Petab KL Somnital PR RY
50mg	50	..	0.82	Penbon AV Petab KL Somnital PR AD,DH,PT,QE(QNVS)
100mg	25	..	0.66 0.69	LP,PT,RT(V),SL(N) Penbon AV Somnital PR QE(QNVS),TO
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PENTOBARBITONE SODIUM - cont. Tablet 100mg - cont.			0.74 0.78	Sodepent MG Barbopent BW Petab KL DH,RY,SI
Capsule 50mg	50	..	1.14 1.15 1.22	PT Pentone FA Nembutal AB Penbarb LF Penbon AV Pentobeta BB Petab KL
100mg	25	..	1.11 1.14	Penbarb LF Nembutal AB Penbon AV Pentobeta BB Pentone FA Petab KL Somnital PR LP,PT,RY
PENTOBARBITONE SODIUM with ASPIRIN and CODEINE For pensioners for any disease or purpose.				
Tablet 30mg-300mg-15mg	100	2	2.10	Pencodine KL
PENTOLINIUM TARTRATE Injection 5mg per ml, 10ml	1	1	1.95	Ansolysen MB
PERICYAZINE Hereditary chorea(Huntington's); Malignant neoplasia(late stage); Radiation sickness; Major psychoses including:- Major organic psychoses; Manic psychoses; Paranoid states; Schizophrenia.				
Tablet 2.5mg	100	1	2.29	Neulactil MB
10mg	100	1	5.35	Neulactil MB
Mixture 2.5mg per 5ml, 100ml	71	4	1.29	Neulactil MB
Injection 10mg in 1ml	10	..	2.95	Neulactil MB

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PERITONEAL DIALYSIS SOLUTION Injection with 1.5% Dextrose, 1 litre	20	1	33.82	Dianeal TV Diasol AB SJ(W)
with 7% Dextrose, 1 litre	20	1	33.82	Dianeal TV Diasol AB SJ(W)
PERTUSSIS VACCINE Injection 20,000 million organisms in 0.5ml	3	1	1.62	CS
PETHIDINE Injection BP, 50mg in 1ml	5	..	1.55 1.57	BL,LP Pethoid BW FH
100mg in 2ml	5	..	1.59 1.61 1.64	DH, KL, SI LP BL, FH
500mg in 10ml	1	..	1.69 1.71	Pethoid BW DH, KL, SI
PETHIDINE with HYOSCINE Injection 100mg-0.43mg per 2ml	5	..	1.65	KL
PETHIDINE with LEVALLORPHAN Injection 50mg-0.625mg in 1ml	5	..	1.69	Petiscol KL
50mg-0.625mg per ml, 2ml	5	..	1.61	Pethilorfan RO
PHENETHICILLIN Tablet 125mg	5	..	1.83	Pethilorfan RO
250mg	25	..	1.57	Optipen CS Pensig SI
Capsule 125mg	25	..	2.37	Optipen CS Pensig SI
250mg	25	..	1.57	Optipen CS Pensig SI
500mg	25	..	2.37	Optipen CS Pensig SI
(continued)	12	..	2.29	Pensig SI

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PHENETHICILLIN - cont.				
Powder for Syrup 125mg per 5ml, 100ml	#1	..	#1.81	Pensig 125 SI
250mg per 5ml, 100ml	#1	..	#2.56	Pensig 250 SI
Paediatric Suspension 125mg per 5ml, 100ml	#1	..	1.81	Optipen CS Pensig SI
Suspension 250mg per 5ml, 100ml	#1	..	2.55	Optipen Forte CS Pensig SI
PHENFORMIN				
Tablet 25mg	100	2	4.15	Insoral WW
Capsule 50mg	100	1	8.15	Insoral TD WW
PHENINDAMINE				
Tablet 25mg	50	1	1.25	Thephorin RO
PHENINDIONE				
Tablet 10mg	100	2	3.75	Dindevan AH
50mg	100	2	5.35	Dindevan AH
PHENIRAMINE				
Tablet 10mg	50	1	1.11	Avilettes HP
50mg	50	1	1.78	Avil HP
75mg (sustained release)	50	1	3.14	Avil Retard HP
Paediatric Syrup				
15mg per 5ml, 100ml	#1	4	1.11	Avil HP
Injection 25mg per ml, 2ml	5	1	1.59	Avil HP
PHENOBARBITONE				
Tablet 15mg	100	1	0.58 0.69	SL(N) AD, KL, RT(V), RY, SI
30mg	100	1	0.65 0.69 0.71 0.78	SL(N) Bakramil BK AD KL, RT(V), RY, SI
60mg	25	..	0.54 0.58 0.63	SL(N) AD KL, RT(V), RY
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PHENOBARBITONE - cont. Tablet 100mg	25	..	0.65	AD
Elixir PL - See Section 4			0.68	KL, RT(V), RY, SI
PHENOBARBITONE SODIUM Tablet 15mg	100	1	0.69	KL
30mg	100	1	0.78	KL
60mg	25	..	0.63	KL
100mg	25	..	0.68	KL
Injection 200mg in 1ml	5	..	1.14 1.19 1.21	BL, FH FM DH
PHENOLPHTHALEIN COMPOUND Pill	50	1	0.77	Phenaloin MG
PHENSUXIMIDE Capsule 500mg	200	1	8.35	Milontin PD
PHENTHIMENTONIUM Tablet 150mg	100	2	3.75	Secergan AP
PHENYLALANINE LOW CONTENT FORMULA Authority required. Phenylketonuria.				
Granules 1kg	1	..	24.03	Cymogran CL
Powder 2.5lb	1	..	12.36	Lofenalac NJ
PHENYLBUTAZONE Tablet 100mg	50	2	1.17 1.18 1.29	Butazone PT Butacal LF Butalan LP Butalgin FM Butaphen PR Butarex AV 1.38 Butoroid VR Buzon KL 1.43 Butazolidin GE
Capsule 100mg	50	2	1.43	Buzon KL
Injection 600mg in 3ml	5	..	2.02	Butazolidin GE
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PHENYLBUTAZONE - cont. Suppository 250mg	10	2	2.02 2.22	Butoz HA Butazolidin GE
PHENYLEPHRINE Compound Ointment 2oz	≠1	1	1.42	Hemorex WL
Compound Suppository	12	1	1.18	Hemorex WL
Eye Drops 1/8%, 10ml	≠1	2	1.11	Neo- Synephrine WL
0.12%, 15ml	≠1	2	1.47	Isopto Frin AQ Prefrin AG
10%, 5ml	≠1	..	1.26	Neo- Synephrine WL
Sterile Ophthalmic Solution 10%, 1ml	5	..	3.82	Neo- Synephrine WL
PHENYTOIN Paediatric Suspension 30mg per 5ml, 500ml	≠1	1	2.69	Dilantin PD
Suspension 100mg per 5ml, 500ml	≠1	1	2.99	Dilantin PD
PHENYTOIN SODIUM Tablet 100mg	200	1	1.62	Ditoin KL RY
Capsule 30mg	200	1	1.89	Dilantin PD Sodium KL Ditoin
100mg	200	1	2.75 2.89	PT,RY Dilantin PD Sodium KL Ditoin
Injection 100mg with 2.2ml solvent	1	..	3.30	Dilantin PD Sodium
250mg with 5ml solvent	1	..	4.02	Dilantin PD Sodium

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PHOLCODINE Linctus 0.1%, 100ml	≠1	2	0.95	Adaphol AV Duro-Tuss RK Lantuss LP Pectolin FA Pholcolin DH Pholcolin Red DH Pholevan AH Pholtrate MG Pholtussin KL Sedlingtus VR Sednaco GL Tussinol GP AA(N), PR, SI (V)
PTHALYLSULPHACETAMIDE Tablet 500mg	100	..	3.22	Enterocid NS Sulphalyl KL Talecid SC Thalacet VR
PTHALYLSULPHATHIAZOLE Tablet 500mg	100	..	1.62	Phthazol KL Thalazole MB
PHYSOSTIGMINE SALICYLATE Eye Drops 0.25%, 7.5ml	≠1	6	2.49	ET
0.25%, 15ml	≠1	6	2.59	IQ
0.5%, 7.5ml	≠1	6	2.89	ET
0.5%, 15ml	≠1	6	3.02	IQ
PHYTOMENADIONE Antidote to anticoagulants; Haemorrhagic diathesis assoc- iated with malabsorption; Haemorrhagic disease of the new born; Suspected cerebral trauma of the new born.				
Injection 1mg * * *	5	..	1.57	Konakion RO
Antidote to anticoagulants; Haemorrhagic diathesis assoc- iated with malabsorption.				
Injection 10mg	5	..	3.30	Konakion RO
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PHYTOMENADIONE - cont. Colloidal Solution for Injection 10mg in 1ml	5	..	5.77	Aquamephyton MK
10mg per ml, 5ml	5	..	25.42	Aquamephyton MK
PILOCARPINE HYDROCHLORIDE Eye Drops 0.5%, 15ml	#1	6	1.11 1.33	Miocarpine IR Isopto Carpine AQ Pilopt SI P.V. Carpine AG ET,IQ,KL
1%, 15ml	#1	6	1.19 1.42	Miocarpine IR DH,LP Isopto Carpine AQ Pilopt SI P.V. Carpine AG ET,IQ,KL
2%, 15ml	#1	6	1.29 1.51	Miocarpine IR DH,LP Isopto Carpine AQ Pilopt SI P.V. Carpine AG ET,IQ,KL
3%, 15ml	#1	6	1.38 1.61	Miocarpine IR LP Isopto Carpine AQ Pilopt SI P.V. Carpine AG ET,IQ,KL
4%, 15ml	#1	6	1.55 1.71	Miocarpine IR DH Isopto Carpine AQ Pilopt SI P.V. Carpine AG ET,IQ,KL
6%, 15ml	#1	6	2.05	Isopto Carpine AQ Pilopt SI P.V. Carpine AG ET,KL

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
PIPENZOLATE Tablet 5mg	100	2	4.09	Piptal	SI
Oral Solution 4mg per ml, 15ml	#1	4	1.54	Piptal	SI
PIPERAZINE ADIPATE Tablet 300mg	25	2	1.11	Entacyl	AH
Granules 20%, 100G	1	1	2.22	Divermex	DF
PIPERAZINE PHOSPHATE Granules 10G	1	1	1.42	Pripsen	RC
PITUITARY, POSTERIOR LOBE Diabetes insipidus.					
Insufflation 30 Antidiuretic Unit Capsule	100	2	8.69	Di-Sipidin	ST
500 Antidiuretic Units per G, 2G Phial	3	2	7.11	Piton	BP
PIZOTIFEN MALATE Migraine, severe recalcitrant, when other treatment has failed.					
Tablet 0.5mg (base)	100	..	8.01	Sandomigran	SZ
PLAGUE VACCINE Injection 3,000 million organisms in 1ml	2	..	1.76	CS	
POLYMYXIN B SULPHATE Authority required. Use by inhalation in cystic fibrosis (mucoviscidosis).					
Vial of Powder 500,000 Units * * *	20	..	59.02	Aerosporin	BW
POLYMYXIN B SULPHATE Ear Drops (Aqueous) 300,000 Units in 15ml	#1	2	2.02	Otopol Polmix	BW KL
Ear Drops (Propylene Glycol Base) 10,000 Units per ml, 10ml	#1	2	1.42	Aerosporin	BW
Eye Drops 15,000 Units per ml, 5ml	#1	2	1.89	Polmix SI	KL

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
POLYMYXIN B SULPHATE with BACITRACIN and NEOMYCIN Ear Drops 10,000 Units-500 Units- 3.5mg(base) per ml, 15ml	#1	..	1.62	Neotracin ET
Eye Drops set containing 50,000 Units-4,000 Units-50mg and 10ml solvent	#1	2	#3.07	N.B.P. DH Neotracin ET
Eye Ointment 5,000 Units- 400 Units-5mg per G, 4G	#1	..	0.95	Mycitracin UP Neosporin BW
POLYMYXIN B SULPHATE with LIGNOCAINE Ear Drops 10,000 Units-50mg per ml, 10ml	#1	..	1.49	Lignosporin BW
POLYMYXIN B SULPHATE with NEOMYCIN and GRAMICIDIN Eye Drops 5,000 Units-2.5mg- 0.025mg per ml, 10ml	#1	2	1.55	Neocidin ET Neosporin BW Trimyxin DH
POLYMYXIN B SULPHATE with NEOMYCIN and HYDROCORTISONE Ear Drops 10,000 Units-3.5mg (base)-10mg per ml, 7ml	#1	..	1.75	Aerocortin BW Cicatrin-H CA Multicin H KL
POLYOESTRADIOL Carcinoma of the breast; Carcinoma of the prostate.  Injection set containing 40mg and 2ml solvent	1	..	5.42	Estradurin AY
POLYVINYL ALCOHOL Eye Drops 1.4%, 15ml	#1	6	2.02	Liquifilm AG Tears
POTASSIUM Effervescent Tablet 6.5mEq K <sup>+</sup>	100	2	1.49 1.82	Pot-Instant LF Potavescent PT
25mEq K <sup>+</sup>	30	2	1.69	Brista-K BC K-Lyte MJ
POTASSIUM-FREE MAINTENANCE SOLUTION See Intravenous Fluids.				

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
POTASSIUM CHLORIDE				
Tablet 500mg	100	2	0.82	KL,RT(V)
600mg (sustained release)	100	2	1.95	K-san PR Slow-K ZY Span-K PT
Effervescent Tablet 14mEq K <sup>+</sup> and 8mEq Cl <sup>-</sup>	30	2	1.55	Chlorvescent PT
Sterile Solution for preparation of Injection 10%, 10ml	5	..	1.38	DH
Injection Standard Maintenance Fluids - See Intravenous Fluids.				
POTASSIUM PERCHLORATE				
Tablet 200mg	100	2	1.35	SI
PRACTOLOL				
Dissecting aneurysm (aortic); Idiopathic hypertrophic sub- aortic stenosis; Right ventricular outflow tract obstruction; Serious arrhythmias; Thyrotoxicosis; Frequent disabling angina with- out evidence of cardiac fail- ure, and not responding to other therapeutic agents.				
Injection 2mg per ml, 5ml * * *	1	..	2.82	Eraldin IC
Authority required.				
Dissecting aneurysm (aortic); Idiopathic hypertrophic sub- aortic stenosis; Right ventricular outflow tract obstruction; Serious arrhythmias; Thyrotoxicosis; Frequent disabling angina with- out evidence of cardiac fail- ure, and not responding to other therapeutic agents.				
Tablet 100mg	100	1	15.70	Eraldin IC
PREDNISOLONE				
Tablet 1mg	100	..	1.42	Panafcort- elone PT
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PREDNISOLONE - cont. Tablet 5mg	30	..	1.34	Panafcort- elone PT
			1.35	IP
			1.42	Adnisolone AV
				Delta-Cortef UP
				Deltacortril PF
				Deltasolone KL
				Paracortol PD
				Precortisyl RL
				Prelone LF
				Solone FM
				LP, MG, PR, RC, RT (V)
Capsule 5mg	30	..	1.42	Deltasolone KL
Eye Ointment 0.5%, 4G	#1	..	2.02	Delta-Cortef UP
				Deltasolone KL
				Optocort PT
PREDNISOLONE ACETATE Intra-articular use.				
Injection 10mg in 1ml * * *	5	..	5.07	Scherisolon SC
PREDNISOLONE ACETATE Eye Drops 0.5%, 5ml	#1	6	2.55	Ultracortenol CB
PREDNISOLONE ACETATE with PHENYLEPHRINE Corneal grafts; Uveitis.				
Eye Drops 1%-0.12%, 5ml	#1	..	2.95	Prednefrin Forte AG
PREDNISOLONE SODIUM PHOSPHATE Acute medical or surgical crises Prophylactic therapy before, during and after surgical pro- cedures for patients requiring or recently subjected to steroid therapy.				
Injection 20mg in 1ml * * *	2	..	5.86	Predsol GL
Authority required. Colitis, ulcerative, proven by sigmoidoscopy or radiological report; Proctitis proven by sigmoid- oscopy.				

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PREDNISOLONE SODIUM PHOSPHATE - cont. Retention Enema 20mg in 100ml	7	..	14.89	Predsol GL
Suppository Equivalent to 5mg prednisolone * * *	6	..	3.58	Predsol GL
PREDNISOLONE SODIUM PHOSPHATE Eye/Ear Drops 0.5%, 2.5ml	#1	6	2.29	Codelsol MK
0.5%, 5ml	#1	6	2.62	Codelsol MK Predsol GL
Eye Ointment 0.5%, 3G	#1	..	2.02	Predsol GL
PREDNISOLONE SODIUM SUCCINATE Acute medical or surgical crises Prophylactic therapy before, during and after surgical proce- dures for patients requiring or recently subjected to steroid therapy.				
Injection set containing 25mg and 1ml diluent	2	..	10.95	Solu-Dacortin MQ
PREDNISOLONE STEAGLATE Tablet 6.65mg	30	..	1.42	Sintisone DH
PREDNISOLONE TERTIARY BUTYL ACETATE Intra-articular use.				
Injection 20mg in 1ml	5	..	4.95	Codelcortone TBA MK
PREDNISONE Tablet 1mg	100	..	1.42	Panafcort PT
5mg	30	..	1.34	Panafcort PT
			1.35 1.42	IP Adasone AV Decortisyl RL Deltasone KL Presone LF Propred BB Sone FM LP,PD,PR,RC
Capsule 5mg	30	..	1.42	Deltasone KL

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PRIMAQUINE Tablet equivalent to 7.5mg base equivalent to 15mg base	30	1	1.19	IC
	14	1	1.11	WL
PRIMIDONE Tablet 250mg	200	1	4.42	Elmidone      KL Midone        PT Mysoline      IC Sertan        BZ
Paediatric Suspension 125mg per 5ml, 500ml	71	1	2.18	Mysoline      IC
PRINDOLOL Dissecting aneurysm (aortic); Idiopathic hypertrophic sub- aortic stenosis; Right ventricular outflow tract obstruction; Serious arrhythmias; Thyrotoxicosis; Frequent disabling angina with- out evidence of cardiac fail- ure, and not responding to other therapeutic agents.  Injection 1mg in 5ml *            *            *	5	..	4.69	Visken        SZ
Authority required. Dissecting aneurysm (aortic); Idiopathic hypertrophic sub- aortic stenosis; Right ventricular outflow tract obstruction; Serious arrhythmias; Thyrotoxicosis; Frequent disabling angina with- out evidence of cardiac fail- ure, and not responding to other therapeutic agents; *Treatment of severe hypertensive disease which is not responding adequately to other therapy.	100	1	8.29	Visken        SZ
PROBENECID Tablet 500mg	100	2	7.75	Benemid      MK Proben        PT Probexin      KL

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
PROCAINAMIDE					
Capsule 250mg	100	2	6.42	Pronestyl	SQ
Injection 100mg per ml, 10ml	1	..	1.69	Pronestyl	SQ
PROCARBAZINE					
Treatment in malignant neoplasia.					
Capsule 50mg	100	..	7.35	Natulan	RO
PROCHLORPERAZINE					
Injection 12.5mg in 1ml	10	..	1.49	Stemetil	MB
PROCHLORPERAZINE MALEATE					
Meniere's syndrome.					
Tablet 5mg	100	..	2.82	Stemetil	MB
Suppository 5mg	5	..	1.29	Stemetil	MB
25mg	5	..	1.55	Stemetil	MB
PROCYCLIDINE					
Tablet 5mg	100	2	4.42	Kemadrin	BW
PROGUANIL					
Tablet 100mg	100	2	1.26	Paludrine	IC
PROMETHAZINE					
Tablet 10mg	50	1	1.13	Phenergan	MB
				Prothazine	KL
25mg	50	1	1.35	Meth-Zine	PT
			1.42	Phenergan	MB
				Prothazine	KL
				MC	
Mixture 5mg per 5ml, 100ml	≠1	4	1.11	Phenergan	MB
				Progan	AV
				Prothazine	KL
Injection 2.5%, 2ml	10	..	1.95	Phenergan	MB
PROMETHAZINE THEOCLATE					
Vomiting in pregnancy.					
Tablet 25mg	30	1	1.42	Avomine	MB
PROPANTHELINE BROMIDE					
Tablet 15mg	100	2	3.62	Pantheline	PT
				Pro-Banthine	SR
				KL	
(continued)					

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
<p>PROPANTHELINE BROMIDE - cont. Tablet 30mg (sustained release)</p> <p>Injection 30mg in 1ml (solvent required)</p>	<p>100</p> <p>5</p>	<p>2</p> <p>..</p>	<p>6.35</p> <p>6.42</p>	<p>Pantheline Retard PT Pro-Banthine PA SR</p> <p>Pro-Banthine SR</p>
<p>PROPRANOLOL</p> <p>Dissecting aneurysm (aortic); Idiopathic hypertrophic sub-aortic stenosis; Right ventricular outflow tract obstruction; Serious arrhythmias; Thyrotoxicosis; Frequent disabling angina without evidence of cardiac failure and not responding to other therapeutic agents.</p>				
<p>Injection 1mg in 1ml * * *</p>	<p>5</p>	<p>..</p>	<p>2.48</p>	<p>Inderal IC</p>
<p>Authority required. Dissecting aneurysm (aortic); Idiopathic hypertrophic sub-aortic stenosis; Right ventricular outflow tract obstruction; Serious arrhythmias; Thyrotoxicosis; Frequent disabling angina without evidence of cardiac failure and not responding to other therapeutic agents;</p>				
<p>*Treatment of severe hypertensive disease which is not responding adequately to other therapy.</p>				
<p>Tablet 10mg</p>	<p>100</p>	<p>1</p>	<p>4.22</p>	<p>Inderal IC</p>
<p>40mg</p>	<p>100</p>	<p>1</p>	<p>8.02</p>	<p>Inderal IC</p>
<p>PROPYLENE GLYCOL Spray Diluent Propylene Glycol 10%, Glycerin 2% in Normal Saline, 200ml</p>	<p>≠1</p>	<p>2</p>	<p>1.82</p>	<p>FA</p>
<p>PROPYLTHIOURACIL Tablet 25mg</p>	<p>100</p>	<p>2</p>	<p>1.62</p>	<p>ET</p>
<p>50mg</p>	<p>100</p>	<p>2</p>	<p>2.42</p>	<p>ET</p>

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
PROSCILLARIDIN Patients intolerant to oral forms of prepared digitalis, digoxin and lanatoside-C.					
Tablet 0.25mg	100	2	3.35	Talusin	KN
PROTAMINE SULPHATE Injection 1%, 10ml	5	..	4.42	BT	
PROTEIN HYDROLYSATE FORMULA without PHENYLALANINE Authority required. Phenylketonuria.					
Powder 100G sachet, 2kg	#1	..	89.36	Albumaid XP	MN
PROTRIPTYLINE Tablet 5mg	50	1	2.51	Concordin	MK
10mg	50	1	3.35	Concordin	MK
Capsule 5mg	50	1	2.51	Triptil	FR
10mg	50	1	3.35	Triptil	FR
PSEUDOEPHEDRINE HYDROCHLORIDE Tablet 30mg	100	2	1.49 1.70	Tussaphed Sudafed-M	KL BW
60mg	100	2	1.95 2.29	Tussaphed Sudafed	KL BW
Mixture 30mg per 5ml, 100ml	#1	4	1.11	Sudafed Tussaphed	BW KL
PYRANTEL EMBONATE Tablet 125mg(base)	6	..	1.58	Combantrin	GP
Mixture 50mg(base) per ml, 12ml	#1	..	1.58	Combantrin	GP
PYRIDINE ALDOXIME METHIODIDE Injection 500mg	5	..	2.42	FH	
PYRIDOSTIGMINE Tablet 10mg	100	2	1.94	Mestinon	RO
60mg	100	2	8.91	Mestinon	RO
180mg (sustained release)	100	..	15.89	Mestinon	RO
Injection 1mg in 1ml	5	1	1.30	Mestinon	RO

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
PYRIDOXINE HYDROCHLORIDE Homocystinuria; Peripheral neuritis due to isoniazid therapy, prophylaxis or treatment; Primary hyperoxaluria; Pyridoxine-responsive anaemia, proven; Pyridoxine-responsive convulsions; Radiation sickness; Sideroblastic (refractory) anaemia.  Tablet 25mg  * * *	100	..	2.42	Antiderm Pydox Pyroxin DH,RY	HY PT KL
PYRIDOXINE HYDROCHLORIDE Injection 50mg in 1ml  50mg per ml, 5ml 50mg per ml, 10ml	5	1	1.70 1.98 1.99	Pyroxin Hexavibex BL, DH, FM	KL PD
PYRIMETHAMINE Tablet 25mg	100	..	3.36	Daraprim	BW
QUINALBARBITONE SODIUM Tablet 100mg  Capsule 50mg  100mg	25	..	0.82	RY	
QUINETHAZONE Tablet 50mg	50	2	3.55	Baqual Quinaltone Quinbar Seconal Sodium  Proquinal Quinaltone RY Baqual Seconal Sodium	KL LF AV LY  PT LF KL LY
					LE

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
QUINIDINE BISULPHATE Tablet 250mg (sustained release)	100	2	10.42	Kinidin AP
QUINIDINE SULPHATE Tablet 200mg	100	2	5.59	FA, LP, PT, RT (V)
			5.62	Quinid MW(N) TO
			5.71	QE (QNVS)
			5.75	DF
			6.29	Cardoquin AV KL, PR
			7.22	Quinidoxin BW DH, RC
300mg (sustained release)	100	2	8.55	Quinidex RS
QUININE BISULPHATE Tablet 300mg	100	2	4.42	FA, PT
			4.82	Bi-Quinate KL Quinbisin PR BW, DH, RC
QUININE HYDROCHLORIDE Tablet 300mg	100	2	4.82	DH
QUININE SULPHATE Tablet 300mg	100	2	4.42	LP
			4.75	PT
			4.95	AD, QE (QNVS)
			5.22	Quinate KL Quinsan PR DH, RC, SI, TO
RAUWOLFIA ALKALOIDS Tablet 0.25mg	100	2	1.49	Serfia KL
2mg	100	2	2.82	Rauwiloid RK
RAUWOLFIA SERPENTINA Tablet 50mg	100	2	2.37	Rawlina LF Rausan PR Serenol PT
			2.62	Raudixin SQ
Capsule 50mg	100	2	2.95	Austrawolf CS
RESERPINE Tablet 0.25mg	100	2	1.11	Resedrex HA Ryser KL Serpasil CB Tenserp VR RY
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
RESERPINE - cont. Injection 1mg	5	1	1.13	Serpasil CB
2.5mg	5	1	1.75	Serpasil CB
RIBOFLAVINE For pensioners for any disease or purpose.				
Tablet 5mg	100	2	0.82	FM, KL, RT (V)
ROLITETRACYCLINE I.V. Injection sets containing 110mg and 5ml solvent	5	..	7.02	Reverin HP
275mg and 10ml solvent	5	..	12.02	Reverin HP
350mg and 10ml solvent	5	..	12.02	Bristacin-A BC
I.M. Injection sets containing 150mg and 2ml solvent	5	..	6.97 7.02	Bristacin-A BC Reverin HP
350mg and 2ml solvent	5	..	12.02	Bristacin-A BC Reverin HP
SACCHARIN or SACCHARIN SODIUM /Tablets 30mg, 500	1	1	/0.42 /0.50	AD(N) KL
SALBUTAMOL Inhalation, metered aerosol spray replacement pack, 20mg in 17G (200 dose)	/1	..	2.95	Ventolin AH
SALICYLAMIDE Tablet 500mg	100	2	1.14 1.19	PT Salamide HA Salide NS Samid KL
SALINE LACTATE SOLUTION See Intravenous Fluids				
SCHICK TEST TOXIN and CONTROL Injection set containing 0.5ml Schick Test Toxin and 0.5ml Schick Control	1	..	1.49	CS

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SECBUTOBARBITONE				
Tablet 15mg	100	1	1.19	Butisol Sodium ET
30mg	100	1	1.38	Butisol Sodium ET
50mg	100	1	1.65	Butisol Sodium ET
100mg	25	..	1.09	Butisol Sodium ET
SENNA FRUIT EXTRACT (STANDARDISED)				
For pensioners for any disease or purpose.				
Tablet 7mg	100	2	1.42	Senokot RC
SMALLPOX VACCINE				
Injection, Capillary Tube	1	..	1.11	CS
SODIUM ACID CITRATE				
Mixture 5.5G per 20ml, 500ml	#1	4	1.33	Citralka PD
SODIUM AMINOSALICYLATE				
Tuberculosis.				
Tablet 300mg	500	2	3.89	Pasan KL
500mg	500	2	4.02	Pasalba RY Pasan KL
Cachet 1.5G	500	2	13.09	Pasan KL
2G	500	2	19.09	Pasan KL
Injection 20%, 10ml	5	..	2.05	Pasan KL
SODIUM AMINOSALICYLATE with				
ISONIAZID				
Tuberculosis.				
Granules 6G-150mg per sachet	60	2	12.42	Inapasade SN

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SODIUM AUROTHIOMALATE				
Injection 1mg	1	3	0.81	Myocrisin MB
5mg	1	3	0.85	Myocrisin MB
10mg	1	3	0.93	Myocrisin MB
20mg	1	3	0.97	Myocrisin MB
50mg	5	..	3.87	Myocrisin MB
SODIUM BICARBONATE				
Injection 8.4%, 100ml	5	..	10.42	AB
4.2%, 500ml - See Intravenous Fluids				
SODIUM CALCIUMEDETATE				
Tablet 500mg	100	2	4.29	Calcium Disodium Versenate RK
Injection 200mg per ml, 5ml	5	..	5.83	Calcium Disodium Versenate RK
SODIUM CHLORIDE				
Tablet 300mg	100	2	0.75	KL,RT(V)
Injection (Normal Saline; Physiological Solution) 2ml	5	1	0.89 0.95 0.98	LP BL, FH KL, SI
5ml	5	1	0.98 1.03 1.07	LP BL, FH KL
10ml	5	1	1.06 1.13 1.19 1.26	CS LP BL, FH KL, SI
20ml	5	1	1.62	BL, FH, KL
50ml	3	1	2.43	FH, KL
500ml and 1 litre sizes - See Intravenous Fluids				
SODIUM CHLORIDE and DEXTROSE See Intravenous Fluids				

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SODIUM CHLORIDE COMPOUND See Intravenous Fluids				
SODIUM CHLORIDE COMPOUND and DEXTROSE See Intravenous Fluids				
SODIUM CITRO-TARTRATE Effervescent Granules 100G	#1	4	1.82	Citralyte MJ Citrarescent PT Dex-Cit DH
SODIUM CROMOGLYCATE Authority required. The prevention of chronic intr- actable asthma.				
Capsule 20mg (Inhalation)	50	..	9.62	Intal FC Spincaps
SODIUM LACTATE See Intravenous Fluids				
SODIUM LACTATE COMPOUND See Intravenous Fluids				
SODIUM LACTATE COMPOUND and DEXTROSE See Intravenous Fluids				
SODIUM NITROPRUSSIDE Diagnostic Tablet	100	..	2.02	Acetest AM
SODIUM SALICYLATE Tablet 300mg	100	2	0.89	KL
600mg	100	2	1.22	KL
300mg (enteric coated)	100	2	1.35	Ensalate RC Rhumax PR DH, ET, KL, LY, QE(QNVS), RY
500mg (enteric coated)	100	2	1.55	Ensalate RC Rhumax PR ET, KL, QE(QNVS), TO
600mg (enteric coated)	100	2	1.69	Ancosal AV Ensalate RC Rhumax PR DH, ET, KL, LY, QE(QNVS)

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
SODIUM SULPHATE See Intravenous Fluids					
SODIUM TAUROGLYCOCHOLATE with PHENOLPHTHALEIN Compound Tablet	100	1	1.11	Veracolate	WW
SORBIDE NITRATE Tablet 10mg	100	2	1.49	Isordil	AY
Sublingual Tablet 5mg	100	2	1.35	Isordil	AY
SOYA FORMULA Authority required. Galactosaemia; Homocystinuria; Lactose intolerance; Milk allergy in children under the age of four(4) years.					
Liquid 384ml	5	10	3.18	Isomil Prosobee	RD MJ
425G	5	10	3.08	Soyalac	SA
Powder 454G	2	10	3.57	Sobee	MJ
SPECTINOMYCIN Gonorrhoea.					
Injection 2G with 3.2ml diluent	1	..	5.09	Trobicin	UP
4G with 6.5ml diluent	1	..	9.09	Trobicin	UP
SPIRONOLACTONE Authority required. Myasthenia gravis; Primary hyperaldosteronism; Supplementing other diuretics where these have proved inadequate.					
Tablet 25mg	100	..	10.51	Aldactone	SR
STANDARD MAINTENANCE FLUID See Intravenous Fluids					

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
STANOLONE Carcinoma of the breast. *          *          * Authority required. Intermittent use for cortico- steroid-induced osteoporosis; Intermittent use for patients on long-term treatment with corticosteroids.				
Tablet 25mg	100	..	11.09	Protona DF
STANOZOLOL Authority required. Intermittent use for cortico- steroid-induced osteoporosis; Intermittent use for patients on long-term treatment with corticosteroids.			11.89	Anabolex MN
Tablet 2mg	100	..	6.82	Winstroid WL
STAPHYLOCOCCUS TOXOID (FORMALINISED) Injection Diluted 1 in 10 for use in initial injection 5ml				
Undiluted 5ml	1	..	1.22	CS
STILBOESTROL				
Tablet 0.1mg	100	2	0.75	KL
0.5mg	100	2	0.65	HA
1mg	100	2	0.77	AD, KL, RT (V)
5mg	100	2	0.69	HA
10mg	100	2	0.78	AD
Injection 5mg	5	..	0.79	KL, RT (V)
	100	2	1.05	AD, HA, MG
	100	2	1.06	DH, KL, RT (V), SI
	100	2	1.50	DH, KL, RT (V)
	5	..	1.19	KL

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
STILBOESTROL DIPHOSPHATE Carcinoma of the prostate.				
Tablet 100mg	100	2	15.62	Honvan MJ
Injection 50mg per ml, 5ml	10	..	7.59	Honvan MJ
STREPTOMYCIN SULPHATE Injection				
1G (solvent required)	5	3	2.07	GL,SI
250,000 Units per ml, 4ml	5	3	2.27	Streptaquine DL
500,000 Units per ml, 2ml	5	3	2.27	Strepolin 50% GL BT
1,000,000 Units in 3ml	5	3	2.27	Strepolin 33% GL Streptevan AH
SUCCINYLSULPHATHIAZOLE				
Tablet 500mg	100	..	1.82 2.02	PT MB
SULPHACETAMIDE SODIUM				
Eye Drops 10%, 15ml	#1	2	1.38	Acetopt SI Bleph 10 AG ET, IQ, KL
15%, 15ml	#1	2	1.42	Isopto AQ Cetamide
20%, 15ml	#1	2	1.46	Acetopt SI ET, IQ, KL
Eye Ointment 10%, 5G	#1	..	0.82	SP(NWS)
SULPHADIAZINE				
Tablet 300mg	40	2	1.19	Diazyl AB Sulpha- KL diazinettes
500mg	40	2	1.11 1.19	AD, DH, PT, RT(V), RY, SI KL
SULPHADIAZINE SODIUM				
Injection 4ml	5	..	1.99	MB
SULPHADIMETHOXINE				
Tablet 500mg	12	..	1.47	Madribon RO

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SULPHADIMIDINE Tablet 250mg	40	2	1.11	KL
500mg	40	2	1.11	S-Dimidine PT AD, MG
			1.15	Sulpha- IC mezathine KL, RY, SI
Suspension 500mg in 5ml, 100ml	≠1	1	1.27	Sulpha- IC mezathine
SULPHAFURAZOLE Tablet 300mg	40	2	1.22	Gantrisin RO Sulfagan OD KL
500mg	40	2	1.35	Sulfagan OD MC
			1.62	Gantrisin RO Sulfazole PT Urogan AV KL
Paediatric Syrup 500mg per 5ml, 100ml	≠1	1	1.51	Gantrisin RO
Eye Drops 4%, 10ml	≠1	2	1.11	Gantrisin RO
Eye Ointment 4%, 5G	≠1	..	0.73	Gantrisin RO
SULPHAMETHIZOLE Tablet 100mg	40	2	1.15	Famet CA Urolin KL Urolocosil WW
250mg	40	2	1.69	PT
			1.75	Famet CA Thiosulfil AY Urolex OD Urolin KL Urolocosil WW Uroz HA
500mg	40	2	2.89	PT
			2.95	Famet CA Thiosulfil AY Urolex OD Urolin KL Urolocosil WW Uroz HA
Paediatric Suspension 100mg per 5ml, 100ml	≠1	1	1.65	Urolocosil WW

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SULPHAMETHOXAZOLE Tablet 500mg	20	1	1.35	Gantanol RO
Syrup 500mg per 5ml, 50ml	≠1	2	1.59	Gantanol RO
SULPHAMETHOXYDIAZINE Tablet 500mg	12	..	1.89	Bayrena BN Kirocid SC
SULPHAMETHOXYPYRIDAZINE Tablet 500mg	12	..	2.02	Lederkyn LE Midicel PD
SULPHAPHENAZOLE Tablet 500mg	20	1	1.31	Orisul CB
SULPHAPYRIDINE Tablet 500mg	100	..	2.15	M&B 693 MB
SULPHASALAZINE Ulcerative colitis. Tablet 500mg	100	2	5.22	Salazopyrin MR
SULPHASYMAZINE Tablet 500mg	20	1	2.31	Prosul LE
SULPHINPYRAZONE Tablet 100mg	100	2	7.75	Anturan GE
SULTHIAME Tablet 50mg 200mg	200	1	5.35	Ospolot BN
	200	1	11.71	Ospolot BN
SURGICAL CEMENT For use with surgical appliances /Skin Bond Adhesive 4fl oz /Solvent 240ml Adhesive and Solvent - See Colostomy and Ileostomy	1	2	/2.88	DY
	1	2	/1.68	Sacsol LF
TACRINE Injection 10mg, 2ml	5	1	1.82	T.H.A. WH
30mg, 2ml	5	1	2.53	T.H.A. WH

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
<b>TESTOSTERONE</b>				
Carcinoma of the breast; Eunuchism; Eunuchoidism; Klinefelter's syndrome (seminif- erous tubule dysgenesis).				
Implant 100mg	1	..	5.09	Neo-Hombreol OR
200mg	1	..	8.69	Neo-Hombreol OR
<b>TESTOSTERONE ENANTHATE</b>				
Carcinoma of the breast; Eunuchism; Eunuchoidism; Klinefelter's syndrome (seminif- erous tubule dysgenesis).				
Injection 100mg in 1ml	1	..	2.69	Primoteston Depot SC
250mg in 1ml	1	..	5.89	Primoteston Depot SC
<b>TESTOSTERONE ESTERS</b>				
Carcinoma of the breast; Eunuchism; Eunuchoidism; Klinefelter's syndrome (seminif- erous tubule dysgenesis).				
Injection 100mg	1	..	2.69	Sustanon"100" OR
250mg	1	..	5.89	Sustanon"250" OR
<b>TESTOSTERONE PROPIONATE</b>				
Carcinoma of the breast; Eunuchism; Eunuchoidism; Klinefelter's syndrome (seminif- erous tubule dysgenesis).				
Injection 25mg in 1ml	10	..	4.45	Testine KL Testoviron SC
50mg in 1ml	10	..	8.15 8.16	Testine KL Testoviron SC
<b>TETANUS ANTITOXIN (BOVINE)</b>				
Patients who have previously received an injection of equine serum.				
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TETANUS ANTITOXIN (BOVINE) cont. Injection BP Set containing 1,500 Units and 15 Units diluted 1 in 50	5	1	10.42	CS
TETANUS ANTITOXIN (EQUINE) Injection BP Diluted 1-50, 15 Units in 0.5ml	1	..	1.22	CS
1,500 Units in 0.5ml	5	1	8.47	CS
10,000 Units in 5ml	5	1	33.17	CS
50,000 Units in 10ml	5	..	145.97	CS
Set containing 1,500 Units and 15 Units diluted 1 in 50	1	..	2.83	BT,CS
TETANUS VACCINE				
Injection BP (Purified Aluminium Phosphate Adsorbed) 0.5ml	3	..	1.50	CS
5ml	1	..	2.69	CS
Injection BP (Purified Aluminium Hydroxide Adsorbed) 0.5ml	3	..	1.49	GL
TETRACOSACTRIN				
Authority required.				
Hypsarrhythmia; Patients who are being withdrawn from long-term corticosteroid therapy.				
Injection 0.5mg in 1ml	5	.	9.75	Cortrosyn Depot OR Synacthen Depot CB
1mg in 1ml	5	.	15.09	Cortrosyn Depot OR Synacthen Depot CB
I.V. Infusion Set containing 250 micrograms and 2ml solvent	5	.	12.87	Synacthen CB

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
<b>TETRACYCLINE</b> Conditions where a tetracycline is the only appropriate anti- biotic.				
Capsule 100mg	25	..	1.82	Achromycin LE Panmycin P UP
* * *				
Conditions where a tetracycline is the only appropriate anti- biotic; Patients over the age of eight (8) years who are unable to swallow capsules and tablets.				
Syrup 125mg per 5ml, 100ml	≠1	..	1.78	Achromycin LE
* * *				
<b>TETRACYCLINE</b> Capsule 250mg	25	..	2.37	Achromycin LE Austramycin CS Hostacycline HP Panmycin P UP Polycycline BC Quadracyclin KL Quatrax VR Tetracycyn GP Tetramykoin BZ
Injection I.M. 250mg (solvent required)	5	..	12.02	Achromycin LE
Eye Ointment 1%, 4G	≠1	..	0.81	Achromycin LE
<b>TETRACYCLINE with NYSTATIN</b> Conditions where a tetracycline is the only appropriate anti- biotic.				
Capsule 100mg-125,000 Units	25	..	1.82	Achrostatin LE Comycin UP Mysteclin-V SQ
* * *				
Conditions where a tetracycline is the only appropriate anti- biotic; Patients over the age of eight (8) years who are unable to swallow capsules and tablets.				
Syrup 125mg-125,000 Units per 5ml, 100ml	≠1	..	1.78	Achrostatin LE
* * *				

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TETRACYCLINE with NYSTATIN Tablet 250mg-250,000 Units	25	..	2.37	Mysteclin SQ
Capsule 250mg-250,000 Units	25	..	2.37	Achrostatin LE Comycin UP Mysteclin-V SQ Quadrastatin KL Tetrex-F BC
TETRACYCLINE (BUFFERED) Conditions where a tetracycline is the only appropriate anti- biotic. Capsule 100mg	25	..	1.82	Achromycin-V LE Australamycin-V CS Hostacycline-P HP Tetrex BC
* * * Conditions where a tetracycline is the only appropriate anti- biotic; Patients over the age of eight (8) years who are unable to swallow capsules and tablets.				
Syrup 125mg per 5ml, 100ml	#1	..	1.78	Achromycin-V LE Hostacycline-P HP Panmycin KM UP Tetrex BC
* * *				
TETRACYCLINE (BUFFERED) Capsule 250mg	25	..	2.37	Achromycin-V LE Australamycin-V CS Hostacycline-P HP Hydracycline FM Panmycin M UP Quadracyclin V KL Steclin-V SQ Tetracap PT Tetracycyn-V GP Tetramykoin-V BZ Tetrex BC
TETRACYCLINE (BUFFERED) with AMPHOTERICIN B Conditions where a tetracycline is the only appropriate anti- biotic;				

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TETRACYCLINE (BUFFERED) with AMPHOTERICIN B - cont. Patients over the age of eight (8) years who are unable to swallow capsules and tablets. Syrup 125mg-25mg per 5ml, 100ml	≠1	..	1.78	Mysteclin-V Improved SQ
THEOPHYLLINE Elixir 80mg per 15ml, 500ml	≠1	4	1.75	A.B. KL Elixophyllin FA
THEOPHYLLINE with EPHEDRINE HYDROCHLORIDE and PHENOBARBITONE Tablet 130mg-24mg-8mg	100	2	1.87 1.89	Panasma PT Asmin KL Ephedrobarb- ital-T FM Franol WL Tedral WW Thelix CO Theophen HA
180mg-48mg-25mg (sustained release)	100	..	2.69	Tedral S.A. WW
Capsule 130mg-24mg-8mg	100	2	1.89	Asmin KL Theosec LY
Paediatric Suspension 65mg-12mg-4mg per 5ml, 100ml	≠1	2	1.33	Asmin KL Tedral WW
THEOPHYLLINE with GUAIPHENESIN Capsule 100mg-60mg	100	2	2.42	Quibron-C MJ
150mg-90mg	100	2	2.55	Bristasma BC Entair AH Quibron MJ
Elixir 150mg-90mg per 15ml, 500ml	≠1	4	2.15	Bristasma BC Entair AH Quibron MJ
THEOPHYLLINE with POTASSIUM IODIDE Oral Liquid 80mg-130mg per 15ml, 500ml	≠1	4	2.15	Elixophyllin- KI FA
THIABENDAZOLE Tablet 500mg	8	1	1.11	Mintezol MK

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
THIAMBOTOSINE Tablet 500mg	100	2	4.34	Ciba 1906 CB
THIAMINE HYDROCHLORIDE For pensioners for any disease or purpose.				
Tablet 50mg	100	2	1.11 1.22 1.35 1.39	SL(N) HY,LP Invite-B AV Betamin KL
				AD,DH,PR,PT, RT(V),RY,SI
100mg	100	2	1.75 1.82 2.09 2.15	QE(QNVS),SL(N) HY,LP,RT(V) Invite-B AV Betamin KL
* * *				PR,PT,RY
THIAMINE HYDROCHLORIDE				
Injection 100mg in 1ml	5	1	1.62 1.86 1.87 1.89	LP Beta-Sol FM Betamin Forte KL DH
THIETHYLPERAZINE				
Nausea resulting from cytotoxic therapy; Radiation sickness.				
Tablet 6.5mg	50	..	1.82	Torecan SZ
Suppository 6.5mg * * *	6	..	1.15	Torecan SZ
THIETHYLPERAZINE				
Injection 6.5mg in 1ml	10	..	1.76	Torecan SZ
THIOPROPAZATE				
Authority required. Hereditary chorea (Huntington's).				
Tablet 5mg	100	1	5.30	Dartalan SR
THIORIDAZINE				
Hereditary chorea(Huntington's); Malignant neoplasia(late stage); Radiation sickness; Severe conduct disorders of children;				

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
THIORIDAZINE - cont.				
Major psychoses including:-				
Major organic psychoses;				
Manic psychoses;				
Paranoid states;				
Schizophrenia.				
Tablet 10mg	100	1	1.74	Melleril SZ
25mg	100	1	2.58	Melleril SZ
50mg	100	1	4.38	Melleril SZ
100mg	100	1	8.34	Melleril SZ
Oral Solution				
3% (30mg per ml) 30ml	≠1	4	1.62	Melleril SZ
Injection 25mg per ml, 2ml	10	..	3.63	Melleril SZ
THIOTEPA				
Injection				
15mg (solvent required)	2	1	5.76	LE
Eye Drops, set containing				
15mg vial, 2 x 10ml ampoules				
sterile water, syringe with				
needle and 15ml dropper bottle	1	5	#4.76	LE
THYROID				
Tablet 15mg	100	2	0.71 0.83	AD RT(V),SI
30mg	100	2	0.79 0.93 0.95	AD RT(V),SI Proloid WW
60mg	100	2	1.05 1.06 1.10	AD RT(V),SI Proloid WW
125mg	100	2	1.09 1.10	AD,RT(V) SI
THYROXINE SODIUM				
Tablet 50 micrograms	100	2	0.73	Oroxine BW Thyroxinal FM RT(V)
100 micrograms	100	2	0.91	Oroxine BW Thyroxinal FM RT(V)
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
THYROXINE SODIUM - cont. Tablet 300 micrograms	100	2	1.35	Oroxine BW
TIEMONIUM IODIDE Tablet 50mg	100	2	3.42	Visceralgin FM
Syrup 2mg per ml, 100ml	#1	4	1.55	Visceralgin FM
Injection 5mg in 2ml	5	..	2.95	Visceralgin FM
TISSUE REPAIR SOLUTION - ACIDOSIS See Intravenous Fluids				
TISSUE REPAIR SOLUTION - ALKALOSIS See Intravenous Fluids				
TOLAZAMIDE Tablet 250mg	100	2	7.09	Tolinase UP
TOLBUTAMIDE Tablet 500mg	100	2	3.82 4.07	Artosin BO Rastinon HP
1G	50	2	3.71 3.97	Artosin BO Rastinon HP
TRIAMCINOLONE ACETONIDE Authority required. Treatment of keloids.				
Injection 10mg in 1ml * * *	5	..	5.42	Kenacort-A10 SQ
TRIAMCINOLONE ACETONIDE Cream 0.05%, 30G	#1	..	1.74	Kenalone SQ
Ointment 0.05%, 30G	#1	..	1.74	Kenalone SQ
TRIAMCINOLONE ACETONIDE with NEOMYCIN SULPHATE, GRAMICIDIN and NYSTATIN Ear Cream 0.1%-0.25%(base)- 0.025%-500,000 Units in 5G	#1	..	1.49	Kenacomb Otic SQ
Ear Ointment 0.1%-0.25%(base)- 0.025%-500,000 Units in 5G	#1	..	1.49	Kenacomb Otic SQ
TRIAMTERENE Tablet 100mg	50	2	4.42	Dytac SK

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TRICLOFOS Tablet 500mg	50	..	1.75	Tricloryl GL
Syrup 500mg per 5ml, 100ml	≠1	4	1.62	Tricloryl GL
TRIDIHEXETHYL CHLORIDE Tablet 25mg	100	2	4.42	Pathilon LE
TRIFLUOPERAZINE Hereditary chorea(Huntington's); Malignant neoplasia(late stage); Radiation sickness; Major psychoses including:- Major organic psychoses; Manic psychoses; Paranoid states; Schizophrenia.				
Tablet 1mg	100	1	3.55	Stelazine SK Terfluzin MB
2mg	100	1	5.05	Stelazine SK Terfluzin MB
5mg	100	1	5.50	Stelazine SK Terfluzin MB
Syrup 1mg per 5ml, 100ml	≠1	4	1.43	Stelazine SK
Injection 1mg in 1ml	10	..	2.99	Stelazine SK
1mg per ml, 2ml	10	..	3.42	Stelazine SK
TRIGLYCERIDES, MEDIUM CHAIN Authority required. Proven malabsorption.				
Compound Powder 454G	2	10	4.89	Triglyde MJ
Oil 1 litre	≠1	2	6.03	MCT Oil MJ
TRIMEPRAZINE Tablet 10mg	50	1	1.55	Vallergan MB
Mixture 7.5mg per 5ml, 100ml	≠1	4	1.15	Vallergan MB
TRIMETAPHAN Injection set containing 250mg and 5ml water for injections	3	..	8.29	Arfonad RO

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
<p>TRIMETHOPRIM with SULPHAMETHOXAZOLE</p> <p>Infections by susceptible organisms where these cannot be safely and effectively treated with other sulphonamides, oral forms of benzyl penicillin, phenoxymethylpenicillin or phenethicillin;</p> <p>Urinary tract infections where other sulphonamide treatment has proved ineffective and where positive bacteriological evidence shows the organism to be sensitive to trimethoprim with sulphamethoxazole;</p> <p>Ocular surgery.</p>				
Tablet 80mg-400mg	20	..	3.69	Bactrim Puromyn Septrin RO CA BW
Suspension 40mg-200mg per 5ml, 100ml	#1	..	2.69	Bactrim Septrin RO BW
TRIMIPRAMINE Tablet 10mg	50	1	1.55	Surmontil MB
25mg	50	1	2.55	Surmontil MB
TRIPROLIDINE Tablet 2.5mg	50	1	1.89	Actidil BW
Paediatric Elixir 1mg per 5ml, 100ml	#1	4	1.11	Actidil BW
TRISODIUM EDETATE Injection 200mg per ml, 5ml	5	1	6.55	Sodium Versenate RK
TROLNITRATE PHOSPHATE Tablet 2mg	100	2	1.89	Praenitron PF
7mg	100	2	2.95	Duronitron Praenitron Protracted ET PF
TROXIDONE Tablet 150mg	200	1	5.02	Tridione AB
Capsule 300mg	200	1	8.35	Tridione AB

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TYPHOID VACCINE Injection 0.5ml	3	1	1.53	CS
10ml	1	..	3.49	CS
TYPHUS VACCINE Injection 1ml	2	..	7.46	CS
VASOPRESSIN Injection BP, 20 Units in 1ml	5	..	1.86	Pitressin PD
VASOPRESSIN TANNATE Oily Injection 5 Units in 1ml	10	1	3.30	Pitressin Tannate PD
VINBLASTINE Treatment in malignant neoplasia				
Injection 10mg (solvent required)	1	..	17.19	Velbe LY
VINCRISTINE Treatment in malignant neoplasia				
Injection 1mg	5	..	65.17	Oncovin LY
5mg	1	..	51.47	Oncovin LY
VIOMYCIN Tuberculosis.				
Injection 1G (solvent required)	5	3	17.07	Viocin PD PF
VIPRYNIUM EMBONATE Tablet 50mg	8	..	1.53	Vanquin PD
Suspension 10mg per ml, 30ml	≠1	..	1.53	Vanquin PD
VITAMINS COMPOUND For pensioners for any disease or purpose.				
Tablet, BPC Capsule Formula	100	1	0.85	Panvit PT
			0.90	AD,RY,SL(N),TO GL
				Citradex PR
				Hexaplex AH
				Multivite Six VR
				Orumvite KL
				Sixavite SI
				DH,HY,RT(V),SI

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
VITAMINS COMPOUND - cont. Capsule BPC	100	1	1.09	Gerovit FA
VITAMIN SUPPLEMENT Authority required. Galactosaemia; Persistent monosaccharide intolerance; Phenylketonuria; Tyrosinosis, hereditary.	100	2	3.09	Ketovite ST
Tablet	100	2	3.09	Ketovite ST
Liquid 100ml	71	2	1.70	Ketovite ST
WARFARIN Tablet 1mg	50	2	3.09	Coumadin EN Marevan AH
2mg	50	2	3.29	Coumadin EN
2.5mg	50	2	3.42	Coumadin EN
3mg	50	2	3.22	Marevan AH
5mg	50	2	3.49	Coumadin EN Marevan AH
7.5mg	50	2	4.26	Coumadin EN
10mg	50	2	5.42	Coumadin EN Marevan AH
25mg	25	2	4.69	Coumadin EN
Injection set containing 50mg and 2ml solvent	5	..	9.47	Coumadin EN
WATER FOR INJECTIONS Injection 2ml	5	3	0.85 0.86 0.89 0.93 0.97	WO SP (NWS) DH BL, FH KL, SI
5ml	5	3	0.89 0.90 0.97 1.01 1.06	WO SP (NWS) CS BL, FH KL, SI
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
WATER FOR INJECTIONS - cont. Injection 10ml	5	3	1.18 1.23	BL, DH, FH, SP (NWS) CS, KL, SI
WOOL ALCOHOLS Ointment 100G	1	1	1.04	Eucerin            AII
WOOL FAT, HYDROUS 50G (2oz) tube or jar	1	..	0.50	AA(N)
ZINC and ADRENALINE Eye Drops 0.25%-0.01%, 15ml	1	2	1.11	B.A.Z.            KL
ZINC and CASTOR OIL Ointment BP 2oz	2	1	0.88	ME(Q)
ZINC with PHENYLEPHRINE Eye Drops 0.25%-0.12%, 15ml	1	2	1.54	Zincfrin        AQ
ZINC SULPHATE Eye Drops 0.25%, APF 15ml	1	2	1.11	KL

## INTRAVENOUS FLUIDS FOR INJECTION

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
AMINO ACIDS with SORBITOL 30G-50G(300 kcal) per litre, 500ml	2	1	11.08	Aminofusin Standard PC
50G-100G(600 kcal) per litre, 500ml	2	1	13.00	Aminofusin 600 PC
100G-100G(800 kcal) per litre, 500ml	2	1	17.96	Aminofusin Forte PC
AMINO ACIDS with SORBITOL and ALCOHOL 50G-100G-30G(850 kcal) per litre, 500ml	2	1	13.36	Aminofusin PC
50G-100G-50G(1,000 kcal) per litre, 500ml	2	1	14.28	Aminofusin PC
CASEIN HYDROLYSATE with LAEV- ULOSE and ALCOHOL 5%-12.5%-2.4%(800 kcal) in 1 litre	2	..	15.40	Amigen with Levugen TV
DARROW'S SOLUTION 1 litre	2	..	3.30	FH,SJ(W),TV
DEXTRAN 40 10% with 5% dextrose, 500ml	10	..	80.42	Lomodex FC
10% with 0.9% sodium chloride, 500ml	10	..	87.12	Rheomacrodex MR
10% with 0.9% sodium chloride, 500ml	10	..	80.42	Lomodex FC
10% with 5% dextrose, 500ml	10	..	87.12	Rheomacrodex MR
DEXTRAN 70 6% with 5% dextrose, 500ml	10	..	52.02	Macrodex MR
10% with 5% dextrose, 500ml	10	..	68.82	Macrodex MR
6% with 0.9% sodium chloride, 500ml	10	..	52.02	Macrodex MR
DEXTROSE 5%, 1 litre	5	1	7.62	FH,SJ(W),TV
10%, 1 litre	5	1	7.62	FH,SJ(W),TV
20%, 1 litre	2	1	3.30	FH,SJ(W),TV
25%, 1 litre	2	1	3.30	FH,SJ(W),TV
50%, 500ml	2	1	3.44	FH,SJ(W)

INTRAVENOUS FLUIDS FOR INJECTION

123

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
GASTRIC REPLACEMENT SOLUTION 500ml	2	..	3.22	FH, SJ (W), TV
INTESTINAL REPLACEMENT SOLUTION 500ml	2	..	3.22	FH, SJ (W)
INVERT SUGAR 10%(380 kcal) in 1 litre	2	1	4.74	Travert TV
LAEVULOSE 10%, 1 litre	2	1	9.76	Laevosan CA Levugen TV FH
20%, 1 litre	2	1	12.42 15.08	FH CA Laevosan TV Levugen
40%, 500ml	2	1	13.76	Laevosan CA
MANNITOL 10%, 1 litre	1	1	3.66	Osmitrol TV FH, SJ (W)
20%, 500ml	1	1	3.66	Osmitrol TV FH, SJ (W)
POTASSIUM-FREE MAINTENANCE SOLUTION 500ml	2	..	3.22	FH, SJ (W)
SALINE LACTATE SOLUTION 500ml	2	..	3.22	FH, SJ (W)
SODIUM BICARBONATE 4.2%, 500ml	1	1	1.95	FH
SODIUM CHLORIDE 3%, 1 litre	2	1	3.30	FH, SJ (W), TV
5%, 1 litre	2	1	3.30	FH, SJ (W), TV
(Normal Saline - Physiological Solution) 1 litre	5	1	7.62	FH, SJ (W), TV, VF (NWS)
SODIUM CHLORIDE COMPOUND BPC 1959 1 litre	4	1	6.18	FH, SJ (W), TV

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SODIUM CHLORIDE COMPOUND and DEXTROSE 5%, 1 litre	5	1	7.62	FH, SJ (W)
SODIUM CHLORIDE and DEXTROSE Dextrose in Normal Saline 5%, 1 litre	2	1	3.30	FH, SJ (W), TV
10%, 1 litre	2	1	3.30	FH, SJ (W), TV
20%, 1 litre	2	1	3.30	FH, SJ (W), TV
25%, 1 litre	2	1	3.30	FH, SJ (W)
Dextrose in 1/2 strength Normal Saline 2.5%, 500ml	5	1	6.57	FH, TV
Dextrose in 1/4 strength Normal Saline 3.75%, 500ml	5	1	6.57	FH, SJ (W), TV
Dextrose in 1/5 strength Normal Saline 4%, 1 litre	5	1	7.62	FH, SJ (W), TV
4.3%, 1 litre	5	1	7.62	FH
SODIUM LACTATE (Solution 1/6 Molar) 1 litre	5	1	7.62	FH, SJ (W), TV, VF (NWS)
SODIUM LACTATE COMPOUND 1 litre	5	1	7.62	FH, SJ (W), TV
SODIUM LACTATE COMPOUND and DEXTROSE 5%, 1 litre	2	1	3.30	FH, SJ (W), TV
10%, 1 litre	2	1	3.30	FH
SODIUM SULPHATE 4.28%, 1 litre	2	1	3.30	FH, SJ (W)
STANDARD MAINTENANCE FLUID 500ml	6	..	8.82	FH, SJ (W), TV
TISSUE REPAIR SOLUTION - ACIDOSIS 500ml	2	..	3.22	FH, SJ (W)
TISSUE REPAIR SOLUTION - ALKALOSIS 500ml	2	..	3.22	FH, SJ (W)

SECTION 3 - SCHEDULE OF BENEFITS  
DECEMBER 1972

Preparations Restricted to Colostomy  
and Ileostomy Use Only

Preparations Restricted to Use in  
Approved Hospitals Only

---

A dagger (†) in front of the form of an item and in the price column indicates a packed line which will be supplied under the original label when prescribed except where the prescription bears specific instructions for use, then the item is to be labelled.

2. PREPARATIONS RESTRICTED TO COLOSTOMY AND ILEOSTOMY USE ONLY

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ACRYLIC RESIN Solution 100ml Aerosol Spray	1	..	5.09 6.02 7.09	Octaflex WB Liquidoplast PT Nobecutane AH
170G Aerosol Spray	1	..	2.55	Aeroplast PD
BENZOIN Compound Tincture BPC 35%, 167ml Aerosol Spray	1	..	2.71	LF
BISMUTH SUBGALLATE Powder 100G (4oz)	1	..	3.49	EV
CHARCOAL Tablet 300mg	500	1	4.42	Char-Bon LF QE(QNVS), TO
CHLORAMINE Deodorant Tablet 120mg	500	..	2.42	Klortee PT
Powder 25G	1	4	0.79	Klortee PT
DEODORANT CONCENTRATE /Liquid 15ml	1	..	/1.76	Zerodor ZR
0.5fl oz	1	..	/1.76	Banish DY
DEODORANT DETERGENT SOLUTION Solution Lauryldimethyl benzyl ammonium chloride, 15G; "TERIC" N.8, 150G in 600ml	1	..	1.82	T.A.G. LF
DIMETHICONE Solution 9.84%, 220G Aerosol Spray	1	..	4.29	Rikospray RK Silicone
10%, 180ml Aerosol Spray	1	..	2.42	LF
POLYISOBUTYLENE Compound Adhesive Wafers, 5	/1	..	8.95	Stomahesive SQ
Compound Adhesive Wafers with Stomaseal Discs, 5	/1	..	9.85	Stomahesive SQ Set
STERCULIA (Indian Tragacanth; Gum Karaya) /Powder 200G	1	..	/1.95 /2.43	Karagum PT EV

(continued)

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
STERCULIA - cont. Discs, 12	≠1	..	4.35 4.69	DY BH
Squares, 6	≠1	..	7.75	BH
SURGICAL CEMENT /Skin Bond Adhesive 4fl oz	1	2	/2.88	DY
/Solvent 240ml 20fl oz (568 ml)	1	2	/1.68	Sacsol LF
	1	..	/3.33	Zoff SZ
VINYL PYRROLIDONE and VINYL ACETATE with BENZOCAINE Aerosol Spray 12%-12%-0.5%, 121ml	1	..	3.09	Spray-On-Band LF

Private Hospitals Approved under Section 94  
of the National Health Act 1953-1971

New South Wales

Alanbrook Private Hospital, 4 Hale Road, Mosman.  
Bromalan Private Hospital, 3 Everton Road, Strathfield.  
Mount St. Margaret Hospital, Victoria Road, Ryde.  
St. John of God Hospital, Grantham Street, Burwood.  
St. John of God Hospital, Belmont Park, Richmond.  
St. John of God Training Centre, Kendall Grange, Morisset.  
St. Margaret's Children's Hospital, Albion Street, Darlinghurst.  
The Sydney Sanitarium and Hospital, Fox Valley Road, Wahroonga.

Victoria

Warburton Sanitarium and Hospital, Warburton.

Queensland

Mater Misericordiae Hospital, South Brisbane.

South Australia

Calvary Hospital, Strangways Terrace, North Adelaide.  
Home for Incurables, Fullarton.  
Lyell McEwin Hospital, Haydown Road, Elizabeth Vale.

Western Australia

St. John of God Hospital, Subiaco.  
The Mount Hospital, 253 St. Georges Terrace, Perth.

Australian Capital Territory

John James Memorial Hospital.

PREPARATIONS RESTRICTED TO USE IN APPROVED HOSPITALS ONLY 5

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rps	Price \$	Proprietary Name and Manufacturer
AMINOCAPROIC ACID				
Oral Solution				
250mg per ml, 20ml	10	..		
I.V. Injection				
250mg per ml, 10ml	10	..		
CLONIDINE				
Tablet 150 micrograms	100	..		
Injection 150 micrograms, 1ml	5	..		
CYTOSINE ARABINOSIDE				
Injection Set containing 100mg				
and 5ml solvent	10	..		
DIAZOXIDE				
Injection 300mg in 20ml	1	..		
DROPERIDOL				
Injection 10mg in 2ml	5	..		
GENTAMICIN SULPHATE				
Injection				
40mg (base) per ml, 2ml	5	..		
HYDROCORTISONE SODIUM SUCCINATE				
Injection sets containing				
equivalent of 250mg hydrocort-				
isone and solvent	1	..		
equivalent of 500mg hydrocort-				
isone and solvent	1	..		
HYDROXYUREA				
Capsule 500mg	100	..		
MAPHENIDE ACETATE				
Cream 11.2%, 454G	≠1	..		
METYRAPONE				
Capsule 250mg	50	..		
PLASMA SUBSTITUTE				
I.V. Infusion 3.5%, 500ml	5	..		
PYRAZINAMIDE				
Tablet 0.5G	500	..		
STREPTOKINASE				
Injection				
100,000 I.U. (solvent required)	2	..		
250,000 I.U. (solvent required)	2	..		
600,000 I.U. (solvent required)	5	..		
750,000 I.U. (solvent required)	5	..		

Approved Name, Restriction Manner of Administration and Form	Max. Qty.	No. of Rpts	Price \$	Proprietary Name and Manufacturer
THYROTROPHIN Injection 10 Units	1	00		
VANCOMYCIN Injection 500mg (solvent required)	5	00		

SCHEDULE OF BENEFITS  
DRUGS AVAILABLE FOR EXTEMPORANEOUS  
PREPARATIONS

DECEMBER 1972

Drug	Drug
Acetone BPC (use as additive only)	Bentonite BP, sterilised
ACIDS	Benzocaine BP
Acetic BP	Benzyl Benzoate BP
Acetic Dilute BP	Bismuth Subgallate BPC
Ascorbic BP	(use as additive only)
(Use as ingredient of Mixtures of Ferrous Sulphate APF and PL)	Borax BP
Benzoic BP	Brilliant Green BP
Boric Crystal BP	Caffeine BP
Boric Powder BP	Caffeine Citrate BPC 59
Citric BP	Caffeine and Sodium Benzoate
Hydrochloric BP	BPC 54
Hydrochloric Dilute BP	Calamine BP
Hypophosphorous Dilute BPC 63	CALCIUM
Lactic BP	Carbonate BP
Oleic BP	Chloride BP
Salicylic BP	Gluconate BP
Stearic BPC	Hydroxide BP
Tannic BP	Lactate BP
Tartaric BP	Camphor BP
Trichloroacetic BP	(use as additive only)
Acriflavine BPC 63	Cetomacrogol Emulsifying Wax
Adrenaline BP	BPC
Adrenaline Acid Tartrate BP	Cetostearyl Alcohol BP
ALCOHOLS	Cetrimide BP
95% BP	Chalk Prepared BP
(use as additive only)	Chloral Hydrate BP
90% BP	Chlorbutol BP
(use as additive only)	Chlorhexidine Acetate
Alum BP	(may only be prescribed in
Aluminium Hydroxide Gel Dried	ear and eye drops)
BP	Chlorinated Lime BP
Amaranth BPC 54	Chlorocresol BP
Amethocaine Hydrochloride BP	Chloroform BP
(use as additive only)	(use as additive only)
Aminacrine Hydrochloride BP	Cocaine BP
Aminophylline BP	Cocaine Hydrochloride BP
Ammoniated Mercury BP	Codeine Phosphate BP
AMMONIUM	Collodion Flexible BP
Bicarbonate BPC	CREAMS
Chloride BP	Aqueous APF
Amylobarbitone BP	Aqueous APF 64
Amylobarbitone Sodium BP	Aqueous BP
Application Benzyl Benzoate BP	Aqueous Emulsifying Wax APF 55
Aspirin BP	Calamine Oily APF
Atropine BP	Cetomacrogol Aqueous APF
Atropine Methonitrate BP	Cetomacrogol Aqueous APF 64
Atropine Sulphate BP	Cetrimide Aqueous APF
Beeswax White BP	Oily BP
	Zinc BP
	Zinc Oily APF
	Creosote BPC 59

Drug	Drug
Crystal Violet BP	Ichthammol BP
Dextrose Monohydrate BP (use as additive only)	INFUSIONS Buchu Concentrated BPC 54 1 in 8
Dicophane BP	Gentian Compound Concentrated
Dimethyl Phthalate BP	BP 1 in 10
Disodium Edetate BP	Senega Concentrated BPC
Dithranol BP	1 in 10
ELIXIR	Iodine BP
Cascara BP	Isoprenaline Sulphate BP
Emulsifying Wax BP	Kaolin Light BP
EMULSION	Lactose BP
Paraffin Liquid APF	Lanette Wax S.X.
(may only be prescribed as a pensioner benefit)	LINIMENTS
Ephedrine BPC	Camphor BP
Ephedrine Hydrochloride BP	Iodine Compound APF 55
Ether Anaesthetic BP	Methyl Salicylate APF
(use as additive only)	Methyl Salicylate Compound APF
Ether Solvent BP	Soap BPC
Eucalyptol BPC	Turpentine BP
(use as additive only)	LOTION
EXTRACTS	Calamine BP
Cascara Liquid BP	Magenta BPC
Hamamelis Liquid BPC	MAGNESIUM
Hyoscyamus Liquid BP	Carbonate Heavy BP
Ipecacuanha Liquid BP	Carbonate Light BP
Liquorice Liquid BP	Oxide Light BP
Nux Vomica Liquid BP	Sulphate BP
Stramonium Liquid BP	Sulphate Dried BP
Ferric Ammonium Citrate BP	Trisilicate BP
FERROUS	Menthol BP
Gluconate BP	Mercuric Chloride BPC
Sulphate BP	Methylcellulose BP
Sulphate Dried BP	Methylene Blue BP
Fluorescein Sodium BP	METHYL
Gelatin BP	Hydroxybenzoate BP
Glycerin BP	Salicylate BP
GLYCERINS	MIXTURES
Borax BPC 59	Aluminium Hydroxide APF
Ichthammol BPC	Magnesium Hydroxide BP
GUMS	Morphine Hydrochloride BP
Acacia BP	Morphine Sulphate BP
Tragacanth BP	MUCILAGES
Homatropine Hydrobromide BP	Acacia APF
Honey Purified BPC	Methylcellulose APF
(use as additive only)	Tragacanth BPC
Hypromellose 4500 BPC	OILS
	Almond Volatile Bitter BPC 59

Drug	Drug
<p>OILS - cont.</p> <p>Anise BP</p> <p>Arachis BP (use as additive only)</p> <p>Cade BPC</p> <p>Castor BP (use as additive only)</p> <p>Citronella BPC (use as additive only)</p> <p>Clove BP</p> <p>Coconut BPC 49</p> <p>Cod Liver BP</p> <p>Eucalyptus BP (use as additive only)</p> <p>Lavender Spike BPC</p> <p>Lemon Terpeneless BPC</p> <p>Maize BP (use as additive only)</p> <p>Olive BP (use as additive only)</p> <p>Peppermint BP (use as additive only)</p> <p>Pumilio Pine BPC</p> <p>Rosemary BPC</p> <p>Siberian Fir BPC 49</p> <p>Theobroma BP</p> <p>Turpentine BP (use as additive only)</p>	<p>OPHTHALMIC</p> <p>Phosphate Buffers APF 55</p> <p>Cetrimide</p> <p>Chlorbutol</p> <p>Paraben</p> <p>Vehicles APF 55</p> <p>Cetrimide</p> <p>Chlorbutol</p> <p>Oily</p> <p>Paraben</p> <p>Thickened</p> <p>Oxymel BPC</p> <p>Oxymel of Squill BPC</p> <p>Oxyphenonium Bromide (extemporaneously prepared eye drops only)</p> <p>Paint Magenta APF</p> <p>Paint Magenta APF 64</p> <p>Paracetamol BP</p> <p>Paraffin Hard BP</p> <p>Paraffin Liquid BP (pensioner benefit only when prescribed as an ingredient of Emulsion Paraffin Liquid APF)</p> <p>Paraffin Liquid Light BPC 63</p> <p>Paraffin Soft White BP</p> <p>Paraffin Soft Yellow BP</p> <p>Paraldehyde BP</p> <p>PASTES</p> <p>Zinc Compound BP</p> <p>Zinc and Salicylic Acid BP</p> <p>Pectin (Apple or Citrus)</p> <p>Pentobarbitone Sodium BP</p> <p>Phenobarbitone BP</p> <p>Phenobarbitone Sodium BP</p> <p>Phenol BP (not available for ear drops)</p> <p>Phenol Liquefied BP (not available for ear drops)</p> <p>Phenolphthalein BP</p> <p>Phenylephrine Hydrochloride BP</p> <p>Phenylmercuric Nitrate BP</p> <p>Phthalylsulphathiazole BP</p> <p>Physostigmine BPC</p> <p>Physostigmine Salicylate BP</p> <p>Pilocarpine Hydrochloride BPC</p> <p>Pilocarpine Nitrate BP</p> <p>Podophyllum Resin BP</p> <p>POTASSIUM</p> <p>Chlorate BPC</p>
<p>OINTMENTS</p> <p>Ammoniated Mercury BP</p> <p>Benzocaine and Adrenaline APF</p> <p>Benzoic Acid Compound APF</p> <p>Capsicum BPC</p> <p>Cod Liver Oil APF 64</p> <p>Colophony BPC 59</p> <p>Emulsifying BP</p> <p>Gall and Opium BPC 63</p> <p>Hamamelis BPC</p> <p>Iodine Non-staining APF 64</p> <p>Iodine Non-staining BPC</p> <p>Menthol Compound APF 64</p> <p>Methyl Salicylate BPC</p> <p>Paraffin White BP</p> <p>Paraffin Yellow BP</p> <p>Phenol BP 48</p> <p>Salicylic Acid BP</p> <p>Simple White BP</p> <p>Simple Yellow BP</p> <p>Sulphur BP</p> <p>Wool Alcohols BP</p> <p>Zinc BP</p> <p>Zinc and Castor Oil BP</p>	

Drug	Drug
<p>POTASSIUM - cont.            Chloride BP            Citrate BP            Iodide BP            Permanganate BP</p> <p>POWDERS            Hydroxybenzoate Compound APF            Rhubarb BP            Tragacanth Compound BP            Procaine Hydrochloride BP            Proflavine Hemisulphate BP            Propylene Glycol BP            Propyl Hydroxybenzoate BP</p> <p>Quinalbarbitone Sodium BP</p> <p>Resorcinol BP</p> <p>Saccharin Sodium BP            (use as additive only)</p> <p>Silver Nitrate BP            Silver Protein BPC            Silver Protein Mild BPC</p> <p>SOAPS            Ethereal APF 55            Soft BP</p> <p>SODIUM            Acid Phosphate BP            Benzoate BP            Bicarbonate BP            Chloride BP            Citrate BP            Iodide BP            Metabisulphite BP            Phosphate BP            Salicylate BP            Sulphate BP            Thiosulphate BPC            (use as additive only)</p> <p>SOLUTIONS            Adrenaline BP            Aluminium Acetate BPC            Amaranth APF            Amaranth APF 64            Amaranth BPC            Amaranth Compound APF            Ammonia Dilute BPC            Ammonia Strong BPC            Ammonium Acetate Strong BPC            Benzalkonium Chloride 50% BP            Benzoic Acid APF            Benzoic Acid BPC</p>	<p>SOLUTIONS - cont.            Burnt Sugar BPC 59            (use as additive only)            Calcium Hydroxide BP            Carmine APF            (use as additive only)            Chlorhexidine Gluconate BP            (use as additive only)            Coal Tar BP            Formaldehyde BP            Iodine Aqueous BP            Iodine Simple BPC 59            Iodine Weak BP            Lead Subacetate Dilute BPC            Lead Subacetate Strong BPC            Morphine Hydrochloride BP            Potassium Hydroxide BP            Sodium Chloride BPC            Tartrazine APF</p> <p>SPIRITS            Ammonia Aromatic BPC            Anise BPC 49            Camphor BPC 59            Chloroform BP            Lemon APF            Methylated Industrial BP            (use as additive only)            Peppermint BPC</p> <p>Starch BP            Streptomycin Sulphate BP            (may only be prescribed in            ear drops)</p> <p>Succinylsulphathiazole BP            Sucrose BP            Sulphacetamide Sodium BP            Sulphadiazine BP            Sulphadimidine BP            Sulphur Precipitated BP            Sulphur Sublimed BPC            Sulphurated Potash BPC</p> <p>SYRUPS            Aromatic APF            Aromatic APF 64            Chloral BPC            Codeine Phosphate BPC            Ferrous Phosphate Compound BPC            Ginger BPC            Glycerophosphate Compound            APF 64            Golden Acidified APF 55            Lemon APF            Lemon Neutral APF</p>

Drug	Drug
SYRUPS - cont.	WATERS - cont.
Orange BPC	Anise Concentrated BPC 63
Orange APF	1 in 40
(use as additive only)	(use as additive only)
Raspberry BPC	Camphor Concentrated BPC
Red APF	1 in 40
Simple BP	Chlorbutol APF 55
Squill BPC	Chloroform Concentrated BPC 59
Tolu BP	1 in 40
Talc Purified BP, sterilised	Cinnamon Concentrated BPC
Tar BP	1 in 40
Tar Coal BPC	(use as additive only)
Tar Coal Prepared BP	For injections BP $\neq$ 100ml
Tartrazine BPC 54	(extemporaneously prepared
Theophylline BP	eye drops only)
Theophylline Hydrate BP	Peppermint Concentrated BP
Thymol BP	1 in 40
Thymol Mouth Wash Compound APF	(use as additive only)
TINCTURES	Purified BP
Belladonna BP	Wool Alcohols BP
Benzoin Compound BPC	Wool Fat BP
Cardamom Aromatic BPC	Wool Fat Hydrous BP
Cardamom Compound BP	Xylene of commerce
Catechu BPC	(use as additive only)
Cochineal BP 48	ZINC
Gelsemium BPC	Gelatin BPC
Ginger Strong BP	Oxide BP
Ginger Weak BP	Sulphate BP
Hyoscyamus BP	
Ipecacuanha BP	
Lemon BP 58	
Lobelia Ethereal BPC	
Myrrh BPC	
Nux Vomica BP	
Opium BP	
Opium Camphorated BP	
Orange BPC	
Quillaia BPC	
Rhubarb Compound BP	
Squill BPC	
Stramonium BP	
Titanium Dioxide BPC	
Triethanolamine BPC	
Vanillin BPC	
WATERS	
Anise Concentrated BPC 1 in 40	
(use as additive only)	

TABLE OF MAXIMUM QUANTITIES AND  
NUMBER OF REPEATS FOR  
EXTEMPORANEOUS PREPARATIONS

Preparation	Maximum Quantity or No. of Units	No. of Repeats
Applications	200ml	2
Capsules	12	1
Creams	100G	1
Draughts	200ml	4
Dusting Powders	100G	1
Ear Drops	15ml	2
Elixirs	100ml	4
Emulsions	400ml	4
Enemas	100ml	1
Eye Drops		
Cocaine	15ml	..
Physostigmine	15ml	6
Pilocarpine	15ml	6
Others	15ml	2
Eye Lotions	200ml	1
Gargles	200ml	4
Gels	100G	1
Glycerins	100ml	1
Inhalations	50ml	1
Inhalations Solid	4G	1
Irrigations	200ml	1
Insufflations	25G	1
Linctuses	100ml	2
Liniments	100ml	1
Lotions	200ml	2
Mixtures	200ml	4
Mixtures for Children	100ml	4
Mouth Washes	200ml	1
Nasal Instillations	15ml	2
Ointments, Waxes	100G	1
Paints	25ml	1
Pastes	100G	1
Pessaries	12	1
Powders		
for internal use	100G	2
Individual	12	1
for Irrigation	100G	1
Soaps	200ml	1
Solutions	200ml	2
Spirits	25ml	..
Sprays	15ml	2
Suppositories	12	1
Syrups	100ml	4
Tinctures	25ml	1
Unna's Paste	200G	..

SECTION 4

SCHEDULE OF BENEFITS  
PRESCRIBERS' LIST ITEMS

DECEMBER 1972

Preparation	Dose	Maximum Quantity	Rpts
ADRENALINE and ATROPINE Spray		15 ml	2
ALUMINIUM and MAGNESIUM TRISILICATE Internal Powder		100 G	2
ALUMINIUM ACETATE Cream Oily		100 G	1
Ear Drops		15 ml	2
ALUMINIUM HYDROXIDE with BELLADONNA Mixture	10 ml	200ml	4
ALUMINIUM HYDROXIDE with KAOLIN Mixture for Children	5 ml	100 ml	4
ALUMINIUM HYDROXIDE with PHENOBARBITONE and BELLADONNA Mixture	10 ml	200 ml	4
AMINOPHYLLINE COMPOUND Mixture	10 ml	200 ml	4
AQUEOUS CREAM Cream		100 G	1
Cream Buffered		100 G	1
ASPIRIN Mixture	10 ml	200 ml	4
Mixture for Children	5 ml	100 ml	4
ASPIRIN and CODEINE Mixture	10 ml	200 ml	4
ASPIRIN and MORPHINE Mixture	10 ml	200 ml	4
ASPIRIN and PHENOBARBITONE Mixture	10 ml	200 ml	4
ATROPINE METHONITRATE Mixture for Children	5 ml	100 ml	4
BELLADONNA Mixture for Children	5 ml	100 ml	4
BENZOIC ACID Ointment Compound		100 G	1
BENZOIN Inhalation		50 ml	1

PRESCRIBERS' LIST ITEMS

11

Preparation	Dose	Maximum Quantity	Rpts
BENZYL BENZOATE with DICOPHANE Application		200 ml	2
BORIC ACID Ear Drops		15 ml	2
CAFFEINE, IODIDE and EPHEDRINE Mixture	10 ml	200 ml	4
CALAMINE Cream Aqueous		100 G	1
Cream Oily		100 G	1
Lotion		200 ml	2
Lotion Oily		200 ml	2
CALCIUM and KAOLIN Mixture for Children	5 ml	100 ml	4
CAMPHOR Linctus Compound	5 ml	100 ml	2
Liniment		100 ml	1
CETOMACROGOL Cream Aqueous		100 G	1
CETRIMIDE Cream Aqueous		100 G	1
CHALK and KAOLIN Mixture	10 ml	200 ml	4
CHLORAL HYDRATE Mixture	10 ml	200 ml	4
Mixture for Children	5 ml	100 ml	4
CHLORHEXIDINE Cream Aqueous		100 G	1
Ear Drops		15 ml	2
COAL TAR Paste		100 G	1
COAL TAR and ZINC Cream		100 G	1
CODEINE PHOSPHATE Linctus	10 ml	100 ml	2
COLD CREAM Cream		100 G	1

Preparation	Dose	Maximum Quantity	Rpts
DEXTROSE and GLYCERIN Nasal Instillation		15 ml	2
DICOPHANE Application		200 ml	2
Dusting Powder		100 G	1
DITHRANOL and ZINC Paste		100 G	1
EMULSIFYING OINTMENT Ointment		100 G	1
EPHEDRINE HYDROCHLORIDE Elixir	5 ml	100 ml	4
Nasal Instillation		15 ml	2
FERROUS GLUCONATE Mixture for Children	5 ml	100 ml	4
FERROUS SULPHATE Mixture	10 ml	200 ml	4
Mixture for Children	5 ml	100 ml	4
GENTIAN Mixture, Acid	10 ml	200 ml	4
Mixture, Alkaline	10 ml	200 ml	4
GLYCERIN Cream Oily		100 G	1
ICHTHAMMOL Ear Drops		15 ml	2
Paint		25 ml	1
ICHTHAMMOL and ZINC Cream Oily		100 G	1
IPECACUANHA and OPIUM Mixture	10 ml	200 ml	4
IPECACUANHA and SQUILL Mixture for Children	5 ml	100 ml	4
KAOLIN Dusting Powder Compound		100 G	1
KAOLIN and OPIUM Mixture	10 ml	200 ml	4
MAGENTA Paint		25 ml	1

Preparation	Dose	Maximum Quantity	Rpts
MAGNESIUM and CALCIUM CARBONATE Powder Internal		100 G	2
MAGNESIUM SULPHATE Mixture for Children	5 ml	100 ml	4
MAGNESIUM TRISILICATE Mixture	10 ml	200 ml	4
MENTHOL and BENZOIN Inhalation		50 ml	1
MENTHOL and EUCALYPTUS Inhalation		50 ml	1
MENTHOL and PINE Inhalation		50 ml	1
METHYL SALICYLATE Liniment Liniment Compound		100 ml	1
		100 ml	1
OILY CREAM Cream		100 G	1
PARAFFIN LIQUID For pensioners only. Emulsion		400 ml	4
PHENOBARBITONE Elixir	5 ml	100 ml	4
PHENOBARBITONE with BELLADONNA, PROCAINE and ALUMINIUM HYDROXIDE Mixture	10 ml	200 ml	4
PHENYLMERCURIC NITRATE Ear Drops		15 ml	2
PODOPHYLLIN Paint Paint, Strong		25 ml	1
		25 ml	1
POTASSIUM CHLORIDE Mixture	10 ml	200 ml	4
POTASSIUM CITRATE Mixture Mixture for Children	10 ml	200 ml	4
	5 ml	100 ml	4
POTASSIUM CITRATE and SODIUM BICARBONATE Mixture	10 ml	200 ml	4

Preparation	Dose	Maximum Quantity	Rpts
POTASSIUM IODIDE Mixture for Children	5 ml	100 ml	4
POTASSIUM IODIDE and EPHEDRINE Mixture for Children	5 ml	100 ml	4
POTASSIUM IODIDE and STRAMONIUM Mixture Compound	10 ml	200 ml	4
RESORCINOL Lotion Compound		200 ml	2
RESORCINOL and SULPHUR Ointment Compound		100 G	1
SALICYLIC ACID Ear Drops		15 ml	2
Ointment		100 G	1
Paint		25 ml	1
SALICYLIC ACID and RESORCINOL Cream Aqueous		100 G	1
SALICYLIC ACID and SULPHUR Cream Aqueous		100 G	1
SENEGA and AMMONIA Mixture	10 ml	200 ml	4
SIMPLE LINCTUS Linctus	5 ml	100 ml	2
SIMPLE OINTMENT Ointment		100 G	1
SOAP LINIMENT Liniment		100 ml	1
SODIUM BICARBONATE Ear Drops		15 ml	2
SODIUM CITRATE Mixture	10 ml	200 ml	4
Mixture for Children	5 ml	100 ml	4
SODIUM SALICYLATE Mixture	10 ml	200 ml	4
SPIRIT INDUSTRIAL METHYLATED Ear Drops		15 ml	2

PRESCRIBERS' LIST ITEMS

15 +

Preparation	Dose	Maximum Quantity	Rpts
SULPHURATED LOTION Lotion		200 ml	2
TALC Dusting Powder		100 G	1
TITANIUM DIOXIDE Paste		100 G	1
ZINC and ADRENALINE Eye Drops		15 ml	2
ZINC and CASTOR OIL Ointment		100 G	1
ZINC OXIDE Cream Oily		100 G	1
Cream Weak		100 G	1
Dusting Powder Compound		100 G	1
Ointment		100 G	1
Paste Compound		100 G	1
ZINC and SALICYLIC ACID Paste		100 G	1
ZINC SULPHATE Eye Drops		15 ml	2

# SECTION 5 — PRESCRIBERS' LIST

DECEMBER 1972

## PRESCRIPTION

### APPLICATIONS

(Maximum Quantity 200ml and 2 Repeats)

#### BENZYL BENZOATE with DICOPHANE

Benzyl Benzoate	---	---	---	---	---	---	---	---	50	G
Dicophane	----	---	---	---	---	---	---	---	4	G
Emulsifying Wax	---	---	---	---	---	---	---	---	4	G
Purified Water to	---	---	---	---	---	---	---	---	200	ml

#### DICOPHANE

Dicophane	----	---	---	---	---	---	---	---	4	G
Emulsifying Wax	---	---	---	---	---	---	---	---	8	G
Xylene of Commerce	---	---	---	---	---	---	---	---	30	ml
Citronella Oil	---	---	---	---	---	---	---	---	1	ml
Purified Water to	---	---	---	---	---	---	---	---	200	ml

### CREAMS

(Maximum Quantity 100G and 1 Repeat)

#### ALUMINIUM ACETATE, OILY

Aluminium Acetate Solution	---	---	---	---	---	---	---	---	5	ml
Zinc Oxide	---	---	---	---	---	---	---	---	20	G
Wool Fat	---	---	---	---	---	---	---	---	25	G
Arachis Oil	---	---	---	---	---	---	---	---	25	ml
Purified Water	---	---	---	---	---	---	---	---	27	ml

#### AQUEOUS

Emulsifying Ointment	---	---	---	---	---	---	---	---	30	G
Chlorocresol	---	---	---	---	---	---	---	---	100	mg
Purified Water to	---	---	---	---	---	---	---	---	100	G

#### BUFFERED, AQUEOUS

Sodium Phosphate	---	---	---	---	---	---	---	---	2.5	G
Citric Acid	---	---	---	---	---	---	---	---	500	mg
Chlorocresol	---	---	---	---	---	---	---	---	100	mg
Emulsifying Ointment	---	---	---	---	---	---	---	---	30	G
Purified Water to	---	---	---	---	---	---	---	---	100	G

PRESCRIPTION

**CREAMS—cont.**

**CALAMINE, AQUEOUS**

Calamine	---	---	---	---	---	---	---	---	---	4	G
Zinc Oxide	---	---	---	---	---	---	---	---	---	3	G
Cetomacrogol Emulsifying Wax	---	---	---	---	---	---	---	---	---	6	G
Arachis Oil	---	---	---	---	---	---	---	---	---	30	G
Purified Water to	---	---	---	---	---	---	---	---	---	100	G

**CALAMINE, OILY**

Calamine	---	---	---	---	---	---	---	---	---	32	G
Oleic Acid	---	---	---	---	---	---	---	---	---	0.5	ml
Arachis Oil	---	---	---	---	---	---	---	---	---	21.5	ml
Wool Fat	---	---	---	---	---	---	---	---	---	17.5	G
Calcium Hydroxide Solution	---	---	---	---	---	---	---	---	---	30.5	ml

**CETOMACROGOL, AQUEOUS**

Cetomacrogol Emulsifying Wax	---	---	---	---	---	---	---	---	---	15	G
Liquid Paraffin	---	---	---	---	---	---	---	---	---	10	G
White Soft Paraffin	---	---	---	---	---	---	---	---	---	10	G
Chlorocresol	---	---	---	---	---	---	---	---	---	150	mg
Purified Water to	---	---	---	---	---	---	---	---	---	100	G

**CETRIMIDE, AQUEOUS**

Cetrimide	---	---	---	---	---	---	---	---	---	500	mg
Cetostearyl Alcohol	---	---	---	---	---	---	---	---	---	5	G
Liquid Paraffin	---	---	---	---	---	---	---	---	---	50	G
Purified Water to	---	---	---	---	---	---	---	---	---	100	G

**CHLORHEXIDINE, AQUEOUS**

Chlorhexidine Gluconate Solution	---	---	---	---	---	---	---	---	---	5	ml
Cetomacrogol Emulsifying Wax	---	---	---	---	---	---	---	---	---	25	G
Liquid Paraffin	---	---	---	---	---	---	---	---	---	10	G
Purified Water to	---	---	---	---	---	---	---	---	---	100	G

**COAL TAR and ZINC**

Coal Tar, BPC	---	---	---	---	---	---	---	---	---	1	G
Castor Oil	---	---	---	---	---	---	---	---	---	1	G
Zinc Cream	---	---	---	---	---	---	---	---	---	98	G

**COLD**

White Beeswax	---	---	---	---	---	---	---	---	---	20	G
Liquid Paraffin	---	---	---	---	---	---	---	---	---	60	G
Borax	---	---	---	---	---	---	---	---	---	1	G
Purified Water	---	---	---	---	---	---	---	---	---	19	G

PRESCRIPTION

**CREAMS—cont.**

**GLYCERIN, OILY**

Glycerin	---	---	---	---	---	---	---	---	20	G
Calcium Hydroxide Solution	---	---	---	---	---	---	---	---	32	ml
Arachis Oil	---	---	---	---	---	---	---	---	22	G
Wool Fat	---	---	---	---	---	---	---	---	26	G

**ICHTHAMMOL and ZINC, OILY**

Ichthammol	---	---	---	---	---	---	---	---	5	G
Cetostearyl Alcohol	---	---	---	---	---	---	---	---	3	G
Wool Fat	---	---	---	---	---	---	---	---	10	G
Oily Zinc Cream	---	---	---	---	---	---	---	---	82	G

**OILY**

Wool Alcohols Ointment	---	---	---	---	---	---	---	---	50	G
Purified Water	---	---	---	---	---	---	---	---	50	G

**SALICYLIC ACID and RESORCINOL, AQUEOUS**

Salicylic Acid	---	---	---	---	---	---	---	---	2	G
Resorcinol	---	---	---	---	---	---	---	---	2	G
Aqueous Cream, APF to	---	---	---	---	---	---	---	---	100	G

**SALICYLIC ACID and SULPHUR, AQUEOUS**

Salicylic Acid	---	---	---	---	---	---	---	---	2	G
Precipitated Sulphur	---	---	---	---	---	---	---	---	2	G
Spike Lavender Oil	---	---	---	---	---	---	---	---	0.5	ml
Aqueous Cream, APF to	---	---	---	---	---	---	---	---	100	G

**ZINC, OILY**

Zinc Oxide	---	---	---	---	---	---	---	---	32	G
Oleic Acid	---	---	---	---	---	---	---	---	0.5	ml
Arachis Oil	---	---	---	---	---	---	---	---	21.5	ml
Wool Fat	---	---	---	---	---	---	---	---	17.5	G
Calcium Hydroxide Solution	---	---	---	---	---	---	---	---	30.5	ml

**ZINC, WEAK**

Zinc Oxide	---	---	---	---	---	---	---	---	5	G
Oleic Acid	---	---	---	---	---	---	---	---	0.5	ml
Arachis Oil	---	---	---	---	---	---	---	---	38.5	ml
Wool Fat	---	---	---	---	---	---	---	---	25	G
Calcium Hydroxide Solution	---	---	---	---	---	---	---	---	34.5	ml

**DUSTING POWDERS**

(Maximum Quantity 100G and 1 Repeat)

**DICOPHANE**

Dicophane	---	---	---	---	---	---	---	---	10	G
Calcium Carbonate	---	---	---	---	---	---	---	---	10	G
Light Kaolin	---	---	---	---	---	---	---	---	80	G

PRESCRIPTION

**DUSTING POWDERS—cont.**

**KAOLIN COMPOUND**

Light Kaolin	—	—	—	—	—	—	—	—	—	—	25	G
Zinc Oxide	—	—	—	—	—	—	—	—	—	—	25	G
Purified Talc, sterilised	—	—	—	—	—	—	—	—	—	—	50	G

**ZINC, COMPOUND**

Zinc Oxide	—	—	—	—	—	—	—	—	—	—	25	G
Starch	—	—	—	—	—	—	—	—	—	—	25	G
Purified Talc, sterilised	—	—	—	—	—	—	—	—	—	—	50	G

**EAR DROPS**

(Maximum Quantity 15ml and 2 Repeats)

**ALUMINIUM ACETATE**

Aluminium Acetate Solution	—	—	—	—	—	—	—	—	—	—	9	ml
Purified Water to	—	—	—	—	—	—	—	—	—	—	15	ml

**BORIC ACID**

Boric Acid	—	—	—	—	—	—	—	—	—	—	300	mg
Industrial Methylated Spirit	—	—	—	—	—	—	—	—	—	—	3	ml
Purified Water to	—	—	—	—	—	—	—	—	—	—	15	ml

**CHLORHEXIDINE**

Chlorhexidine Acetate	—	—	—	—	—	—	—	—	—	—	7.5	mg
Purified Water to	—	—	—	—	—	—	—	—	—	—	15	ml

**ICHTHAMMOL**

Ichthammol	—	—	—	—	—	—	—	—	—	—	10	G
Glycerin	—	—	—	—	—	—	—	—	—	—	90	G

**PHENYLMERCURIC NITRATE**

Phenylmercuric Nitrate	—	—	—	—	—	—	—	—	—	—	15	mg
Propylene Glycol	—	—	—	—	—	—	—	—	—	—	7.5	ml
Purified Water to	—	—	—	—	—	—	—	—	—	—	15	ml

**SALICYLIC ACID**

Salicylic Acid	—	—	—	—	—	—	—	—	—	—	300	mg
Industrial Methylated Spirit	—	—	—	—	—	—	—	—	—	—	7.5	ml
Purified Water to	—	—	—	—	—	—	—	—	—	—	15	ml

PRESCRIPTION

**EAR DROPS—cont.**

**SODIUM BICARBONATE**

Sodium Bicarbonate	---	---	---	---	---	---	---	---	---	750	mg
Glycerin	---	---	---	---	---	---	---	---	---	4.5	ml
Purified Water to	---	---	---	---	---	---	---	---	---	15	ml

**SPIRIT**

Industrial Methylated Spirit	---	---	---	---	---	---	---	---	---	7.5	ml
Purified Water to	---	---	---	---	---	---	---	---	---	15	ml

**ELIXIRS**

(Maximum Quantity 100ml and 4 Repeats)

**EPHEDRINE**

Ephedrine Hydrochloride	---	---	---	---	---	---	---	---	---	20	mg
Aromatic Syrup, APF	---	---	---	---	---	---	---	---	---	2	ml
Concentrated Chloroform Water	---	---	---	---	---	---	---	---	---	0.1	ml
Purified Water to	---	---	---	---	---	---	---	---	---	5	ml

**PHENOBARBITONE**

Phenobarbitone	---	---	---	---	---	---	---	---	---	15	mg
Alcohol (90 per cent)	---	---	---	---	---	---	---	---	---	2	ml
Glycerin	---	---	---	---	---	---	---	---	---	1.5	ml
Aromatic Syrup, APF	---	---	---	---	---	---	---	---	---	1	ml
Purified Water to	---	---	---	---	---	---	---	---	---	5	ml

**EMULSION**

(Maximum Quantity 400ml and 4 Repeats)

**LIQUID PARAFFIN**

(May be prescribed for pensioners only)

Liquid Paraffin	---	---	---	---	---	---	---	---	---	200	ml
Acacia	---	---	---	---	---	---	---	---	---	50	G
Saccharin Sodium	---	---	---	---	---	---	---	---	---	20	mg
Benzoic Acid Solution, APF	---	---	---	---	---	---	---	---	---	10	ml
Vanillin	---	---	---	---	---	---	---	---	---	200	mg
Chloroform	---	---	---	---	---	---	---	---	---	1	ml
Purified Water to	---	---	---	---	---	---	---	---	---	400	ml

PRESCRIPTION

**EYE DROPS**

(Maximum Quantity 15ml and 2 Repeats)

**ZINC and ADRENALINE**

Zinc Sulphate	---	---	---	---	---	---	---	---	---	37.5	mg
Adrenaline Solution	---	---	---	---	---	---	---	---	---	1.5	ml
Boric Acid	---	---	---	---	---	---	---	---	---	225	mg
Sodium Metabisulphite	---	---	---	---	---	---	---	---	---	7.5	mg
Chlorbutol	---	---	---	---	---	---	---	---	---	75	mg
Glycerin	---	---	---	---	---	---	---	---	---	0.15	ml
Water for Injections to	---	---	---	---	---	---	---	---	---	15	ml

**ZINC SULPHATE**

Zinc Sulphate	---	---	---	---	---	---	---	---	---	37.5	mg
Boric Acid	---	---	---	---	---	---	---	---	---	225	mg
Chlorbutol	---	---	---	---	---	---	---	---	---	75	mg
Glycerin	---	---	---	---	---	---	---	---	---	0.15	ml
Water for Injections to	---	---	---	---	---	---	---	---	---	15	ml

**INHALATIONS**

(Maximum Quantity 50ml and 1 Repeat)

**BENZOIN**

Compound Benzoïn Tincture BPC	---	---	---	---	---	---	---	---	---	50	ml
-------------------------------	-----	-----	-----	-----	-----	-----	-----	-----	-----	----	----

**MENTHOL and BENZOIN**

Menthol	---	---	---	---	---	---	---	---	---	1	G
Compound Benzoïn Tincture BPC to	---	---	---	---	---	---	---	---	---	50	ml

**MENTHOL and EUCALYPTUS**

Menthol	---	---	---	---	---	---	---	---	---	1	G
Eucalyptus Oil	---	---	---	---	---	---	---	---	---	5	ml
Light Magnesium Carbonate	---	---	---	---	---	---	---	---	---	3.5	G
Purified Water to	---	---	---	---	---	---	---	---	---	50	ml

**MENTHOL and PINE**

Menthol	---	---	---	---	---	---	---	---	---	1	G
Pumilio Pine Oil	---	---	---	---	---	---	---	---	---	2.5	ml
Alcohol (90 per cent) to	---	---	---	---	---	---	---	---	---	50	ml

**LINCTUSES**

(Maximum Quantity 100ml and 2 Repeats)

**CAMPHOR COMPOUND**

Camphorated Opium Tincture	---	---	---	---	---	---	---	---	---	2	ml
Oxymel of Squill	---	---	---	---	---	---	---	---	---	1	ml
Syrup to	---	---	---	---	---	---	---	---	---	5	ml

PRESCRIPTION

**LINCTUSES—cont.**

**CODEINE**

Codeine Phosphate	---	---	---	---	---	---	---	---	25	mg
Purified Water	---	---	---	---	---	---	---	---	1	ml
Glycerin	---	---	---	---	---	---	---	---	1	ml
Oxymel of Squill	---	---	---	---	---	---	---	---	2	ml
Syrup to	---	---	---	---	---	---	---	---	5	ml

**SIMPLE**

Citric Acid	---	---	---	---	---	---	---	---	125	mg
Chloroform Spirit	---	---	---	---	---	---	---	---	0.3	ml
Amaranth Solution, APF	---	---	---	---	---	---	---	---	0.075	ml
Concentrated Anise Water	---	---	---	---	---	---	---	---	0.05	ml
Syrup to	---	---	---	---	---	---	---	---	5	ml

**LINIMENTS**

(Maximum Quantity 100ml and 1 Repeat)

**CAMPHOR**

Camphor	---	---	---	---	---	---	---	---	20	G
Arachis Oil	---	---	---	---	---	---	---	---	80	G

**METHYL SALICYLATE**

Methyl Salicylate	---	---	---	---	---	---	---	---	25	ml
Arachis Oil to	---	---	---	---	---	---	---	---	100	ml

**METHYL SALICYLATE, COMPOUND**

Menthol	---	---	---	---	---	---	---	---	4	G
Eucalyptus Oil	---	---	---	---	---	---	---	---	10	ml
Methyl Salicylate	---	---	---	---	---	---	---	---	25	ml
Arachis Oil to	---	---	---	---	---	---	---	---	100	ml

**SOAP**

Camphor	---	---	---	---	---	---	---	---	4	G
Oleic Acid	---	---	---	---	---	---	---	---	4	G
Potassium Hydroxide Solution (5 per cent)	---	---	---	---	---	---	---	---	14	ml
Industrial Methylated Spirit	---	---	---	---	---	---	---	---	70	ml
Rosemary Oil	---	---	---	---	---	---	---	---	1.5	ml
Purified Water to	---	---	---	---	---	---	---	---	100	ml

PRESCRIPTION

**LOTIONS**

(Maximum Quantity 200ml and 2 Repeats)

**CALAMINE**

Calamine	---	---	---	---	---	---	---	---	---	30	G
Zinc Oxide	---	---	---	---	---	---	---	---	---	10	G
Bentonite, sterilised	---	---	---	---	---	---	---	---	---	6	G
Sodium Citrate	---	---	---	---	---	---	---	---	---	1	G
Liquefied Phenol	---	---	---	---	---	---	---	---	---	1	ml
Glycerin	---	---	---	---	---	---	---	---	---	10	ml
Purified Water to	---	---	---	---	---	---	---	---	---	200	ml

**CALAMINE OILY**

Calamine	---	---	---	---	---	---	---	---	---	10	G
Wool Fat	---	---	---	---	---	---	---	---	---	2	G
Arachis Oil	---	---	---	---	---	---	---	---	---	100	ml
Oleic Acid	---	---	---	---	---	---	---	---	---	1	ml
Calcium Hydroxide Solution to	---	---	---	---	---	---	---	---	---	200	ml

**RESORCINOL COMPOUND**

Resorcinol	---	---	---	---	---	---	---	---	---	5	G
Solvent Ether	---	---	---	---	---	---	---	---	---	5	ml
Castor Oil	---	---	---	---	---	---	---	---	---	5	ml
Spike Lavender Oil	---	---	---	---	---	---	---	---	---	0.2	ml
Industrial Methylated Spirit to	---	---	---	---	---	---	---	---	---	200	ml

**SULPHURATED**

Zinc Sulphate	---	---	---	---	---	---	---	---	---	10	G
Sulphurated Potash	---	---	---	---	---	---	---	---	---	10	G
Acetone	---	---	---	---	---	---	---	---	---	10	ml
Glycerin	---	---	---	---	---	---	---	---	---	10	ml
Spike Lavender Oil	---	---	---	---	---	---	---	---	---	0.4	ml
Purified Water to	---	---	---	---	---	---	---	---	---	200	ml

**MIXTURES**

(Maximum Quantity 200ml and 4 Repeats)

**ALUMINIUM HYDROXIDE with BELLADONNA**

Belladonna Tincture	---	---	---	---	---	---	---	---	---	0.5	ml
Citric Acid	....	....	....	....	....	....	....	....	....	100	mg
Aluminium Hydroxide Mixture, APF to	....	....	....	....	....	....	....	....	....	10	ml

PRESCRIPTION

**MIXTURES—cont.**

**ALUMINIUM HYDROXIDE with PHENOBARBITONE  
and BELLADONNA**

Phenobarbitone Sodium	---	---	---	---	---	---	---	20	mg
Purified Water	---	---	---	---	---	---	---	0.1	ml
Citric Acid	---	---	---	---	---	---	---	150	mg
Belladonna Tincture	---	---	---	---	---	---	---	0.5	ml
Aluminium Hydroxide Gel to	---	---	---	---	---	---	---	10	ml

**AMINOPHYLLINE COMPOUND**

Phenobarbitone Sodium	---	---	---	---	---	---	---	20	mg
Ephedrine Hydrochloride	---	---	---	---	---	---	---	15	mg
Potassium Iodide	---	---	---	---	---	---	---	500	mg
Aminophylline	---	---	---	---	---	---	---	100	mg
Liquorice Liquid Extract	---	---	---	---	---	---	---	0.5	ml
Concentrated Chloroform Water	---	---	---	---	---	---	---	0.25	ml
Purified Water to	---	---	---	---	---	---	---	10	ml

**ASPIRIN**

Aspirin	---	---	---	---	---	---	---	500	mg
Compound Tragacanth Powder	---	---	---	---	---	---	---	250	mg
Orange Syrup, APF	---	---	---	---	---	---	---	1	ml
Concentrated Chloroform Water	---	---	---	---	---	---	---	0.25	ml
Purified Water to	---	---	---	---	---	---	---	10	ml

Additional drugs may be required to be prescribed with this mixture, and the following doses are considered suitable for addition to each 10 millilitre dose:—

Amylobarbitone	---	---	---	---	---	---	---	25	mg
Morphine Hydrochloride	---	---	---	---	---	---	---	10	mg

**ASPIRIN and CODEINE**

Codeine Phosphate	---	---	---	---	---	---	---	20	mg
Aspirin	---	---	---	---	---	---	---	500	mg
Compound Tragacanth Powder	---	---	---	---	---	---	---	250	mg
Orange Syrup, APF	---	---	---	---	---	---	---	1	ml
Concentrated Chloroform Water	---	---	---	---	---	---	---	0.25	ml
Purified Water to	---	---	---	---	---	---	---	10	ml

**ASPIRIN and MORPHINE**

Morphine Hydrochloride Solution	---	---	---	---	---	---	---	1	ml
Amaranth Solution APF	---	---	---	---	---	---	---	0.1	ml
Aspirin	---	---	---	---	---	---	---	500	mg
Compound Tragacanth Powder	---	---	---	---	---	---	---	250	mg
Orange Syrup, APF	---	---	---	---	---	---	---	1	ml
Concentrated Chloroform Water	---	---	---	---	---	---	---	0.25	ml
Purified Water to	---	---	---	---	---	---	---	10	ml

PRESCRIPTION

**MIXTURES—cont.**

**ASPIRIN and PHENOBARBITONE**

Phenobarbitone	---	---	---	---	---	---	---	---	20	mg
Aspirin	---	---	---	---	---	---	---	---	500	mg
Compound Tragacanth Powder	---	---	---	---	---	---	---	---	250	mg
Orange Syrup, APF	---	---	---	---	---	---	---	---	1	ml
Concentrated Chloroform Water	---	---	---	---	---	---	---	---	0.25	ml
Purified Water to	---	---	---	---	---	---	---	---	10	ml

**CAFFEINE, IODIDE and EPHEDRINE**

Synonym: C.I.E. Mixture

Caffeine	---	---	---	---	---	---	---	---	150	mg
Sodium Iodide	---	---	---	---	---	---	---	---	500	mg
Ephedrine Hydrochloride	---	---	---	---	---	---	---	---	20	mg
Syrup Tolu	---	---	---	---	---	---	---	---	4	ml
Spirit of Aniseed	---	---	---	---	---	---	---	---	0.06	ml
Purified Water to	---	---	---	---	---	---	---	---	10	ml

**CHALK and KAOLIN**

Chalk	---	---	---	---	---	---	---	---	1.5	G
Light Kaolin	---	---	---	---	---	---	---	---	2.5	G
Potash Alum	---	---	---	---	---	---	---	---	10	mg
Concentrated Chloroform Water	---	---	---	---	---	---	---	---	0.25	ml
Purified Water to	---	---	---	---	---	---	---	---	10	ml

**CHLORAL HYDRATE**

Chloral Hydrate	---	---	---	---	---	---	---	---	1	G
Orange Syrup, APF	---	---	---	---	---	---	---	---	1	ml
Concentrated Chloroform Water	---	---	---	---	---	---	---	---	0.25	ml
Purified Water to	---	---	---	---	---	---	---	---	10	ml

**FERROUS SULPHATE**

Ferrous Sulphate	---	---	---	---	---	---	---	---	300	mg
Ascorbic Acid	---	---	---	---	---	---	---	---	10	mg
Orange Syrup, APF	---	---	---	---	---	---	---	---	0.5	ml
Concentrated Chloroform Water	---	---	---	---	---	---	---	---	0.25	ml
Purified Water to	---	---	---	---	---	---	---	---	10	ml

**GENTIAN ACID**

Concentrated Compound Gentian Infusion	---	---	---	---	---	---	---	---	1	ml
Dilute Hydrochloric Acid	---	---	---	---	---	---	---	---	0.5	ml
Concentrated Chloroform Water	---	---	---	---	---	---	---	---	0.25	ml
Purified Water to	---	---	---	---	---	---	---	---	10	ml

PRESCRIPTION

**MIXTURES—cont.**

**GENTIAN ALKALINE**

Concentrated Compound Gentian Infusion	1	ml
Sodium Bicarbonate	500	mg
Concentrated Chloroform Water	0.25	ml
Purified Water to	10	ml

**IPECACUANHA and OPIUM**

Synonym: Cough Mixture

Ipecacuanha Tincture	0.3	ml
Camphorated Opium Tincture	1.2	ml
Tolu Syrup	1.2	ml
Oxymel of Squill	1	ml
Chloroform Spirit	0.3	ml
Concentrated Anise Water	0.15	ml
Purified Water to	10	ml

**KAOLIN and OPIUM**

Light Kaolin	2.5	G
Potash Alum	10	mg
Opium Tincture	0.5	ml
Concentrated Chloroform Water	0.25	ml
Purified Water to	10	ml

**MAGNESIUM TRISILICATE**

Magnesium Trisilicate	1	G
Calcium Carbonate	500	mg
Light Magnesium Carbonate	500	mg
Concentrated Peppermint Water	0.25	ml
Purified Water to	10	ml

**PHENOBARBITONE with BELLADONNA, PROCAINE and ALUMINIUM HYDROXIDE**

Synonym: P.B.P.A. Mixture

Phenobarbitone Sodium	15	mg
Belladonna Tincture	0.6	ml
Procaine Hydrochloride	150	mg
Aluminium Hydroxide Mixture, APF to	10	ml

**POTASSIUM CHLORIDE**

Potassium Chloride	1	G
Lemon Syrup, APF	2	ml
Concentrated Chloroform Water	0.25	ml
Purified Water to	10	ml

PRESCRIPTION

**MIXTURES—cont.**

**POTASSIUM CITRATE**

Potassium Citrate	— — — — —	2	G
Citric Acid	— — — — —	400	mg
Lemon Syrup, APF	— — — — —	1	ml
Concentrated Chloroform Water	— — — — —	0.2	ml
Purified Water to	— — — — —	10	ml

**POTASSIUM CITRATE and SODIUM BICARBONATE**

Potassium Citrate	— — — — —	1	G
Sodium Bicarbonate	— — — — —	750	mg
Orange Syrup, APF	— — — — —	1	ml
Concentrated Chloroform Water	— — — — —	0.2	ml
Purified Water to	— — — — —	10	ml

**POTASSIUM IODIDE and STRAMONIUM COMPOUND**

Synonym: Lobelia and Stramonium Mixture

Potassium Iodide	— — — — —	250	mg
Stramonium Tincture	— — — — —	0.5	ml
Lobelia Ethereal Tincture	— — — — —	0.5	ml
Aromatic Ammonia Spirit	— — — — —	0.5	ml
Liquorice Liquid Extract	— — — — —	0.5	ml
Concentrated Chloroform Water	— — — — —	0.25	ml
Purified Water to	— — — — —	10	ml

**SENEGA and AMMONIA**

Ammonium Bicarbonate	— — — — —	250	mg
Camphorated Opium Tincture	— — — — —	1	ml
Liquorice Liquid Extract	— — — — —	0.5	ml
Concentrated Senega Infusion	— — — — —	0.5	ml
Concentrated Chloroform Water	— — — — —	0.25	ml
Purified Water to	— — — — —	10	ml

**SODIUM CITRATE**

Sodium Citrate	— — — — —	2	G
Citric Acid	— — — — —	400	mg
Lemon Syrup, APF	— — — — —	1	ml
Concentrated Chloroform Water	— — — — —	0.2	ml
Purified Water to	— — — — —	10	ml

**SODIUM SALICYLATE**

Sodium Salicylate	— — — — —	1	G
Liquorice Liquid Extract	— — — — —	0.25	ml
Concentrated Chloroform Water	— — — — —	0.25	ml
Purified Water to	— — — — —	10	ml

PRESCRIPTION

**NASAL INSTILLATIONS**

(Maximum Quantity 15ml and 2 Repeats)

**DEXTROSE and GLYCERIN**

Dextrose Monohydrate	---	---	---	---	---	---	---	---	3	G
Glycerin to	---	---	---	---	---	---	---	---	15	ml

**EPHEDRINE**

Ephedrine Hydrochloride	---	---	---	---	---	---	---	---	150	mg
Chlorbutol	---	---	---	---	---	---	---	---	75	mg
Sodium Chloride	---	---	---	---	---	---	---	---	75	mg
Propylene Glycol	---	---	---	---	---	---	---	---	0.75	ml
Purified Water to	---	---	---	---	---	---	---	---	15	ml

**OINTMENTS**

(Maximum Quantity 100G and 1 Repeat)

**BENZOIC ACID COMPOUND**

Benzoic Acid	---	---	---	---	---	---	---	---	6	G
Salicylic Acid	---	---	---	---	---	---	---	---	3	G
Emulsifying Ointment	---	---	---	---	---	---	---	---	91	G

**EMULSIFYING**

Emulsifying Wax	---	---	---	---	---	---	---	---	30	G
White Soft Paraffin	---	---	---	---	---	---	---	---	50	G
Liquid Paraffin	---	---	---	---	---	---	---	---	20	G

**RESORCINOL and SULPHUR, COMPOUND**

Resorcinol	---	---	---	---	---	---	---	---	2	G
Precipitated Sulphur	---	---	---	---	---	---	---	---	3	G
Salicylic Acid	---	---	---	---	---	---	---	---	1	G
White Simple Ointment	---	---	---	---	---	---	---	---	94	G

**SALICYLIC ACID**

Salicylic Acid	---	---	---	---	---	---	---	---	2	G
Wool Alcohols Ointment	---	---	---	---	---	---	---	---	98	G

**SIMPLE**

(White Simple Ointment)

Wool Fat	---	---	---	---	---	---	---	---	5	G
Hard Paraffin	---	---	---	---	---	---	---	---	5	G
Cetostearyl Alcohol	---	---	---	---	---	---	---	---	5	G
White Soft Paraffin	---	---	---	---	---	---	---	---	85	G

PRESCRIPTION

**OINTMENTS—cont.**

**ZINC and CASTOR OIL**

Zinc Oxide	---	---	---	---	---	---	---	---	---	7.5	G
Castor Oil	---	---	---	---	---	---	---	---	---	50	G
Cetostearyl Alcohol	---	---	---	---	---	---	---	---	---	2	G
White Beeswax	---	---	---	---	---	---	---	---	---	10	G
Arachis Oil	---	---	---	---	---	---	---	---	---	30.5	G

**ZINC OXIDE**

Zinc Oxide	---	---	---	---	---	---	---	---	---	15	G
White Simple Ointment	---	---	---	---	---	---	---	---	---	85	G

**PAINTS**

(Maximum Quantity 25ml and 1 Repeat)

**ICHTHAMMOL**

Ichthammol	---	---	---	---	---	---	---	---	---	10	G
Glycerin	---	---	---	---	---	---	---	---	---	90	G

**MAGENTA**

Magenta	---	---	---	---	---	---	---	---	---	100	mg
Resorcinol	---	---	---	---	---	---	---	---	---	2	G
Phenol	---	---	---	---	---	---	---	---	---	1	G
Boric Acid	---	---	---	---	---	---	---	---	---	200	mg
Industrial Methylated Spirit	---	---	---	---	---	---	---	---	---	2	ml
Acetone	---	---	---	---	---	---	---	---	---	1	ml
Purified Water to	---	---	---	---	---	---	---	---	---	25	ml

**PODOPHYLLIN**

Podophyllum Resin	---	---	---	---	---	---	---	---	---	1.25	G
Compound Benzoin Tincture to	---	---	---	---	---	---	---	---	---	25	ml

**PODOPHYLLIN, STRONG**

Podophyllum Resin	---	---	---	---	---	---	---	---	---	3.75	G
Compound Benzoin Tincture to	---	---	---	---	---	---	---	---	---	25	ml

**SALICYLIC ACID**

Salicylic Acid	---	---	---	---	---	---	---	---	---	2.5	G
Flexible Collodion to	---	---	---	---	---	---	---	---	---	25	ml

PRESCRIPTION

**PASTES**

(Maximum Quantity 100G and 1 Repeat)

**COAL TAR**

Coal Tar, BPC	1	G
Castor Oil	1	G
Compound Zinc Paste	98	G

**DITHRANOL and ZINC**

Dithranol	100	mg
Compound Zinc Paste	99.9	G

**TITANIUM DIOXIDE**

Titanium Dioxide	20	G
Calamine	25	G
Light Kaolin	10	G
Bentonite, sterilised	1	G
Compound Hydroxybenzoate Powder APF	100	mg
Glycerin	20	G
Purified Water to	100	G

**ZINC, COMPOUND**

Zinc Oxide	25	G
Starch	25	G
White Soft Paraffin	50	G

**ZINC and SALICYLIC ACID**

Salicylic Acid	2	G
Liquid Paraffin	2	G
Compound Zinc Paste	96	G

**POWDERS**

(Maximum Quantity 100G and 2 Repeats)

**ALUMINIUM and MAGNESIUM TRISILICATE**

Dried Aluminium Hydroxide Gel	10	G
Magnesium Trisilicate	50	G
Light Kaolin	40	G

**MAGNESIUM and CALCIUM CARBONATE**

Calcium Carbonate	25	G
Heavy Magnesium Carbonate	25	G
Magnesium Trisilicate	50	G
Peppermint Oil	0.2	ml

---

PRESCRIPTION

---

**SPRAY**

(Maximum Quantity 15ml and 2 Repeats)

**ADRENALINE and ATROPINE**

Adrenaline Acid Tartrate	..	—	—	—	—	—	—	135	mg
Atropine Methonitrate	---	---	---	---	---	---	---	15	mg
Chlorbutol	....	....	....	....	....	....	....	75	mg
Sodium Metabisulphite	---	---	---	---	---	---	---	15	mg
Propylene Glycol	..	---	---	---	---	---	---	0.75	ml
Purified Water, freshly boiled and cooled, to	---	---	---	---	---	---	---	15	ml

# SECTION 5 — PRESCRIBERS' LIST

## CHILDREN'S SECTION

### PRESCRIPTION

#### MIXTURES

(Maximum Quantity 100ml and 4 Repeats)

#### ALUMINIUM HYDROXIDE with KAOLIN

Light Kaolin .. .. .	1	G
Sodium Citrate .. .. .	5	mg
Aluminium Hydroxide Mixture, APF to .. .. .	5	ml

#### ASPIRIN

Aspirin .. .. .	150	mg
Compound Tragacanth Powder .. .. .	100	mg
Raspberry Syrup .. .. .	1	ml
Purified Water to .. .. .	5	ml

#### ATROPINE METHONITRATE

Atropine Methonitrate .. .. .	0.5	mg
Lemon Syrup, APF .. .. .	0.5	mg
Concentrated Chloroform Water .. .. .	0.1	ml
Purified Water to .. .. .	5	ml

#### BELLADONNA

Belladonna Tincture .. .. .	0.1	ml
Orange Syrup, APF .. .. .	1	ml
Glycerin .. .. .	1	ml
Benzoic Acid Solution, APF .. .. .	0.1	ml
Purified Water to .. .. .	5	ml

#### CALCIUM and KAOLIN

Calcium Carbonate .. .. .	500	mg
Light Kaolin .. .. .	1	G
Potash Alum .. .. .	5	mg
Chloroform Spirit .. .. .	0.1	ml
Concentrated Cinnamon Water .. .. .	0.1	ml
Purified Water to .. .. .	5	ml

#### CHLORAL HYDRATE

Chloral Hydrate .. .. .	250	mg
Orange Syrup, APF .. .. .	1	ml
Concentrated Chloroform Water .. .. .	0.1	ml
Purified Water to .. .. .	5	ml

PRESCRIPTION

**MIXTURES—cont.**

**FERROUS GLUCONATE**

Ferrous Gluconate	....	....	....	....	....	....	....	....	200	mg
Dextrose Monohydrate	....	....	....	....	....	....	....	....	500	mg
Orange Syrup, APF	....	....	....	....	....	....	....	....	1	ml
Citric Acid	....	....	....	....	....	....	....	....	25	mg
Concentrated Chloroform Water	....	....	....	....	....	....	....	....	0.1	ml
Purified Water to	....	....	....	....	....	....	....	....	5	ml

**FERROUS SULPHATE**

Ferrous Sulphate	....	....	....	....	....	....	....	....	100	mg
Ascorbic Acid	....	....	....	....	....	....	....	....	5	mg
Orange Syrup, APF	....	....	....	....	....	....	....	....	1	ml
Concentrated Chloroform Water	....	....	....	....	....	....	....	....	0.1	ml
Purified Water to	....	....	....	....	....	....	....	....	5	ml

**IPECACUANHA and SQUILL**

Ipecacuanha Tincture	....	....	....	....	....	....	....	....	0.1	ml
Camphorated Opium Tincture	....	....	....	....	....	....	....	....	0.3	ml
Oxymel of Squill	....	....	....	....	....	....	....	....	1	ml
Purified Water to	....	....	....	....	....	....	....	....	5	ml

**MAGNESIUM SULPHATE**

Magnesium Sulphate	....	....	....	....	....	....	....	....	2	G
Raspberry Syrup	....	....	....	....	....	....	....	....	2.5	ml
Concentrated Chloroform Water	....	....	....	....	....	....	....	....	0.04	ml
Purified Water to	....	....	....	....	....	....	....	....	5	ml

**POTASSIUM CITRATE**

Potassium Citrate	....	....	....	....	....	....	....	....	1	G
Citric Acid	....	....	....	....	....	....	....	....	200	mg
Lemon Syrup, APF	....	....	....	....	....	....	....	....	1	ml
Concentrated Chloroform Water	....	....	....	....	....	....	....	....	0.1	ml
Purified Water to	....	....	....	....	....	....	....	....	5	ml

**POTASSIUM IODIDE**

Potassium Iodide	....	....	....	....	....	....	....	....	100	mg
Liquorice Liquid Extract	....	....	....	....	....	....	....	....	0.25	ml
Aromatic Ammonia Spirit	....	....	....	....	....	....	....	....	0.1	ml
Concentrated Chloroform Water	....	....	....	....	....	....	....	....	0.1	ml
Purified Water to	....	....	....	....	....	....	....	....	5	ml

PRESCRIPTION

**MIXTURES—cont.**

**POTASSIUM IODIDE and EPHEDRINE**

Potassium Iodide	....	....	....	....	....	....	....	....	100	mg
Ephedrine Hydrochloride	....	....	....	....	....	....	....	....	10	mg
Stramonium Tincture	....	....	....	....	....	....	....	....	0.2	ml
Aromatic Ammonia Spirit	....	....	....	....	....	....	....	....	0.1	ml
Liquorice Liquid Extract	....	....	....	....	....	....	....	....	0.2	ml
Concentrated Chloroform Water	....	....	....	....	....	....	....	....	0.1	ml
Purified Water to	....	....	....	....	....	....	....	....	5	ml

**SODIUM CITRATE**

Sodium Citrate	....	....	....	....	....	....	....	....	1	G
Citric Acid	....	....	....	....	....	....	....	....	200	mg
Lemon Syrup, APF	....	....	....	....	....	....	....	....	1	ml
Concentrated Chloroform Water	....	....	....	....	....	....	....	....	0.1	ml
Purified Water to	....	....	....	....	....	....	....	....	5	ml

# **PROPRIETARY INDEX**

**PART 1 PROPRIETARY NAMES INDEX**

**PART 2 TRADE NAMES INDEX**

---

## **ABBREVIATIONS**

**(H) Preparations restricted to use in approved hospitals only**

**(C & I) Preparations restricted to colostomy and ileostomy use only**

**DECEMBER 1972**

Proprietary Name	Manufacturer	Approved Name
A.B.	KL	Theophylline
Abbecillin	AB	Penicillin products
Abbecillin G	AB	Penicillin Benzyl
Abbecillin-V	AB	Penicillin Phenoxymethyl
Abbecillin-VK	AB	Penicillin Phenoxymethyl
Acetest	AM	Sodium Nitroprusside
Acetopt	SI	Sulphacetamide Sodium
Achromycin	LE	Tetracycline
Achromycin-V	LE	Tetracycline (Buffered)
Achrostatin	LE	Tetracycline with Nystatin
Acode	KL	Codeine Phosphate with Aspirin
Actal	WL	Aluminium Hydroxide Gel Dried
Actal Complex	WL	Aluminium Hydroxide-Magnesium Carbonate Co-Dried Gel
Actidil	BW	Triprolidine
Actrapid	AH	Insulin Neutral
Adaben	KL	Benzocaine with Adrenaline
Adacillin	AV	Penicillin Phenoxymethyl
Adacor	AV	Hydrocortisone
Adaphol	AV	Pholcodine
Adasone	AV	Prednisone
Adnisolone	AV	Prednisolone
Adroyd	PD	Oxymetholone
Aerocortin	BW	Polymyxin B Sulphate with Neomycin and Hydrocortisone
Aeroplast	PD	Acrylic Resin (C & I)
Aerosporin	BW	Polymyxin B Sulphate
Agarol	WW	Paraffin Liquid
Akineton	KN	Biperiden
Albumaid XP	MN	Protein Hydrolysate Formula without Phenylalanine
Aldactone	SR	Spiroolactone
Aldomet	MK	Methyldopa
Alergicap	PT	Diphenhydramine
Alkabarb	SI	Belladonna with Phenobarbitone
Alkabarb Forte	SI	Belladonna with Phenobarbitone
Alkeran	BW	Melphalan
Alkolac	GL	Aluminium Hydroxide Gel with Magnesium Hydroxide
Alkolac Suspension	GL	Aluminium Hydroxide-Magnesium Carbonate Co-Dried Gel
Alkolac Tablet	GL	Aluminium Hydroxide-Magnesium Carbonate Co-Dried Gel
Allegron	DL	Nortriptyline
Allercur	SC	Clemizole
Allergex	PT	Chlorpheniramine
Allerzine	VR	Diphenylpyraline
Almacarb	AH	Aluminium Hydroxide Gel with Magnesium Hydroxide
Almacarb Suspension	AH	Aluminium Hydroxide-Magnesium Carbonate Co-Dried Gel
Almacarb Tablet	AH	Aluminium Hydroxide-Magnesium Carbonate Co-Dried Gel
Alox Mixture	KL	Aluminium Hydroxide Gel
Alox Tablet	KL	Aluminium Hydroxide Gel Dried

Proprietary Name	Manu- fac- turer	Approved Name
Alox Compound	KL	Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide
Aludrox	WY	Aluminium Hydroxide Gel with Magnesium Hydroxide
Alupent	BY	Orciprenaline
Alusorb	DH	Aluminium Hydroxide Gel
Amal	KL	Amylobarbitone
Amal Sodium	KL	Amylobarbitone Sodium
Amesec	LY	Aminophylline with Ephedrine Hydrochloride and Amylobarbitone
Amigen with Levugen	TV	Casein Hydrolysate with Laevulose and Alcohol
Aminofusin	PC	Amino Acids with Sorbitol and Alcohol
Aminofusin 600	PC	Amino Acids with Sorbitol
Aminofusin Forte	PC	Amino Acids with Sorbitol
Aminofusin Standard	PC	Amino Acids with Sorbitol
Aminogran	GL	Amino Acid Formula without Phenylalanine
Aminopt	SI	Aminacrine Hydrochloride
Amnosed	BW	Cyclobarbitone
Amphojel	WY	Aluminium Hydroxide Gel
Amphotabs	WY	Aluminium Hydroxide Gel Dried
Amsal	AV	Amylobarbitone Sodium
Amylbarb	PT	Amylobarbitone
Amylbarb Sodium	PT	Amylobarbitone Sodium
Amylobeta	BB	Amylobarbitone Sodium
Amylosol	LF	Amylobarbitone Sodium
Amytal	LY	Amylobarbitone
Amytal Sodium	LY	Amylobarbitone Sodium
Anabolex	MN	Stanolone
Anadur	SI	Nandrolone Hexanoylphenylpropionate
Anagal	KL	Bismuth Subgallate
Anapolon	SD	Oxymetholone
Anatensol	SQ	Fluphenazine
Anatensol Enanthate	SQ	Fluphenazine Enanthate
Ancolan	AIH	Meclozine
Ancosal	AV	Sodium Salicylate
Androphyllin	ET	Aminophylline
Angesil	DH	Codeine Phosphate with Aspirin and Paracetamol
Anginine Stabilised	BW	Glyceryl Trinitrate
Anoidal	HA	Benzalkonium Chloride
Ansolysen	MB	Pentolinium Tartrate
Antegan	FR	Cyproheptadine
Antiderm	HY	Pyridoxine Hydrochloride
Anti-Hist	PT	Diphenylpyraline
Anti-Spas	PT	Benzhexol
Antistine Privine	CB	Antazoline with Naphazoline
Antrenyl	CB	Oxyphenonium Bromide
Antrenyl Duplex	CB	Oxyphenonium Bromide

Proprietary Name	Manu- fac- turer	Approved Name
Anturan	GE	Sulphinpyrazone
Anusol	WW	Bismuth Subgallate
Aprinox	BT	Bendrofluazide
Aprinox-M	BT	Bendrofluazide
Aptin	AP	Alprenolol
Aquacaine G	CS	Penicillin Procaine
Aquacaine G Fortified	CS	Penicillin Procaine Fortified
Aquacillin	FA	Penicillin Procaine
Aquamephyton	MK	Phytomenadione
Aquamox	LE	Quinethazone
Aralen	WL	Chloroquine
Aramine	MK	Metaraminol
Arfonad	RO	Trimetaphan
Artane	LE	Benzhexol
Artosin	BO	Tolbutamide
Ascabiol	MB	Benzyl Benzoate
Ascorb "25"	PT	Ascorbic Acid
Ascorb "50"	PT	Ascorbic Acid
Ascotin	FA	Codeine Phosphate with Aspirin
Asmin	KL	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Asopax	NS	Aluminium Acetylsalicylate
Aspalgin	FM	Codeine Phosphate with Aspirin
Aspisol	KL	Aspirin (Soluble)
Astrafer	AP	Dextriferron
A.T.10	WL	Dihydrotachysterol
Atromid-S	IC	Clofibrate
Atropt	SI	Atropine Sulphate
Atroptol	SI	Atropine
Aureomycin	LE	Chlortetracycline
Austramycin	CS	Tetracycline
Austramycin V	CS	Tetracycline (Buffered)
Austrapen	CS	Ampicillin
Austrapen Forte	CS	Ampicillin
Austrastaph	CS	Cloxacillin
Austrawolf	CS	Rauwolfia Serpentina
Aventyl	LY	Nortriptyline
Avil	HP	Pheniramine
Avil Retard	HP	Pheniramine
Avilettes	HP	Pheniramine
Avloclor	IC	Chloroquine
Avlosulfon	IC	Dapsone
Avomine	MB	Promethazine Theoclate
B		
Bactrim	RO	Trimethoprim with Sulphamethoxazole
Bakramil	BK	Phenobarbitone
B.A.L.	BT	Dimercaprol
Banish	DY	Deodorant Concentrate (C & I)
Baqual	KL	Quinalbarbitone Sodium

Proprietary Name	Manu- fac- turer	Approved Name
Barbico	AB	Barbitone with Pentobarbitone and Phenobarbitone
Barbidein	DH	Paracetamol with Codeine Phosphate and Sodium Pentobarbitone
Barbopent	BW	Pentobarbitone Sodium
Bayrena	BN	Sulphamethoxydiazine
B.A.Z.	KL	Zinc and Adrenaline
Bellabarb	TR	Belladonna with Phenobarbitone
Bellabarb Forte	TR	Belladonna with Phenobarbitone
Bellatran	PT	Belladonna with Phenobarbitone
Bellatran Forte	PT	Belladonna with Phenobarbitone
Benadryl	PD	Diphenhydramine
Benemid	MK	Probenecid
Benol 1000	KL	Cyanocobalamin
Benol Forte	KL	Cyanocobalamin
Betacard	BR	Alprenolol
Betamin	KL	Thiamine Hydrochloride
Betamin Forte	KL	Thiamine Hydrochloride
Beta Sol	FM	Thiamine Hydrochloride
Betnelan	GL	Betamethasone
Betnovate 1/2	GL	Betamethasone Valerate
Betnovate Otic	GL	Betamethasone with Clioquinol
Bicillin	WY	Penicillin Benzathine
Bicillin All Purpose	WY	Penicillin Benzathine Compound
Bidramine	AV	Diphenhydramine
Binesia	FA	Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide
Biogastrone	BQ	Carbenoxolone Sodium
Biomydrin	WW	Neomycin with Gramicidin, Thonzonium Bromide, Thonzylamine and Hydrocortisone Acetate
Bi-prin	BT	Aspirin
Bi-Quinate	KL	Quinine Bisulphate
Bleph 10	AG	Sulphacetamide Sodium
Bonadorm	AH	Dichloralphenazone
Bramahist	BB	Chlorpheniramine
Bramcillin	BB	Penicillin Phenoxymethyl
Bramcycline	BB	Oxytetracycline
Brinaldix	SZ	Cloпамide
Brislox	BC	Aluminium Hydroxide Gel with Magnesium Hydroxide
Bristacin-A	BC	Rolitetracycline
Brista-K	BC	Potassium
Bristaline	BC	Methdilazine
Bristasma	BC	Theophylline with Guaiphenesin
Bristuric	BC	Bendrofluazide
Brondecon	WW	Choline Theophyllinate with Guaiphenesin
Bronkephrine	WL	Ethylnoradrenaline
Bufferin	BC	Aspirin (Buffered)

Proprietary Name	Manu- fac- turer	Approved Name
Burco	BW	Codeine Phosphate with Aspirin and Paracetamol
Burcosol	BW	Codeine Phosphate with Aspirin and Paracetamol
Buscopan	BY	Hyoscine Butylbromide
Butacal	LF	Phenylbutazone
Butalan	LP	Phenylbutazone
Butalgin	FM	Phenylbutazone
Butaphen	PR	Phenylbutazone
Butarex	AV	Phenylbutazone
Butazolidin	GE	Phenylbutazone
Butazone	PT	Phenylbutazone
Butisol Sodium	ET	Secbutobarbitone
Butoroid	VR	Phenylbutazone
Butoz	HA	Phenylbutazone
Buzon	KL	Phenylbutazone
C		
Cafergot	SZ	Ergotamine Tartrate with Caffeine
Cafergot PB	SZ	Ergotamine Tartrate with Caffeine
Cafergot Q	SZ	Ergotamine Tartrate with Caffeine
Calcipas	KL	Calcium Aminosalicylate
Calcium Disodium Versenate	RK	Sodium Calciumedetate
Calcium Sandoz	SZ	Calcium
Calcium Sandoz	SZ	Calcium Gluconate
Caloreen	MN	Dextrose Polymer
Camoquin	PD	Amodiaquine
Cantil	SI	Mepenzolate
Caprocin	LY	Capreomycin
Carbapen	CS	Carbenicillin
Carbazole	PT	Carbimazole
Cardilate	BW	Erythrityl Tetranitrate
Cardiox	AV	Digoxin
Cardophyllin	HA	Aminophylline
Cardoquin	AV	Quinidine Sulphate
Cardrase	UP	Ethoxzolamide
Carine	KL	Aminophylline
Carobel	MN	Ceratonia
Catapres	BY	Clonidine (H)
Cedilanid	SZ	Deslanoside
Cedilanid	SZ	Lanatoside-C
Ceetamol	PT	Paracetamol
Cefrocyn	FR	Neomycin Sulphate Mixture
Celbenin	BR	Methicillin
Celestone	SH	Betamethasone
Celestone	SH	Betamethasone
Chronodose		
Celestone-V	SH	Betamethasone Valerate
Half Strength		
Celontin	PD	Methsuximide

Proprietary Name	Manu- fac- turer	Approved Name
Ceporan	GL	Cephaloridine
Ceporex	GL	Cephalexin
Cetamin	KL	Ascorbic Acid
Char-Bon	LF	Charcoal (C & I)
Chlomin	KL	Chloramphenicol
Chloplex	KL	Chloramphenicol with Polymyxin B
Chloradorm	KL	Chloral Hydrate
Chloralix	RK	Chloral Hydrate
Chloramin	LF	Chlorpheniramine
Chloramol	PT	Chloramphenicol
Chlorhydrate	PT	Chloral Hydrate
Chloromycetin	PD	Chloramphenicol
Chloromycetin Palmitate	PD	Chloramphenicol
Chloromycetin Succinate	PD	Chloramphenicol
Chloromyxin	PD	Chloramphenicol with Polymyxin B
Chloroptic	AG	Chloramphenicol
Chlorquin	PT	Chloroquine
Chlortet	LF	Chlortetracycline
Chlor Trimeton	SH	Chlorpheniramine
Chlorvescent	PT	Potassium Chloride
Choledyl	WW	Choline Theophyllinate
Chlotride	MK	Chlorothiazide
Ciba 1906	CB	Thiambutosine
Cicatratin-H	CA	Polymyxin B Sulphate with Neomycin and Hydrocortisone
Cidomycin	RL	Gentamicin Sulphate (H)
Cilicaine	SI	Penicillin Products
Cilicaine Fort	SI	Penicillin Procaine Fortified
Cilicaine V	SI	Penicillin Products
Cilicaine VK	SI	Penicillin Products
Cillaphen	PR	Penicillin Phenoxymethyl
Citradex	GL	Vitamins Compound
Citralka	PD	Sodium Acid Citrate
Citralyte	MJ	Sodium Citro-Tartrate
Citrapen	DL	Penicillin Phenoxymethyl
Citravescent	PT	Sodium Citro-Tartrate
Clinistix	AM	Glucose Indicator
Clinitest	AM	Copper Sulphate
Clistin	ET	Carbinoxamine
Clistin R-A	ET	Carbinoxamine
Closina	LY	Cycloserine
Co-Com	VR	Codeine Phosphate with Aspirin and Paracetamol
Codacet	BW	Codeine Phosphate with Aspirin
Codaspren	SI	Codeine Phosphate with Aspirin and Paracetamol
Code Co.	HA	Codeine Phosphate with Aspirin and Paracetamol
Codelcortone T.B.A.	MK	Prednisolone Tertiary Butyl Acetate

Proprietary Name	Manu- fac- turer	Approved Name
Codelsol	MK	Prednisolone Sodium Phosphate
Codiphen	GP	Codeine Phosphate with Aspirin, Paracetamol and Caffeine
Codiphen Forte	GP	Codeine Phosphate with Aspirin, Paracetamol and Caffeine
Codral Forte	BW	Codeine Phosphate with Aspirin, Paracetamol and Caffeine
Codsol	KL	Codeine Phosphate with Aspirin and Paracetamol
Cogentin	MK	Benztropine
Colascor	DH	Ascorbic Acid
Colcin	KL	Colchicine
Colgout	PT	Colchicine
Colliron	AH	Ferric Hydroxide
Coloxyl 50	FM	Diethyl Sodium Sulphosuccinate
Coloxyl 120	FM	Diethyl Sodium Sulphosuccinate
Coloxyl with Danthron	FM	Diethyl Sodium Sulphosuccinate with Danthron
Coluric	AV	Colchicine
Coly-Mycin Injection	WW	Colistin
Coly-Mycin Ear Drops	WW	Colistin with Neomycin
Combantrin	GP	Pyrantel Embonate
Compenase	CS	Penicillinase
Comycin	UP	Tetracycline with Nystatin
Concordin	MK	Protriptyline
Cortate	PT	Cortisone Acetate
Cort-Dome	DO	Hydrocortisone
Cortef	UP	Hydrocortisone
Cortisyl	RL	Cortisone Acetate
Cortone	MK	Cortisone Acetate
Cortril	PF	Hydrocortisone
Cortrosyn Depot	OR	Tetracosactrin
Cotazym	OR	Pancrelipase
Cotin	KL	Ergotamine Tartrate with Caffeine
Coumadin	EN	Warfarin
Cremomycin	MK	Neomycin Sulphate Mixture
Crystapen	GL	Penicillin Benzyl
Cuprimine	MK	Penicillamine
C.V.K.	GL	Penicillin Phenoxymethyl
C.V.L.	GL	Penicillin Phenoxymethyl
Cybal	KL	Cyclobarbitone
Cymogran	GL	Phenylalanine Low Content Formula
Cytamen 100	GL	Cyanocobalamin
Cytamen 1000	GL	Cyanocobalamin
		D
Dalacin C	UP	Clindamycin
Dale	CE	Goats' Milk
Daonil	HP	Glibenclamide

Proprietary Name	Manufacturer	Approved Name
Daranide	MK	Dichlorphenamide
Daraprim	BW	Pyrimethamine
Daricon	PF	Oxyphenyclimine
Dartalan	SR	Thiopropazate
Debendox	ML	Dicyclomine with Doxylamine and Pyridoxine
Decadron	MK	Dexamethasone
Deca-Durabolin	OR	Nandrolone Decanoate
Decasone	FR	Dexamethasone
Declinax	RO	Debrisoquine
Decortisyl	RL	Prednisone
Delta-Cortef	UP	Prednisolone
Deltacortril	PF	Prednisolone
Deltasolone	KL	Prednisolone
Deltasone	KL	Prednisone
Depo-Medrol	UP	Methylprednisolone Acetate
Depo-Provera	UP	Medroxyprogesterone
Dermabase S	HA	Dimethicone
Dermacort	PD	Hydrocortisone
Dermafilm	PD	Dimethicone
Dermaline	HY	Dithranol
Deseril	SZ	Methysergide
Desferal	CB	Desferrioxamine
Dexacillin	SQ	Epicillin
Dex-Cit	DH	Sodium Citro-Tartrate
Dexamethsone	PT	Dexamethasone
Dextrostix	AM	Glucose Indicator
Diabex S.R.	DF	Metformin
Diabinese	PF	Chlorpropamide
Diabinese M	PF	Chlorpropamide
Di-Ademil	SQ	Hydroflumethiazide
Diamox	LE	Acetazolamide
Dianabol	CB	Methandienone
Dianeal	TV	Peritoneal Dialysis Solution
Diasol	AB	Peritoneal Dialysis Solution
Diastatin	GP	Nystatin
Diastix	AM	Glucose Indicator
Diazyl	AB	Sulphadiazine
Dichlotride	MK	Hydrochlorothiazide
Diclomyl	KL	Dicyclomine Hydrochloride
Dicycol	OD	Dicyclomine Hydrochloride
Digolan	KL	Digoxin
Dihydergot	SZ	Dihydroergotamine
Dijene Suspension	BT	Aluminium Hydroxide Gel with Magnesium Hydroxide
Dijene Tablet	BT	Aluminium Hydroxide-Magnesium Carbonate Co-Dried Gel
Dilantin	PD	Phenytoin
Dilantin Sodium	PD	Phenytoin Sodium
Dilaudid	KN	Hydromorphone
Dilosyn	AH	Methdilazine
Dimelor	LY	Acetohexamide
Dimetane	RS	Brompheniramine

Proprietary Name	Manufacturer	Approved Name
Dindevan	AH	Phenindione
Di-Paralene	AB	Chlorcyclizine
Direxiode	DF	Di-iodohydroxyquinoline
Disipal	RK	Orphenadrine Hydrochloride
Di-Sipidin	ST	Pituitary Posterior Lobe
Distaquaine VK	DL	Penicillin Products
Ditoin	KL	Phenytoin Sodium
Divermex	DF	Piperazine Adipate
Doburil	BY	Cyclothiazide
Doca	OR	Deoxycortone
Donnabarbitol	FM	Belladonna with Phenobarbitone
Donnabarbitol Forte	FM	Belladonna with Phenobarbitone
Donnatal	RS	Belladonna with Phenobarbitone
Donnatal-LA	RS	Belladonna with Phenobarbitone
Doriden	CB	Glutethimide
Doriden Forte	CB	Glutethimide
Doriden Sed	CB	Glutethimide
Dormel	DH	Chloral Hydrate
Dormir	LF	Methaqualone
D-Penamine	DL	Penicillamine
Droleptan	ET	Droperidol (H)
Dulcepen G	AB	Penicillin Benzathine
Duphalac	PI	Lactulose
Durabolin	OR	Nandrolone Phenylpropionate
Duronitrin	ET	Trolnitrate Phosphate
Duro-Tuss	RK	Pholcodine
Duspatalin	PI	Mebeverine Hydrochloride
Dymadon	CA	Paracetamol
Dytac	SK	Triamterene
		E
E.D.C.	NS	Ethylidene Dicoumarin
Edecril	MK	Ethacrynic Acid
Edrol	VR	Ethinylloestradiol
Efal	KL	Aminophylline with Ephedrine Hydrochloride and Amylobarbitone
Efcortelan	GL	Hydrocortisone
Efcortelan	GL	Hydrocortisone Sodium Succinate
Ekaprol	DF	Aminocaproic Acid (H)
Elavil	FR	Amitriptyline
Elixophyllin	FA	Theophylline
Elixophyllin-KI	FA	Theophylline with Potassium Iodide
Elliott's Clinic Emulsion	DH	Cod Liver Oil
Elmidone	KL	Primidone
EMU-V	UP	Erythromycin
E-Mycin	PT	Erythromycin
Endoxan-Asta	MJ	Cyclophosphamide
Enduron	AB	Methyclothiazide
Enduron M	AB	Methyclothiazide

Proprietary Name	Manu- fac- turer	Approved Name
Ensalate	RC	Sodium Salicylate
Entacyl	AH	Piperazine Adipate
Entair	AH	Theophylline with Guaiphenesin
Entamycin	VR	Neomycin Sulphate Mixture
Enterfram	FC	Framycetin
Enterocid	NS	Phthalylsulphacetamide
Ephedrobarbital	FM	Ephedrine Hydrochloride with Phenobarbitone
Ephedrobarbital Forte	FM	Ephedrine Hydrochloride with Phenobarbitone
Ephedrobarbital Mitis	FM	Ephedrine Hydrochloride with Phenobarbitone
Ephedrobarbital-1-T	FM	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Epifrin	AG	Adrenaline
Eppy	ET	Adrenaline
Eraldin	IC	Practolol
Eratrex	BC	Erythromycin
Ergalan	AH	Ergotamine Tartrate with Caffeine and Meclozine Hydrochloride
Ergodryl	PD	Ergotamine Tartrate with Caffeine Citrate and Diphenhydramine Hydrochloride
Ergomine	PT	Ergometrine Maleate
Ergotrate	LY	Ergometrine Maleate
Ermalate	BW	Ergometrine Maleate
Eromycin	DL	Erythromycin
Erostin	KL	Erythromycin
Ertonyl	SH	Ethinylloestradiol
Erythrocin	AB	Erythromycin
Esbatal	BW	Bethanidine
Esidrex	CB	Hydrochlorothiazide
Estigny	AH	Ethinylloestradiol
Estradurin	AY	Polyoestradiol
Etaphylline	DF	Acepifylline
Ethamolin	GL	Ethanolamine Oleate
Ethidyne	EL	Codeine Phosphate with Aspirin
Ethryn	FA	Erythromycin
Etin	KL	Ergotamine Tartrate
Eucerin	AH	Wool Alcohols
Eudorm	VR	Chloral Hydrate
Euglucon	FM	Glibenclamide
Eunydryn	WL	Atropine Methonitrate
Evactil	FA	Paraffin Liquid
		F
Fabadorm	BN	Cyclobarbitone
Fabahistin	BN	Mebhydrolin
Fabahistin TR	BN	Mebhydrolin
Falcopen V	FA	Penicillin Phenoxymethyl
Falcopen VK	FA	Penicillin Phenoxymethyl
Famet	CA	Sulphamethizole
Fefol 2	SK	Ferrous Sulphate Dried with Folic Acid

Proprietary Name	Manufacturer	Approved Name
Fenostil	CB	Dimethindene
Fenostil Retard	CB	Dimethindene
Fergon	WL	Ferrous Gluconate
Feritard	PT	Ferrous Sulphate Dried
Feritard Folic	PT	Ferrous Sulphate Dried with Folic Acid
Ferro-Chel	CO	Ferrous Aminoacetosulphate
Ferro G	HA	Ferrous Gluconate
Ferro-Gradumet	AB	Ferrous Sulphate Dried
Ferromyn	CA	Ferrous Succinate
Ferrum H	SI	Iron Polymaltose Complex
Fespan	SK	Ferrous Sulphate Dried
F.G.F.	AB	Ferrous Sulphate Dried with Folic Acid
Fibroxin	VR	Digoxin
Flagyl	MB	Metronidazole
Flavopen	GP	Penicillin Phenoxymethyl
Flebocortid	RM	Hydrocortisone Sodium Succinate
Floraquin	SR	Di-iodohydroxyquinoline
Florinef	SQ	Fludrocortisone Acetate
Folasic	AV	Folic Acid
Folettes	FM	Folic Acid
Fonurit	BZ	Acetazolamide
Fortral	WL	Pentazocine
Fortuss	GP	Dihydrocodeine Tartrate
Framygen	FC	Framycetin
Franol	WL	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Fucidin	ET	Fusidic Acid
Fulcin 125	IC	Griseofulvin
Fulcin 500	IC	Griseofulvin
Fumiron	KL	Ferrous Fumarate
Fungilin	SQ	Amphotericin B
Fungizone	SQ	Amphotericin B
Furadantin	SK	Nitrofurantoin
Furamide	BT	Diloxanide Furoate
G		
Galactomin	MN	Milk Powder - Synthetic
Formula 17		
Galactomin	MN	Milk Powder - Synthetic
Formula 19		
Gantanol	RO	Sulphamethoxazole
Gantrisin	RO	Sulphafurazole
Garamycin	SH	Gentamicin Sulphate (H)
Gastro-Caloreen	MN	Dextrose Polymer
Gastrogel	FM	Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide
Gastroid	BB	Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide
Gastromycin	DH	Neomycin Sulphate Mixture
Gaviscon Infant	RC	Alginate Acid Compound
Gelox	PR	Aluminium Hydroxide Gel

Proprietary Name	Manu- fac- turer	Approved Name
Gelusil	WW	Aluminium Hydroxide Gel with Magnesium Trisilicate
Gerovit	FA	Vitamins Compound
Glaucomide	PT	Acetazolamide
Glaucon	AQ	Adrenaline
Glucohaem	VR	Ferrous Gluconate
Glucophage	RN	Metformin
Glucophylline	AB	Aminophylline
Gludorm	KL	Glutethimide
Gludorm Forte	KL	Glutethimide
Gondafon	SC	Glymidine
Grisovin	GL	Griseofulvin
Grisovin 500	GL	Griseofulvin
Gynergen	SZ	Ergotamine Tartrate
H		
Haelan	DL	Flurandrenolone Acetonide
Haemaccel	HP	Plasma Substitute (H)
Haemofort	MJ	Ferrous Sulphate
Haemofort	MJ	Ferrous Sulphate Dried
Halotestin	UP	Fluoxymesterone
Hemorex	WL	Phenylephrine
Herplex	AG	Idoxuridine
Hexaplex	PR	Vitamins Compound
Hexavibex	PD	Pyridoxine Hydrochloride
Hibitane Concentrate	IC	Chlorhexidine
Hiprex	RK	Hexamine Hippurate
Histaids	OD	Chlorpheniramine
Histalert	RK	Diphenylpyraline
Histalert S.R.	RK	Diphenylpyraline
Histex	SI	Carbinoxamine
Histryl	SK	Diphenylpyraline
Honvan	MJ	Stilboestrol Diphosphate
Hostacycline	HP	Tetracycline
Hostacycline P	HP	Tetracycline (Buffered)
Hyalase	FC	Hyaluronidase
Hycodin	FA	Codeine Phosphate with Aspirin
Hycor	SI	Hydrocortisone
Hydergine	SZ	Dihydroergotoxine Mesylate
Hydracycline	FM	Tetracycline (Buffered)
Hydrea	SQ	Hydroxyurea (H)
Hydrenox	BT	Hydroflumethiazide
Hydrocort	BT	Hydrocortisone Acetate
Hydrocortisyl	RL	Hydrocortisone Acetate
Hydrocortone	MK	Hydrocortisone Acetate
Hydrosone	KL	Hydrocortisone
Hygroton	GE	Chlorthalidone
Hygroton 50	GE	Chlorthalidone
Hynax	VR	Hydrocortisone
Hyperstat I.V.	SH	Diazoxide (H)

Proprietary Name	Manufacturer	Approved Name
Hypertensin	CB	Angiotensin Amide
Hysone	PT	Hydrocortisone
Hysone-A	PT	Hydrocortisone Acetate
		I
Ilosone	LY	Erythromycin
Ilotycin	LY	Erythromycin
Imferon	FC	Iron Dextran
Imferon-D	FC	Iron Dextran
Imiprin	PT	Imipramine
Imuran	BW	Azathioprine
Inapasade	SN	Sodium Aminosalicylate with Isoniazid
Inderal	IC	Propranolol
Indocid	MK	Indomethacin
Insoral	WW	Phenformin
Insoral TD	WW	Phenformin
Intal Spincaps	FC	Sodium Cromoglycate
Invite-B	AV	Thiamine Hydrochloride
Intracort	BT	Hydrocortisone Sodium Succinate
Iramil	KL	Imipramine
Ironate	KL	Ferrous Gluconate
Ismelin	CB	Guanethidine
Iso-Autohaler	RK	Isoprenaline Sulphate
Isolin	PT	Isoprenaline Sulphate
Isozil	RD	Soya Formula
Isopto Carpine	AQ	Pilocarpine Hydrochloride
Isopto Cetamide	AQ	Sulphacetamide Sodium
Isopto Epinal	AQ	Adrenaline
Isopto Frin	AQ	Phenylephrine
Isopto Tears	AQ	Hypromellose
Isordil	AY	Sorbide Nitrate
Isotiny1	KL	Isoniazid
Isuprel	WL	Isoprenaline Hydrochloride
		J
Jectofer	AP	Iron Sorbitol
		K
Kabikinase	FA	Streptokinase (H)
Kalicin	KL	Neomycin Sulphate Mixture
Kalicin	KL	Neomycin with Kaolin
Kanasig	SI	Kanamycin
Kantrex	BC	Kanamycin
Kaogel	FA	Aluminium Hydroxide Gel with Kaolin
Kaomagma	WY	Aluminium Hydroxide Gel with Kaolin
Kaomycin	UP	Neomycin Sulphate Mixture
Kaopectate	UP	Kaolin with Pectin
Karagum	PT	Sterculia (C & I)
Keflex	LY	Cephalexin

Proprietary Name	Manu- fac- turer	Approved Name
Keflin	LY	Cephalothin Sodium
Keforal	DL	Cephalexin
Kemadrin	BW	Procyclidine
Kemicetine	EC	Chloramphenicol
Kenacomb Otic	SQ	Triamcinolone Acetonide with Neomycin Sulphate, Gramicidin and Nystatin
Kenacort-A10	SQ	Triamcinolone Acetonide
Kenalone	SQ	Triamcinolone Acetonide
Keto-Diastix	AM	Glucose and Ketone Indicator
Ketovite	ST	Vitamin Supplement
Kinidin	AP	Quinidine Bisulphate
Kirocid	SC	Sulphamethoxydiazine
Klortee	PT	Chloramine (C & I)
K-Lyte	MJ	Potassium
Kolpon	OR	Oestrone
Komin	SI	Neomycin Sulphate Mixture
Konaktion	RO	Phytomenadione
K-san	PR	Potassium Chloride
		L
Lacril	AG	Hypromellose
Laevosan	CA	Laevulose
Lanchloral	LP	Chloral Hydrate
Lanimerck	MQ	Lanatoside-C
Lanoside	PT	Lanatoside-C
Lanoxin	BW	Digoxin
Lanoxin-PG	BW	Digoxin
Lanpen	LP	Penicillin Phenoxymethyl
Lantuss	LP	Pholcodine
Largactil	NB	Chlorpromazine
Larodopa	RO	Levodopa
Laroxyl	RO	Amitriptyline
Lasix	HP	Frusemide
Lederkyn	LE	Sulphamethoxypyridazine
Ledermycin	LE	Demethylchlortetracycline
Lederstatin	LE	Demethylchlortetracycline with Nystatin
Lethidrone	BW	Nalorphine
Leukeran	BW	Chlorambucil
Levopa	PT	Levodopa
Levophed	WL	Noradrenaline
Levugen	TV	Laevulose
Lignosporin	BW	Polymyxin B Sulphate with Lignocaine
Lincocin	UP	Lincomycin
Lincocin 55	UP	Lincomycin
Lingraine	WL	Ergotamine Tartrate
Liquidoplast	PT	Acrylic Resin (C & I)
Liquifilm Tears	AG	Polyvinyl Alcohol
Lithicarb	PT	Lithium Carbonate
Locacorten	CB	Flumethasone Pivalate
Locacorten Vioform	CB	Flumethasone with Clioquinol

Proprietary Name	Manufacturer	Approved Name
Locasol	MN	Milk Powder - Synthetic
Lofenalac	MJ	Phenylalanine Low Content Formula
Lomodex	FC	Dextran 40
L.P.G.	CS	Penicillin Benzathine
L.P.V.	CS	Penicillin Phenoxymethyl
L.P.V. Aqueous Forte	CS	Penicillin Phenoxymethyl
Lubarol	DH	Paraffin Liquid
Luteocrin Depot	RM	Hydroxyprogesterone
Lycanol	BN	Glymidine
Lynoral	OR	Ethinylloestradiol
Lyophrin	AQ	Adrenaline
Lysivane	MB	Ethopropazine
		M
M & B 693	MB	Sulphapyridine
Maalox	SI	Magnesium-Aluminium Hydroxide
Macrodex	MR	Dextran 70
Madribon	RO	Sulphadimethoxine
Magnoplasm	FA	Magnesium Sulphate
Malaquin	DR	Chloroquine
Mandaze	HA	Methenamine Mandelate
Mandelamine	WW	Methenamine Mandelate
Mandelamine Hafgrams	WW	Methenamine Mandelate
Marevan	AH	Warfarin
MCT Oil	MJ	Triglycerides, Medium Chain
Medihaler-Epi	RK	Adrenaline Acid Tartrate
Medihaler-Iso	RK	Isoprenaline Sulphate
Medihaler-Iso Forte	RK	Isoprenaline Sulphate
Medrol	UP	Methylprednisolone
Medrol	UP	Methylprednisolone Acetate
Medrol Enpak	UP	Methylprednisolone Acetate
Megacillin	FA	Penicillin Procaine
Megapen	BT	Penicillin Procaine
Melipramine	UW	Imipramine
Melleril	SZ	Thioridazine
Melsedin	BT	Methaqualone
Mequelon	FR	Methaqualone
Merasyin	ML	Aluminium Hydroxide Gel with Magnesium Hydroxide
Merbentyl	ML	Dicyclomine Hydrochloride
Mesantoin	SZ	Methoin
Mestinon	RO	Pyridostigmine
Metem	CH	Aluminium Hydroxide Gel
Metestine	KL	Methyltestosterone
Methalone	AV	Methaqualone
Methased	PT	Methaqualone
Methendalate 250	PT	Methenamine Mandelate
Methendalate 500	PT	Methenamine Mandelate

Proprietary Name	Manu- fac- turer	Approved Name
Methergin	SZ	Methylergometrine
Methopt	SI	Hypromellose
Meth-Zine	PT	Promethazine
Metilar	SD	Paramethasone
Metin	CS	Methicillin
Metopirone	CB	Metyrapone (II)
Nevasine	MK	Mecamylamine
Meyenberg	JM	Goat's Milk
Midamor	MK	Amiloride
Midicel	PD	Sulphamethoxypyridazine
Midone	PT	Primidone
Migral	BW	Ergotamine Tartrate with Caffeine and Cyclizine Hydrochloride
Milagel	PR	Aluminium Hydroxide Gel with Magnesium Hydroxide
Millafol	PD	Folic Acid
Milontin	PD	Phensuximide
Minajel	MG	Aluminium Hydroxide Gel
Minomycin	LE	Minocycline
Mintezol	MK	Thiabendazole
Miocarpine	IR	Pilocarpine Hydrochloride
Miochol	IR	Acetylcholine Chloride
Modecate	SQ	Fluphenazine Decanoate
Mogadon	RO	Nitrazepam
Monodral	WL	Penthienate
Mortha	WH	Morphine with Tacrine
Mucaine	WY	Aluminium Hydroxide Gel with Magnesium Hydroxide and Oxethazaine
Mucomyst	MJ	Acetylcysteine
Multicin H	KL	Polymyxin B Sulphate with Neomycin and Hydrocortisone
Multivite Six	AH	Vitamins Compound
Mycardol	WL	Pentaerythritol Tetranitrate
Mycitracin	UP	Polymyxin B Sulphate with Bacitracin and Neomycin
Mycostatin	SQ	Nystatin
Mylanta	PD	Aluminium Hydroxide Gel with Magnesium Hydroxide
Myleran	BW	Busulphan
Mylosed	VR	Amylobarbitone
Mylosed	VR	Amylobarbitone Sodium
Myocrisin	MB	Sodium Aurothiomalate
Mysoline	IC	Primidone
Mysteclin	SQ	Tetracycline with Nystatin
Mysteclin-V	SQ	Tetracycline with Nystatin
Mysteclin-V Improved	SQ	Tetracycline (Buffered) with Amphotericin B
Mytelase	WL	Ambenonium Chloride

Proprietary Name	Manu- fac- turer	Approved Name
N		
Natigoxin	NA	Digoxin
Natulan	RO	Procarbazine
Navidrex	CB	Cyclopenthiazine
N.B.P.	DH	Polymyxin B Sulphate with Bacitracin and Neomycin
Nefrolan	MB	Clorexolone
Negram	WL	Nalidixic Acid
Nembudeine	AB	Paracetamol with Codeine Phosphate and Sodium Pentobarbitone
Nembutal	AB	Pentobarbitone Sodium
Nemdyn	IAA	Neomycin Undecenoate with Bacitracin Zinc
Neo-Benol	KL	Hydroxocobalamin
Neobram	BB	Neomycin Sulphate Mixture
Neocidin	ET	Polymyxin B Sulphate with Neomycin and Gramicidin
Neocodsol	KL	Codeine Phosphate with Aspirin
Neo-Cortef	UP	Hydrocortisone with Neomycin Sulphate
Neo-Cytamen	GL	Hydroxocobalamin
Neo-Epinine	BW	Isoprenaline Sulphate
Neo-Flumen	GA	Hydrochlorothiazide
Neogastrin	NS	Neomycin Sulphate Mixture
Neo-Hombreol	OR	Testosterone
Neohydrozone	KL	Hydrocortisone with Neomycin Sulphate
Neomate	LF	Neomycin
Neo-Mercazole	NS	Carbimazole
Neo-Naclex	GL	Bendrofluazide
Neo-Naclex-M	GL	Bendrofluazide
Neopt	SI	Neomycin
Neosporin	BW	Polymyxin B Sulphate with Bacitracin and Neomycin
Neosporin	BW	Polymyxin B Sulphate with Neomycin and Gramicidin
Neosulf	PT	Neomycin
Neo-Synephrine	WL	Phenylephrine
Neotracin	ET	Polymyxin B Sulphate with Bacitracin and Neomycin
Nestargel	NT	Ceratonia
Neulactil	MB	Pericyazine
Neur-Amyl	FM	Amylobarbitone
Neur-Amyl Sodium	FM	Amylobarbitone Sodium
Neutralon	SC	Aluminium Sodium Silicate
Neutrapen	RK	Penicillinase
Neutratabs	HA	Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide
Nilstat	LE	Nystatin
Nivaquine	MB	Chloroquine
Nobecutane	AH	Acrylic Resin (C & I)
Noctec	SQ	Chloral Hydrate
Nollipyrin	KL	Codeine Phosphate with Aspirin and Paracetamol

Proprietary Name	Manufacturer	Approved Name
Nordicort	NR	Hydrocortisone Sodium Succinate
Norflex	RK	Orphenadrine Citrate
Nortab	SQ	Nortriptyline
Noveril	SZ	Dibenzepin
Novosprin	VR	Aspirin (Soluble)
Nuso	BW	Insulin Neutral
Nutramigen Glucose	MJ	Nutramigen
		O
Oblioser	GA	Methaqualone
Octaflex	WB	Acrylic Resin (C & I)
Oestramine	KL	Oestradiol Benzoate
Omnopon	RO	Papaveretum
Omnopon- Scopolamine	RO	Papaveretum with Hyoscine Hydrobromide
Oncovin	LY	Vincristine
Opclor	PD	Chloramphenicol
Optipen	CS	Phenethicillin
Optipen Forte	CS	Phenethicillin
Optocort	PT	Prednisolone
Orabolin	OR	Ethyloestrenol
Oradexon	OR	Dexamethasone
Oratrol	AQ	Dichlorphenamide
Orbenin	BR	Cloxacillin
Orisul	CB	Sulphaphenazole
Oroxine	BW	Thyroxine Sodium
Orumvite	VR	Vitamins Compound
Osmitrol	TV	Mannitol
Ospolot	BN	Sulthiame
Ostelin High Potency	GL	Calciferol
Otopol	BW	Polymyxin B Sulphate
Oxycycline	PT	Oxytetracycline
Oxymycin	KL	Oxytetracycline
Oxymycin-V	KL	Oxytetracycline with Nystatin
		P
Pagitane	LY	Cycrimine Hydrochloride
Palaprin Forte	NS	Aloxiprin
Palfium	FA	Dextromoramide
Paludrine	IC	Proguanil
Pamine	UP	Hyoscine Methobromide
Panabarb	WL	Paracetamol with Codeine Phosphate and Sodium Pentobarbitone
Panacete	PR	Paracetamol
Panadol	WL	Paracetamol
Panafcort	PT	Prednisone
Panafcortelone	PT	Prednisolone
Panalamine	PT	Cyanocobalamin

Proprietary Name	Manufacturer	Approved Name
Panalgesic	WL	Codeine Phosphate with Aspirin and Paracetamol
Panalgesic Co.	WL	Codeine Phosphate with Aspirin, Paracetamol and Caffeine
Panasma	PT	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Pancrex "V"	ST	Pancreatin Concentrate
Panmycin KM	UP	Tetracycline (Buffered)
Panmycin M	UP	Tetracycline (Buffered)
Panmycin P	UP	Tetracycline
Pantheric	PD	Pancreatin Concentrate
Pantheline	PT	Propantheline Bromide
Pantheline Retard	PT	Propantheline Bromide
Panvit	PT	Vitamins Compound
Paracodin	KN	Dihydrocodeine Tartrate
Paracortol	PD	Prednisolone
Paradione	AB	Paramethadione
Paralgin	FM	Paracetamol
Paramul	MG	Paraffin Liquid
Parasin	AV	Paracetamol
Parmol	KL	Paracetamol
Parmol Junior	KL	Paracetamol
Pasalba	RY	Sodium Aminosalicylate
Pasan	KL	Sodium Aminosalicylate
Pathilon	LE	Tridihexethyl Chloride
Paxyl	FA	Benzalkonium Chloride
Pectolin	FA	Pholcodine
Peganone	AB	Ethotoin
Penbarb	LF	Pentobarbitone Sodium
Penbon	AV	Pentobarbitone Sodium
Penbritin	BR	Ampicillin
Penbritin Forte	BR	Ampicillin
Pen-Cilin V	LF	Penicillin Phenoxymethyl
Pencodine	KL	Pentobarbitone Sodium with Aspirin and Codeine Phosphate
Peni-Vee	DH	Penicillin Phenoxymethyl
Peni-Vee-K	DH	Penicillin Phenoxymethyl
Penritol	LF	Pentaerythritol Tetranitrate
Pensig	SI	Phenethicillin
Pensig 125	SI	Phenethicillin
Pensig 250	SI	Phenethicillin
Pensol	GL	Penicillin Benzyl
Pentalgin	FM	Paracetamol with Codeine Phosphate and Sodium Pentobarbitone
Pentathryn	KL	Pentaerythritol Tetranitrate
Pentobeta	BB	Pentobarbitone Sodium
Pentonal Co.	KL	Paracetamol with Codeine Phosphate and Sodium Pentobarbitone
Pentone	FA	Pentobarbitone Sodium
Perandren	CB	Methyltestosterone
Perazil	BW	Chlorcyclizine
Percorten	CB	Deoxycortone

Proprietary Name	Manufacturer	Approved Name
Periactin	NK	Cyproheptadine
Peritrate	WW	Pentaerythritol Tetranitrate
Perolysen	MB	Pempidine
Persantin	BY	Dipyridamole
Pertofran	GE	Desipramine
Petab	KL	Pentobarbitone Sodium
Pethilorfan	RO	Pethidine and Levallorphan
Pethoid	BW	Pethidine
Petisco	KL	Pethidine with Hyoscine
Petrolagar	WY	Paraffin Liquid
Petrolagar with Phenolphthalein	WY	Paraffin Liquid
Pfipen V	PF	Penicillin Phenoxymethyl
Phenadon	LF	Belladonna with Phenobarbitone
Phenadon F.	LF	Belladonna with Phenobarbitone
Phenaloin	MG	Phenolphthalein Compound
Phenergan	MB	Promethazine
Phentoin	PT	Phenytoin Sodium
Phiacort	PY	Hydrocortisone
Pholcolin	DH	Pholcodine
Pholcolin Red	DH	Pholcodine
Pholevan	AH	Pholcodine
Pholtrate	MG	Pholcodine
Pholtussin	KL	Pholcodine
Phospholine Iodide	AY	Ecothiopate Iodide
Phthazol	KL	Pnthalylsulphathiazole
Phyline	CO	Aminophylline with Ephedrine Hydrochloride and Amylobarbitone
Physeptone	BW	Methadone
Pilopt	SI	Pilocarpine Hydrochloride
Pimafucin	BP	Natamycin
Pimafucort Otic	BP	Natamycin, Neomycin Sulphate and Hydrocortisone
Piptal	SI	Pipenzolate
Piranex	KL	Chlorpheniramine
Piranex RA	KL	Chlorpheniramine
Piriton	GL	Chlorpheniramine
Piriton Spandets	GL	Chlorpheniramine
Pitocin	PD	Oxytocin
Piton	BP	Pituitary, Posterior Lobe
Pitressin	PD	Vasopressin
Pitressin Tannate	PD	Vasopressin Tannate
PK AID I	MN	Amino Acid Formula without Phenylalanine
PK AID II	MN	Amino Acid Formula without Phenylalanine
Placemol	VR	Paracetamol
Placidyl	AB	Ethchlorvynol
Placyl	HA	Cyclobarbitone
Plaquenil	WL	Hydroxychloroquine
Plegomazine	UW	Chlorpromazine
Plesmet	BP	Ferrous Aminoacetosulphate
Pluryl	ET	Bendrofluazide
Polaramine	SH	Dexchlorpheniramine
Polmix	KL	Polymyxin B Sulphate

Proprietary Name	Manufacturer	Approved Name
Polycral	NS	Aluminium Hydroxide-Magnesium Carbonate Co-Dried Gel
Polycral Gel	NS	Aluminium Hydroxide Gel with Magnesium Hydroxide
Polycycline	BC	Tetracycline
Potavescent	PT	Potassium
Pot-Instant	LF	Potassium
P.P.C.	PT	Paracetamol with Codeine Phosphate and Sodium Pentobarbitone
Praenitron	PF	Trolnitrate Phosphate
Praenitron Protracted	PF	Trolnitrate Phosphate
Precortisyl	RL	Prednisolone
Prednefrin Forte	AG	Prednisolone Acetate with Phenylephrine
Predsol	GL	Prednisolone Sodium Phosphate
Prefrin	AG	Phenylephrine
Prelone	LF	Prednisolone
Presone	LF	Prednisone
Primobolan	SC	Methenolone Acetate
Primogyn C	SC	Ethinylloestradiol
Primolut-N	SC	Norethisterone
Primoteston Depot	SC	Testosterone Enanthate
Pripsen	RC	Piperazine Phosphate
Pro-Banthine	SR	Propantheline Bromide
Pro-Banthine PA	SR	Propantheline Bromide
Proben	PT	Probenecid
Probexin	KL	Probenecid
Procalm	BB	Chlorpromazine
Procyclomin	PT	Dicyclomine Hydrochloride
Prodepress	BB	Imipramine
Prodigox	PT	Digoxin
Prodol	BB	Aspirin (Soluble)
Prodol Co.	BB	Codeine Phosphate with Aspirin
Progan	AV	Promethazine
Proladone	CK	Oxycodone
Proloid	WW	Thyroid
Proluton Depot	SC	Hydroxyprogesterone
Promacid	KL	Chlorpromazine
Prominal	WL	Methyl Phenobarbitone
Promitone	KL	Methyl Phenobarbitone
Pronestyl	SQ	Procainamide
Propen-VK	PT	Penicillin Phenoxymethyl
Propred	BB	Prednisone
Proquinal	PT	Quinalbarbitone Sodium
Prosobee	MJ	Soya Formula
Prostigmin	RO	Neostigmine
Prosul	LE	Sulphasymazine
Protasma	PT	Aminophylline with Ephedrine Hydrochloride and Amylobarbitone
Prothazine	KL	Promethazine
Protona	DF	Stanolone
Protran	PT	Chlorpromazine

Proprietary Name	Manu- fac- turer	Approved Name
Provera	UP	Medroxyprogesterone
Provoprin 500	DH	Aspirin (Soluble)
Pularin	AH	Heparin
Purinethol	BW	Mercaptopurine
Puromyn	CA	Trimethoprim with Sulphamethoxazole
P.V. Carpine	AG	Pilocarpine Hydrochloride
PVK	LY	Penicillin Phenoxymethyl
P.V.O.	FM	Penicillin Phenoxymethyl
Pydox	PT	Pyridoxine Hydrochloride
Pyopen	BR	Carbenicillin
Pyroxin	KL	Pyridoxine Hydrochloride
Q		
Quaalude	SI	Methaqualone
Quadracyclin	KL	Tetracycline
Quadracyclin V	KL	Tetracycline (Buffered)
Quadrastatin	KL	Tetracycline with Nystatin
Quatrax	VR	Tetracycline
Questran	MJ	Cholestyramine
Quibron	MJ	Theophylline with Guaiphenesin
Quibron-C	MJ	Theophylline with Guaiphenesin
Quinaltone	LF	Quinalbarbitone Sodium
Quinate	KL	Quinine Sulphate
Quinbar	AV	Quinalbarbitone Sodium
Quinbisan	PR	Quinine Bisulphate
Quinid	MW	Quinidine Sulphate
Quinidex	RS	Quinidine Sulphate
Quinidoxin	BW	Quinidine Sulphate
Quinsan	PR	Quinine Sulphate
Quintress-N	LY	Neomycin Sulphate Mixture
R		
Rapitard	AH	Insulin Biphasic
Rastinon	HP	Tolbutamide
Raudixin	SQ	Rauwolfia Serpentina
Rausan	PR	Rauwolfia Serpentina
Rauwiloid	RK	Rauwolfia Alkaloids
Rawlina	LF	Rauwolfia Serpentina
Rectinol	GP	Benzocaine with Adrenaline
Repalyte	DH	Electrolyte Replacement (Oral)
Resedrex	HA	Reserpine
Resochin	BN	Chloroquine
Restal	HA	Amylobarbitone
Reverin	HP	Rolitetracycline
Rheomacrodex	MR	Dextran 40
Rhumax	PR	Sodium Salicylate
Rikodeine	RK	Dihydrocodeine Tartrate
Rikospray Silicone	RK	Dimethicone (C & I)
Robinul	RS	Glycopyrronium Bromide
Rondase	AH	Hyaluronidase

Proprietary Name	Manufacturer	Approved Name
Rondomycin Ryser	GP KL	Methacycline Reserpine
		S
Sacsol	LF	Surgical Cement
Salamide	HA	Salicylamide
Salazopyrin	MR	Sulphasalazine
Salide	NS	Salicylamide
Samid	KL	Salicylamide
Sandocal 1000	SZ	Calcium
Sandomigran	SZ	Pizotifen Malate
Saroten	NS	Amitriptyline
Saventrine	PN	Isoprenaline Hydrochloride
Scherisolon	SC	Prednisolone Acetate
Scheroson F	SC	Hydrocortisone
Ophthalmicum		
Scorbettes	PR	Ascorbic Acid
S-Dimidine	PT	Sulphadimidine
Secergan	AP	Phenthimentonium
Secondal Sodium	LY	Quinalbarbitone Sodium
Sedal	FA	Amylobarbitone
Sedlingtus	VR	Pholcodine
Sednaco	GL	Pholcodine
Sednotic	DL	Amylobarbitone
Senokot	RC	Senna Fruit Extract (Standardised)
Septrin	BW	Trimethoprim with Sulphamethoxazole
Serazone	VR	Chlorpromazine
Serc	PT	Betahistine Hydrochloride
Serenace	SR	Haloperidol
Serenol	PT	Rauwolfia Serpentina
Serfia	KL	Rauwolfia Alkaloids
Serpasil	CB	Reserpine
Sertan	BZ	Primidone
SH420	SC	Norethisterone Acetate
Sigmacort	SI	Hydrocortisone
Silcon	FA	Dimethicone
Simeco Suspension	WY	Aluminium Hydroxide Gel with Magnesium Hydroxide
Simeco Tablet	WY	Aluminium Hydroxide-Magnesium Carbonate Co-Dried Gel
Sintisone	DH	Prednisolone Steaglate
Sintrom	GE	Nicoumalone
Siopel	IC	Dimethicone
Sixavite	KL	Vitamins Compound
Sleepinal	MC	Methaqualone
Slow-Fe	ZY	Ferrous Sulphate Dried
Slow-K	ZY	Potassium Chloride
Sobee	MJ	Soya Formula
Sodepent	MG	Pentobarbitone Sodium
Sodium Sedal	FA	Amylobarbitone Sodium
Sodium Versenate	RK	Trisodium Edetate

Proprietary Name	Manu- fac- turer	Approved Name
Sofradex Drops	RL	Dexamethasone Metasulphobenzoate with Framycetin and Gramicidin
Sofradex Ointment	RL	Dexamethasone with Framycetin and Gramicidin
Soframycin	RL	Framycetin
Solamal	DH	Belladonna with Phenobarbitone
Solamal Fort	DH	Belladonna with Phenobarbitone
Solcetas	BW	Aspirin (Soluble)
Solcode	RC	Codeine Phosphate with Aspirin
Solgesil	DH	Codeine Phosphate with Aspirin and Paracetamol
Solone	FM	Prednisolone
Solprin	RC	Aspirin (Soluble)
Solu-Cortef	UP	Hydrocortisone Sodium Succinate
Solu-Dacortin	MQ	Prednisolone Sodium Succinate
Solu-Medrol	UP	Methylprednisolone Sodium Succinate
Solusal	HA	Aspirin (Soluble)
Solusal Co.	HA	Codeine Phosphate with Aspirin and Paracetamol
Somnital	PR	Pentobarbitone Sodium
Sonabarb	PT	Butobarbitone
Sone	FM	Prednisone
Soneryl	MB	Butobarbitone
Sorbifer	AP	Ferrous Sulphate Dried
Soyalac	SA	Soya Formula
Span-K	PT	Potassium Chloride
Spar-Cal	MJ	Calcium
Spazamin	GP	Oxyphencyclimine
Spray-On-Band	LF	Vinyl Pyrrolidone and Vinyl Acetate with Benzocaine (C & I)
Squibb-HC	SQ	Hydrocortisone
Steclin-V	SQ	Tetracycline (Buffered)
Stelazine	SK	Trifluoperazine
Stemetil	MB	Prochlorperazine
Stemetil	MB	Prochlorperazine Maleate
Sterogyl-15	RL	Calciferol
Stomahesive	SQ	Polyisobutylene (C & I)
Stomahesive Set	SQ	Polyisobutylene (C & I)
Stoxil	SK	Idoxuridine
Streptolin	GL	Streptomycin Sulphate
Streptaquine	DL	Streptomycin Sulphate
Streptevan	AH	Streptomycin Sulphate
Streptomagma Suspension	WY	Dihydrostreptomycin with Kaolin, Pectin and Aluminium Hydroxide Gel
Streptomagma Tablet	WY	Dihydrostreptomycin Sulphate with Attapulgit, Pectin and Hydrated Alumina Powder
Streptase	HP	Streptokinase (H)
Sudafed	BW	Pseudoephedrine Hydrochloride
Sudafed-M	BW	Pseudoephedrine Hydrochloride
Sulfagan	OD	Sulphafurazole
Sulfazole	PT	Sulphafurazole
Sulphadiazinette	KL	Sulphadiazine

Proprietary Name	Manu- fac- turer	Approved Name
Sulphalyl	KL	Phthalylsulphacetamide
Sulphamylon	WL	Maphenide Acetate (H)
Sulphamezathine	IC	Sulphadimidine
Surmontil	MB	Trimipramine
Sustanon '100'	OR	Testosterone Esters
Sustanon '250'	OR	Testosterone Esters
S.V.C.	MB	Acetarsol
Symmetrel	GE	Amantadine Hydrochloride
Synacthen	CB	Tetracosactrin
Synacthen Depot	CB	Tetracosactrin
Synalar 01	IC	Fluocinolone Acetonide
Syndopa	FA	Levodopa
Syntocinon	SZ	Oxytocin
Syntometrine	SZ	Oxytocin with Ergometrine
T		
Tacaryl	MJ	Methdilazine
Tace	ML	Chlorotrianisene
T.A.G.	LF	Deodorant Detergent Solution (C & I)
Talecid	SC	Phthalylsulphacetamide
Talis Soluble	NS	Aspirin (Soluble)
Talusin	KN	Proscillaridin
Tavegil	SZ	Clemastine
Tedral	WW	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Tedral S.A.	WW	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Tegretol	GE	Carbamazepine
Teledrin	SK	Chlorpheniramine
Tempra	MJ	Paracetamol
Tenserp	VR	Reserpine
Terfluzin	MB	Trifluoperazine
Terra-Cortril	PF	Oxytetracycline with Hydrocortisone
Terramycin	PF	Oxytetracycline
Terramycin	PF	Oxytetracycline with Polymyxin B
Terrastatin	PF	Oxytetracycline with Nystatin
Tertroxin	GL	Liothyronine
Tes-Tape	LY	Glucose Indicator
Testine	KL	Testosterone Propionate
Testomet	PT	Methyltestosterone
Testoviron	SC	Testosterone Propionate
Tetracap	PT	Tetracycline (Buffered)
Tetracyn	GP	Tetracycline
Tetracyn-V	GP	Tetracycline (Buffered)
Tetramykoin	BZ	Tetracycline
Tetramykoin-V	BZ	Tetracycline (Buffered)
Tetrex	BC	Tetracycline (Buffered)
Tetrex-F	BC	Tetracycline with Nystatin
T.H.A.	WH	Tacrine
Thalacet	VR	Phthalylsulphacetamide
Thalazole	MB	Phthalylsulphathiazole

Proprietary Name	Manu- fac- turer	Approved Name
Thelix	CO	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Thendorm	KL	Methaqualone
Thendorm Forte	KL	Methaqualone
Theophen	HA	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Theosec	LY	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Thephorin	RO	Phenindamine
Thiomerin Sodium	WY	Mercaptomerin Sodium
Thiosulfil	AY	Sulphamethizole
Thiotepa	LE	Thiotepa
Thyroxinal	FM	Thyroxine Sodium
Thytropar	AR	Thyrotrophin (H)
Tofranil	GE	Imipramine
Tolinase	UP	Tolazamide
Torecan	SZ	Thiethylperazine
Tosmilen	AP	Demecarium Bromide
Tral	AB	Hexocyclium Methylsulphate
Trasicor	CB	Oxprenolol
Travert	TV	Invert Sugar
Tricloryl	GL	Triclofos
Tridione	AB	Troxidone
Trimyxin	DH	Polymyxin B Sulphate with Neomycin and Gramicidin
Triplopen	GL	Penicillin Benethamine Compound
Triplosol	GL	Penicillin Benethamine Compound
Triptil	FR	Protriptyline
Trobicin	UP	Spectinomycin
Tryptanol	MK	Amitriptyline
Tussaphed	KL	Pseudoephedrine Hydrochloride
Tussinol	GP	Pholcodine
Tyrimide	SK	Isopropamide Iodide
		U
Ultracortenol	CB	Prednisolone Acetate
Ultralan-D	SC	Fluocortolone Esters
Urogan	AV	Sulphafurazole
Urolex	OD	Sulphamethizole
Urolin	KL	Sulphamethizole
Urolucosil	WW	Sulphamethizole
Uroz	HA	Sulphamethizole
		V
VAAM-D.H.Q.	VR	Di-iodohydroxyquinoline
Valium	RO	Diazepam
Vallergan	MB	Trimeprazine
Valpin	EN	Octatropine Methylbromide
Vancocin	LY	Vancomycin (H)
Vanquin	PD	Vipryinium Embonate

Proprietary Name	Manu- fac- turer	Approved Name
Vasogen Silicone	SS	Dimethicone
Vasopressin Nasal Spray	SZ	Lypressin
Vasylox	BW	Methoxamine Hydrochloride
Velbe	LY	Vinblastine
Vendarcin	BP	Oxytetracycline
Venocort	PT	Hydrocortisone Sodium Succinate
Ventolin	AH	Salbutamol
Veracolate	WW	Sodium Tauroglycocholate with Phenolph- thalein
Versotrane Triple Strength	WB	Hydrargaphen
Vibramycin	PF	Doxycycline
Vicin	KL	Penicillin Phenoxymethyl
Vicin 500	KL	Penicillin Phenoxymethyl
Viocin	PF	Viomycin
Vioform	CB	Clioquinol
Viokase	ET	Pancreatin Enzyme (4XUSNF XII)
Viraxacillin	VR	Penicillin Procaine
Visceralgin	FM	Tiemonium Iodide
Visken	SZ	Prindolol
V.P.V.	VR	Penicillin Phenoxymethyl
		W
Winstroid	WL	Stanozolol
Wyamine Sulphate	WY	Mephentermine
Wydase	WY	Hyaluronidase
		X
Xylocard 100	AP	Lignocaine
Xylocard 500	AP	Lignocaine
		Y
Yomesan	BN	Niclosamide
		Z
Zarontin	PD	Ethosuximide
Zephiran Concentrated	WL	Benzalkonium Chloride
Zerodor	ZR	Deodorant Concentrate (C & I)
Zincfrin	AQ	Zinc Sulphate with Phenylephrine
Zoff	SN	Surgical Cement (C & I)
Zyloprim	BW	Allopurinol

## PART 2 - TRADE NAMES INDEX

The following words, in association with a chemical name or generic name or approved name indicate the product of the manufacturer shown.

Abboject	Abbott A'asia - Injections
Antigen	Antigen Ltd., Ireland - Preparations; marketed by World Agencies Pty Ltd
Chewies	Dista - Chewable tablets
Cota-Tabs	Faulding - Coated tablets
Dropster	Knoll Laboratories - Eye and ear drops
Dulcets	Abbott A'asia - Chewable tablets
Duolets	Glaxo - Sustained release tablets
Durules	Astra Chemicals - Sustained release tablets
Emplets	Parke, Davis - Tablet preparations
Ensa	Reckitt & Colman - Tablet preparations
Enseals	Lilly - Enteric coated tablets
Evanules	Allen & Hanburys - Injections
Filmtabs	Abbott A'asia - Coated tablets
Flex Flac	Vifor - Intravenous fluids
Gradumets	Abbott A'asia - Sustained release tablets
Hamiltabs	Hamilton Laboratories - Tablet preparations
Hermette	Bull Laboratory - Injections
Hyperduric	Glaxo - Injections
Isoject	Pfizer Pty Ltd - Injections
Isopto	Alcon Laboratories - Eye drops
Kapseals	Parke, Davis - Capsules
Linguets	Ciba Pharmaceuticals - Sublingual tablets
Nuseals	Lilly - Enteric coated tablets
Orgaject	Organon - Injections
Parentosol	Mead-Johnson - Injections
Pedipac	Lilly - Sachets
Prestab	Ethnor - Tablet preparations
Pulvules	Lilly - Capsules
Repetabs	Schering Corporation - Sustained release tablets
Rox	Rocke Tompsitt - Preparations
Siguent	Sigma - Ointment preparations
Solupac	Travenol Laboratories - Intravenous fluids
Soluvac	Travenol Laboratories - Intravenous fluids
Spansules	Smith, Kline & French - Sustained release capsules
Sterivial	Parke, Davis - Injections
Sterop	Ethnor - Eye drops
Sustets	Lederle - Sustained release capsules
Sustrels	G.P. Laboratories - Sustained release tablets
Tabloid	Burroughs Wellcome - Tablet preparations
Tastitabs	Pfizer Pty Ltd - Chewable tablets
Tri-Test	Aust. Pharm. Industries - Preparations
Venosol	Farmer Hill - Intravenous fluids
Viules	Boots - Injections
Wellcome	Burroughs Wellcome - Preparations

Patient's Name or

Identification No. .... Hospital or Doctor.....

Occupation..... Address or Postcode.....

	Years	Months
Age .. ..	<input type="text"/>	<input type="text"/>
Sex (M or F) .. ..	<input type="text"/>	<input type="text"/>
Date of Poisoning ..	<input type="text"/>	19 <input type="text"/>

POISON .. AMOUNT

Official Use

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
----------------------	----------------------	----------------------	----------------------	----------------------

(Please tick appropriate boxes)

## HOW ABSORBED

- Ingestion .. ..  1  
 Inhalation .. ..  2  
 Local .. ..  3  
 Other (specify).....  4

## MODE OF POISONING

- Suicidal .. ..  5  
 Therapeutic Misadventure  6  
 Accidental .. ..  7  
 Other (specify).....  8

## SEVERITY OF POISONING

- Clinically Unaffected ..  9  
 Mildly Ill .. ..  10  
 Seriously Ill .. ..  11

## WHERE TREATED

- Inpatient .. ..  12  
 Outpatient .. ..  13  
 Surgery .. ..  14  
 Home .. ..  15

## KNOWN PREVIOUS EPISODES OF

- POISONING .. ..  16  
 RESULT: Cured.. ..  17  
 Died .. ..  18  
 Other.. ..  19

## SIGNS AND SYMPTOMS

## TREATMENT

Signature.....

Please record any additional information on back.

Patient's Name or

Identification No. .... Hospital or Doctor .....

Occupation ..... Address or Postcode .....

	Years	Months
Age .. ..	<input type="text"/>	<input type="text"/>

Sex (M or F) .. ..	<input type="text"/>
--------------------	----------------------

Date of Poisoning ..	<input type="text"/>	<input type="text"/>	19
----------------------	----------------------	----------------------	----

POISON	AMOUNT
--------	--------

Official Use	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
--------------	----------------------	----------------------	----------------------	----------------------	----------------------

(Please tick appropriate boxes)

## HOW ABSORBED

Ingestion .. ..  1  
 Inhalation .. ..  2  
 Local .. ..  3  
 Other (specify).....  4

## MODE OF POISONING

Suicidal .. ..  5  
 Therapeutic Misadventure  6  
 Accidental .. ..  7  
 Other (specify).....  8

## SEVERITY OF POISONING

Clinically Unaffected ..  9  
 Mildly Ill .. ..  10  
 Seriously Ill .. ..  11

## WHERE TREATED

Inpatient .. ..  12  
 Outpatient .. ..  13  
 Surgery .. ..  14  
 Home .. ..  15

## KNOWN PREVIOUS EPISODES OF

POISONING .. ..  16  
 RESULT: Cured .. ..  17  
 Died .. ..  18  
 Other .. ..  19

SIGNS AND SYMPTOMS

TREATMENT

Signature .....

Please record any additional information on back.

Patient's Name or

Identification No. .... Hospital or Doctor .....

Occupation ..... Address or Postcode .....

	Years	Months
Age .. ..	<input type="text"/>	<input type="text"/>

Sex (M or F) .. ..	<input type="text"/>
--------------------	----------------------

Date of Poisoning ..	<input type="text"/>	<input type="text"/>	19
----------------------	----------------------	----------------------	----

POISON	AMOUNT
<input type="text"/>	<input type="text"/>

Official Use	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
--------------	----------------------	----------------------	----------------------	----------------------	----------------------

(Please tick appropriate boxes)

## HOW ABSORBED

Ingestion .. ..  1  
 Inhalation .. ..  2  
 Local .. ..  3  
 Other (specify).....  4

## MODE OF POISONING

Suicidal .. ..  5  
 Therapeutic Misadventure  6  
 Accidental .. ..  7  
 Other (specify).....  8

## SEVERITY OF POISONING

Clinically Unaffected ..  9  
 Mildly Ill .. ..  10  
 Seriously Ill .. ..  11

## WHERE TREATED

Inpatient .. ..  12  
 Outpatient .. ..  13  
 Surgery .. ..  14  
 Home .. ..  15

## KNOWN PREVIOUS EPISODES OF

POISONING .. ..  16  
 RESULT: Cured.. ..  17  
 Died .. ..  18  
 Other.. ..  19

SIGNS AND SYMPTOMS

TREATMENT

Signature .....

Please record any additional information on back.

Patient's Name or

Identification No.....Hospital or Doctor.....

Occupation.....Address or Postcode.....

	Years	Months
Age .. ..	<input type="text"/>	<input type="text"/>

Sex (M or F) .. ..	<input type="text"/>
--------------------	----------------------

Date of Poisoning ..	<input type="text"/>	<input type="text"/>	19
----------------------	----------------------	----------------------	----

POISON	AMOUNT
<input type="text"/>	<input type="text"/>

Official Use	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
--------------	----------------------	----------------------	----------------------	----------------------	----------------------

(Please tick appropriate boxes)

## HOW ABSORBED

Ingestion .. ..  1  
 Inhalation .. ..  2  
 Local .. ..  3  
 Other (specify).....  4

## MODE OF POISONING

Suicidal .. ..  5  
 Therapeutic Misadventure  6  
 Accidental .. ..  7  
 Other (specify).....  8

## SEVERITY OF POISONING

Clinically Unaffected ..  9  
 Mildly Ill .. ..  10  
 Seriously Ill .. ..  11

## WHERE TREATED

Inpatient .. ..  12  
 Outpatient .. ..  13  
 Surgery .. ..  14  
 Home .. ..  15

## KNOWN PREVIOUS EPISODES OF

POISONING .. ..  16  
 RESULT: Cured.. ..  17  
 Died .. ..  18  
 Other.. ..  19

SIGNS AND SYMPTOMS

TREATMENT

Signature.....

Please record any additional information on back.

