



# Repatriation Schedule of Pharmaceutical Benefits

Issue No. 3



**Veterans' Affairs**



Commonwealth Department of  
**Veterans' Affairs**

# Repatriation Schedule of Pharmaceutical Benefits

Issue No. 3

This schedule should be read in  
conjunction with the current SCHEDULE OF  
PHARMACEUTICAL BENEFITS issued  
under the National Health Act.

Australian Government Publishing Service  
Canberra 1983

© Commonwealth of Australia 1983

ISSN 0811-7705

Printed by C.J. Thompson, Commonwealth Government Printer, Canberra

## REPATRIATION PHARMACEUTICAL BENEFITS

Explanatory Circular regarding the February 1984 edition of the Repatriation Schedule of Pharmaceutical Benefits.

This reprint of the Schedule will take effect on 1 February 1984 and all previous editions of the Schedule are cancelled.

The Repatriation Schedule of Pharmaceutical Benefits, Issue No.3, includes the listing of additional pack sizes of items listed on either the NHS Schedule of Pharmaceutical Benefits or the Repatriation Schedule of Pharmaceutical Benefits, Issue No.2.

With effect from 1 February 1984, where a Local Medical Officer considers it clinically necessary to prescribe a non listed pack size of a scheduled item, the prior approval of the Department is required to be sought on RPBS Authority Prescription Form D1190.

Prescriptions and repeats for non listed pack sizes of scheduled items, prescribed prior to 1 February 1984 on a standard Repatriation prescription form D1002 under the "Maintenance Therapy" provision of the RPBS, will be accepted for payment for the life of the prescription.

### SUMMARY OF CHANGES

---

#### Addition of New Items

---

##### Section 1

Allantoin, Sulphur, Phenol, Coal Tar Solution and Menthol,  
Gel 2.5%-0.5%-0.5%-5%-0.75%, 75 g (Egopsoryl-TA)

Amoxycillin, Capsule 500 mg (Amoxil, Moxacin)

Amoxycillin, Powder for Syrup, 250 mg per 5 mL, 100 mL (Amoxil, Moxacin)

Betamethasone Dipropionate, Cream 0.05%, 50 g (Diprosone)

Betamethasone Dipropionate, Ointment 0.05%, 50 g (Diprosone)

Carmellose Sodium with Pectin and Gelatin, Paste 16.7%-16.7%-16.7%, 5 g (Orabase)

Carmellose Sodium with Pectin and Gelatin, Paste 16.7%-16.7%-16.7%, 80 g (Orabase)

Fluoclorolone Acetonide, Cream 0.025%, 30 g (Topilar)

Isoconazole Nitrate, Solution 1%, 20 mL (Travogen)

Sucralfate, Tablet 1 g (Ulsanic)

Triamcinolone Acetonide, Cream 0.05%, 30 g (Aristocort 0.05%, Kenalone)

Triamcinolone Acetonide, Ointment 0.05%, 30 g (Aristocort 0.05%, Kenalone)

White Soft Paraffin with Liquid Paraffin, Eye Ointment, 3.5 g (Lacri-Lube S.O.P.)

### Section 3

Dressing Paraffin Gauze with Chlorhexidine Acetate, 10 cm x 10 cm (Bactigras)

Dressing Paraffin Gauze with Chlorhexidine Acetate, 10 cm x 40 cm (Bactigras)

Dressing Paraffin Gauze with Chlorhexidine Acetate, 15 cm x 20 cm (Bactigras)

---

### New Forms, Strengths and Sizes of Existing Items

---

#### Section 1

Betamethasone Valerate, Cream 0.05%, 30 g (Betnovate  $\frac{1}{2}$ , Celestone V Half Strength)

Betamethasone Valerate, Gel 0.05%, 30 g (Betnovate  $\frac{1}{2}$ )

Betamethasone Valerate, Ointment 0.05%, 30 g (Betnovate  $\frac{1}{2}$ , Celestone V Half Strength)

Betamethasone Valerate, Cream 0.1%, 15 g (Betnovate, Celestone V)

Betamethasone Valerate, Ointment 0.1%, 15 g (Celestone V)

Fluocortolone Pivalate, Fluocortolone Hexanoate, Clemizole Undecylenate, Hexachlorophane and Cinchocaine Hydrochloride, Ointment 0.092%-0.095%-1%-0.5%-0.5%, 10 g (Ultraproct)

Heparinoid, Ointment 0.3%, 14 g (Hirudoid)

Heparinoid and Hyaluronidase, Ointment 5000 H.D.B.U.-15,000 units per 100 g, 14 g (Lasonil)

Hydrocortisone, Cinchocaine Hydrochloride, Framycetin Sulphate and Aesculin, Ointment 0.5%-0.5%-1%-1%, 15 g (Proctosedyl)

Hydrocortisone, Lignocaine Hydrochloride, Aluminium Subacetate and Zinc Oxide, Ointment 0.25%-5%-3.5%-18%, 15 g (Xyloproct)

Pine Tar and Triethanolamine Lauryl Sulphate, Solution 2.1%-5.6%, 500 mL (Pinetarsoil)

Prednisolone Hexanoate, Cinchocaine Hydrochloride, Hexachlorophane and Clemizole Undecylenate, Ointment 0.19%-0.5%-0.5%-1%, 10 g (Scheriproct)

Silver Sulphadiazine and Chlorhexidine Digluconate, Cream 1%-0.2%,  
50 g (Silvazine)

Sodium Apolate and Benzyl Nicotinate, Ointment 1%-0.125%, 20 g  
(Pergalen)

Triamcinolone Acetonide with Neomycin Sulphate, Gramicidin and  
Nystatin, Cream 0.1%-0.25% (base)-0.025%-100,000 units in  
1 g, 15 g (Kenacomb)

Triamcinolone Acetonide with Neomycin Sulphate, Gramicidin and  
Nystatin, Ointment 0.1%-0.25% (base)-0.025%-100,000 units  
in 1 g, 15 g (Kenacomb)

### Section 3

Absorbent Cotton Wool, 375 g roll (Handy, JJ)

---

Additional Brands of Existing Items

---

### Section 1

Bath Emollient, Bath Oil, 500 mL (QV Bath Oil)

Chlorhexidine Gluconate, Mouth Wash 0.2%, 200 mL (Chlorohex)

Multivitamin with Minerals, Capsule (Accomin)

### Section 3

Absorbent Cotton Wool, 100 g roll (Handy)

---

## ADVANCE NOTICES

### Deletions

The items listed below will be deleted from the Repatriation Schedule of Pharmaceutical Benefits as from 1 May, 1984.

4231Q Framycetin Sulphate, Gauze Dressing 1% 10 cm x 10 cm  
(Sofra-Tulle)

4232R Framycetin Sulphate, Gauze Dressing 1% 30 cm x 10 cm  
(Sofra-Tulle)

# Section 1

REPATRIATION SCHEDULE  
OF BENEFITS  
Drugs, Medicines & Diagnostic  
Reagents

| Code  | Name, manner of administration and form   | Max. qty | No of rpts | Proprietary name and manufacturer               |                |
|-------|---|----------|------------|---|----------------|
| 4108F | ALGINIC ACID COMPOUND<br>Granules 4 g Sachets<br>(pack of 24)   | 5        | 2          | Gavigrans                                       | RC             |
| 4111J | ALLANTOIN and COAL TAR EXTRACT<br>Lotion 2%-5%, 250 mL  | #1       | 2          | Alphosyl  | SV             |
| 4112K | Cream 2%-5%, 55 g   | #1       | 2          | Alphosyl  | SV             |
| 4113L | Shampoo 0.2%-5%, 55 g   | #1       | 2          | Alphosyl  | SV             |
| 4506E | ALLANTOIN, SULPHUR, PHENOL,<br>COAL TAR SOLUTION and MENTHOL<br>Gel 2.5%-0.5%-0.5%-<br>5%-0.75%, 75 g           | #1       | 2          | Egopsoryl-TA                                    | EO             |
| 4116P | ALUMINIUM HYDROXIDE with<br>MAGNESIUM HYDROXIDE and<br>SIMETHICONE<br>Tablet 230 mg-230 mg-12 mg                | 100      | 2          | Duoquel   | BW             |
| 4117Q | 400 mg-400 mg-30 mg<br>Suspension   | 100      | 2          | Mylanta II                                      | PD             |
| 4118R | 400 mg-400 mg-30 mg<br>per 5 mL, 375 mL   | #1       | 4          | Mylanta II                                      | PD             |
| 4119T | 400 mg-400 mg-30 mg<br>per 5 mL, 500 mL   | #1       | 4          | Sodexol DS                                      | SC             |
| 4503B | AMOXYCILLIN<br>Capsule 500 mg   | 30       | -          | Amoxil<br>Moxacin                               | BR<br>CS       |
| 4504C | Powder for Syrup<br>250 mg per 5 mL, 100 mL   | #1       | 1          | Amoxil<br>Moxacin                               | BR<br>CS       |
| 4121X | BATH EMOLLIENT<br>Bath Oil, 250 mL  | #1       | 2          | Alpha-Keri                                      | RK             |
| 4122Y | 500 mL  | #1       | 2          | Hamilton<br>Bath Oil<br>QV Bath Oil<br>Balnetar | HA<br>EO<br>RK |
| 4124C | Tar Solution 2.5%, 250 mL   | #1       | 2          |   |                |
| 4126E | BECLOMETHASONE DIPROPIONATE<br>Inhalation, metered aerosol<br>nasal spray, 50 micrograms<br>per dose (200 dose) | #1       | 2          | Aldecin<br>Beconase                             | SH<br>AH       |
| 4128G | BENZALKONIUM CHLORIDE,<br>CETRIMIDE and LANOLIN<br>Cream 0.01%-0.18%-1.8%, 50g                                  | #1       | 2          | Drapolex  | BW             |
| 4129H | BENZTROPINE<br>Tablet 0.5 mg  | 100      | 2          | Cogentin  | MK             |

| Code  | Name, manner of administration and form   | Max. qty | No of rpts | Proprietary name and manufacturer |          |
|-------|---|----------|------------|-----------------------------------|----------|
| 4507F | BETAMETHASONE DIPROPIONATE<br>Cream 0.05%, 50 g   | #1       | 2          | Diprosone                         | SH       |
| 4508G | Ointment 0.05%, 50 g  | #1       | 2          | Diprosone                         | SH       |
| 4511K | BETAMETHASONE VALERATE<br>Cream 0.05%, 30 g   | #1       | 2          | Betnovate ½<br>Celestone V        | GL       |
| 4515P | 0.1%, 15 g  | #1       | 2          | Half Strength<br>Betnovate        | SH<br>GL |
| 4131K | 0.1%, 30 g  | #1       | 2          | Celestone V<br>Betnovate          | SH<br>GL |
| 4517R | Gel 0.05%, 30 g   | #1       | 2          | Celestone V                       | SH       |
| 4513M | Ointment 0.05%, 30 g  | #1       | 2          | Betnovate ½<br>Betnovate ½        | GL<br>GL |
| 4516Q | 0.1%, 15 g  | #1       | 2          | Celestone V                       | SH       |
| 4132L | 0.1%, 30 g  | #1       | 2          | Half Strength<br>Celestone V      | SH<br>GL |
| 4133M | Scalp Application 0.1%, 30 g  | #1       | 2          | Betnovate                         | SH<br>GL |
| 4135P | BETAMETHASONE VALERATE<br>and GENTAMICIN SULPHATE<br>Cream 0.05%-0.1%, 15 g                             | #1       | 2          | Celestone-VG½                     | SH       |
| 4136Q | Ointment 0.05%-0.1%, 15 g   | #1       | 2          | Celestone-VG½                     | SH       |
| 4137R | Cream 0.1%-0.1%, 30 g   | #1       | 2          | Celestone-VG                      | SH       |
| 4138T | Ointment 0.1%-0.1%, 30 g  | #1       | 2          | Celestone-VG                      | SH       |
| 4141Y | BISACODYL<br>Tablet 5 mg  | 30       | 1          | Durolax                           | BY       |
| 4143C | BISMUTH FORMIC IODIDE<br>Powder 10 g  | #1       | -          | B.F.I.                            | MK       |
| 4146F | BOVINE PLASMA DERIVATIVE<br>Dry Powder-vial 5,000 N.I.H.<br>thrombin units with<br>5 mL vial of diluent | #1       | -          | Thrombostat                       | PD       |
| 4147G | Dry Powder-vial 10,000 N.I.H.<br>thrombin units with<br>10 mL vial of diluent                           | #1       | -          | Thrombostat                       | PD       |

| Code  | Name, manner of administration and form   | Max. qty | No of rpts | Proprietary name and manufacturer |          |
|---|---|----------|------------|-----------------------------------|----------|
| <b>BROMAZEPAM</b>   |   |          |            |                                   |          |
| 4150K   | Tablet 3 mg                               | 50       | -          | Lexotan                           | RO       |
| 4151L   | 6 mg                                      | 50       | -          | Lexotan                           | RO       |
| 4152M   | 12 mg                                     | 50       | -          | Lexotan                           | RO       |
| <b>BROMAZEPAM</b>   |   |          |            |                                   |          |
| CAUTION: Where continuing long term therapy is deemed necessary by the prescriber |   |          |            |                                   |          |
| 4101W   | Tablet 3 mg                               | 100      | 2          | Lexotan                           | RO       |
| 4102X   | 6 mg                                      | 100      | 2          | Lexotan                           | RO       |
| 4103Y   | 12 mg                                     | 100      | 2          | Lexotan                           | RO       |
| <b>CALCIUM GLUCONATE</b>  |   |          |            |                                   |          |
| 4154P   | Tablet 600 mg                             | 100      | 2          | SI                                |          |
| <b>CAMPBOR, MENTHOL, EUCALYPTUS OIL, ISOBORNYL ACETATE and METHYL SALICYLATE</b>  |   |          |            |                                   |          |
| 4155Q   | Cream 1%-1%-0.5%-0.5%-12%, 100 g          | #1       | 1          | Dencorub                          | CW       |
| <b>CARBENOXOLONE SODIUM</b>   |   |          |            |                                   |          |
| 4156R   | Gel 2%, 5 g                               | #1       | 1          | Bioral                            | SN       |
| <b>CARMELLOSE SODIUM with PECTIN and GELATIN</b>                                  |   |          |            |                                   |          |
| Paste   |   |          |            |                                   |          |
| 4518T   | 16.7%-16.7%-16.7%, 5 g                    | #1       | -          | Orabase                           | SQ       |
| 4520X   | 16.7%-16.7%-16.7%, 80 g                   | #1       | 2          | Orabase                           | SQ       |
| <b>CETYLALCOHOL COAL TAR DISTILLATE, SULPHUR and SALICYLIC ACID</b>               |   |          |            |                                   |          |
| 4159X   | Ointment 4%-3%-3%, 25 g                   | #1       | 2          | Pragmatar                         | SK       |
| <b>CHLORDIAZEPOXIDE</b>   |   |          |            |                                   |          |
| 4157T   | Tablet 5 mg                               | 100      | 2          | Librium                           | RO       |
| 4158W   | Capsule 10 mg                             | 100      | 2          | Librium                           | RO       |
| <b>CHLORHEXIDINE GLUCONATE</b>  |   |          |            |                                   |          |
| 4160Y   | Mouth Wash 0.2%, 200 mL                   | #1       | -          | Chlorohex<br>Plaqacide            | OM<br>CP |
| 4161B   | 250 mL                                    | #1       | -          | Savacol                           | IC       |
| <b>CHOLINE SALICYLATE, CETALKONIUM CHLORIDE, MENTHOL, GLYCEROL and ETHANOL</b>    |   |          |            |                                   |          |
| 4163D   | Jelly 8.7%-0.01%-0.057%-4.6%- 38.6%, 10 g | #1       | -          | Bonjela                           | RC       |

| Code  | Name, manner of administration and form   | Max. qty | No of rpts | Proprietary name and manufacturer |          |
|-------|---|----------|------------|-----------------------------------|----------|
| 4166G | CLORAZEPATE DIPOTASSIUM<br>Capsule 5 mg   | 50       | -          | Tranxene                          | GL       |
| 4167H | 15 mg   | 30       | -          | Tranxene                          | GL       |
|       | CLORAZEPATE DIPOTASSIUM<br>CAUTION: Where continuing<br>Long term therapy is deemed<br>necessary by the prescriber  |          |            |                                   |          |
| 4104B | Capsule 5 mg  | 100      | 2          | Tranxene                          | GL       |
| 4105C | 15 mg   | 60       | 2          | Tranxene                          | GL       |
| 4169K | CLOTRIMAZOLE<br>Solution 1%, 20 mL  | #1       | 1          | Ganesten                          | BN       |
| 4172N | CODEINE PHOSPHATE with<br>PARACETAMOL<br>Tablet 30 mg-500 mg  | 50       | 1          | Panadeine<br>Forte                | WL       |
| 4174Q | CODEINE PHOSPHATE,<br>PARACETAMOL and DOXYLAMINE<br>SUCCINATE<br>Tablet 9.75 mg-450 mg-5 mg   | 20       | -          | Mersyndol                         | ML       |
| 4177W | CROTAMITON<br>Cream 10%, 30 g   | #1       | 1          | Eurax                             | GE       |
| 4178X | Lotion 10%, 50 mL   | #1       | 1          | Eurax                             | GE       |
| 4096N | CYCLOPHOSPHAMIDE<br>Tablet 50 mg  | 50       | -          | Endoxan-Asta                      | BC       |
| 4097P | Injection 100 mg<br>(solvent required)  | 5        | -          | Endoxan-Asta                      | BC       |
| 4098Q | 200 mg<br>(solvent required)  | 5        | -          | Endoxan-Asta                      | BC       |
| 4099R | 500 mg<br>(solvent required)  | 2        | -          | Endoxan-Asta                      | BC       |
| 4100T | 1 g<br>(solvent required)   | 1        | -          | Endoxan-Asta                      | BC       |
|       | DEXTROPROPOXYPHENE HYDROCHLORIDE<br>with PARACETAMOL<br>CAUTION: Chronic use of this<br>preparation is likely to cause<br>drug dependence. Efficacy of<br>this preparation may be no<br>greater than paracetamol. |          |            |                                   |          |
| 4181C | Tablet 32.5 mg-325 mg   | 25       | -          | Paradex<br>Di-Gesic               | PT<br>DL |
| 4182D | Capsule 32.5 mg-325 mg  | 25       | -          | Capadex                           | FM       |

| Code  | Name, manner of administration and form  | Max. qty | No of rpts | Proprietary name and manufacturer     |                      |
|-------|--|----------|------------|---------------------------------------|----------------------|
|       | <b>DIAZEPAM</b><br><b>CAUTION:</b> Where continuing long term therapy is deemed necessary by the prescriber  |          |            |                                       |                      |
| 4183E | Tablet 2 mg  | 100      | 2          | Ducene<br>Pro-Pam                     | SU<br>PT             |
| 4184F | 5 mg   | 100      | 2          | Valium<br>Ducene<br>Pro-Pam<br>Valium | RO<br>SU<br>PT<br>RO |
| 4185G | <b>DICYCLOMINE HYDROCHLORIDE</b><br>Tablet 10 mg   | 100      | -          | Merbentyl                             | ML                   |
| 4188K | <b>DIMETHISOQUIN HYDROCHLORIDE</b><br>Ointment 0.5%, 25 g  | #1       | 1          | Quotane                               | SK                   |
| 4200C | <b>DIOCTYL SODIUM SULPHOSUCCINATE</b><br>Tablet 50 mg  | 100      | 2          | Coloxyl 50                            | FM                   |
| 4201D | 120 mg   | 100      | 2          | Coloxyl 120                           | FM                   |
| 4202E | <b>DIOCTYL SODIUM SULPHOSUCCINATE</b><br>with DANTHRON<br>Tablet 50 mg-50 mg   | 100      | 2          | Coloxyl<br>with<br>Danthron           | FM                   |
| 4191N | <b>DIPHEMANIL METHYLSULPHATE</b><br>Dusting Powder 2%, 50 g  | #1       | 1          | Prantal                               | SH                   |
|       | <b>DIPHENHYDRAMINE HYDROCHLORIDE</b><br><b>CAUTION:</b> Use of this preparation in the presence of asthma or chronic obstructive airways disease is not recommended. |          |            |                                       |                      |
| 4194R | Expectorant 12.5 mg per 5 mL,<br>200 mL  | #1       | 1          | Benadryl<br>Expectorant               | PD                   |
|       | <b>DISULFIRAM</b><br><b>CAUTION:</b> Only for use in the treatment of chronic alcoholism. Associated ingestion of alcohol may be life-threatening.                   |          |            |                                       |                      |
| 4197X | Tablet 250 mg  | 50       | 1          | Antabuse                              | ET                   |
| 4203F | <b>ECONAZOLE NITRATE</b><br>Lotion 1%, 30 mL   | #1       | 1          | Pevaryl                               | SK                   |

| Code  | Name, manner of administration and form   | Max. qty | No of rpts | Proprietary name and manufacturer    |    |
|-------|---|----------|------------|--------------------------------------|----|
| 4205H | ETHAMBUTOL HYDROCHLORIDE<br>Tablet 100 mg   | 100      | 2          | Myambutol                            | LE |
| 4206J | 400 mg  | 100      | 2          | Myambutol                            | LE |
| 4208L | ETHYLHEXYL PARAMETHOXYCINNAMATE<br>and TERTIARYBUTYLMETHOXYDIBENZOYL<br>METHANE<br>Cream 7.5%-1%, 50 g                  | #1       | -          | Hamilton Broad<br>Spectrum Cream     | HA |
| 4209M | Solid Stick 4%-2%, 5 g  | #1       | -          | Hamilton Broad<br>Spectrum Solastick | HA |
| 4210N | FIBROUS EXTRACTS of GRAIN<br>and CITRUS<br>Tablet 375 mg-94 mg  | 100      | 2          | Fibyraz                              | RL |
| 4523C | FLUCLOROLONE ACETONIDE<br>Cream 0.025%, 30 g  | #1       | 2          | Topilar                              | SD |
| 4211P | FLUMETHASONE PIVALATE<br>and SALICYLIC ACID<br>Ointment 0.02%-3%, 15 g  | #1       | 2          | Locasalen                            | CB |
| 4213R | FLUNITRAZEPAM<br>Tablet 2 mg  | 25       | -          | Rohypnol                             | RO |
| 4214T | FLUNITRAZEPAM<br>CAUTION: Where continuing<br>long term therapy is deemed<br>necessary by the prescriber<br>Tablet 2 mg | 50       | 1          | Rohypnol                             | RO |
| 4291W | FLUOCINOLONE ACETONIDE<br>Cream 0.01%, 30 g   | #1       | 2          | Synalar 01                           | IC |
| 4292X | 0.025%, 30 g  | #1       | 2          | Synalar                              | IC |
| 4293Y | Gel 0.025%, 30 g  | #1       | 2          | Synalar                              | IC |
| 4294B | Lotion 0.025%, 20 mL  | #1       | 2          | Synalar                              | IC |
| 4295C | Ointment 0.01%, 30 g  | #1       | 2          | Synalar 01                           | IC |
| 4296D | 0.025%, 30 g  | #1       | 2          | Synalar                              | IC |
| 4215W | FLUOCORTOLONE PIVALATE and<br>FLUOCORTOLONE HEXANOATE<br>Cream 0.25%-0.25%, 30 g  | #1       | 2          | Ultralan                             | SC |

| Code  | Name, manner of administration and form  | Max. qty | No of rpts | Proprietary name and manufacturer |    |
|-------|--|----------|------------|-----------------------------------|----|
|       | FLUOCORTOLONE PIVALATE,<br>FLUOCORTOLONE HEXANOATE,<br>CLEMIZOLE UNDECYLENATE,<br>HEXACHLOROPHANE and CINCHOCAINE<br>HYDROCHLORIDE<br>Ointment |          |            |                                   |    |
| 4217Y | 0.092%-0.095%-1%-0.5%-0.5%,<br>10 g  | #1       | 2          | Ultraproct                        | SC |
| 4218B | 0.092%-0.095%-1%-0.5%-0.5%,<br>30 g  | #1       | 2          | Ultraproct                        | SC |
| 4219C | Suppositories - each contains<br>0.61 mg-0.63 mg-5 mg-<br>2.5 mg-1 mg, 12  | #1       | 2          | Ultraproct                        | SC |
|       | FLUOROURACIL   |          |            |                                   |    |
| 4222F | Cream 5%, 20 g   | #1       | -          | Efudix                            | RO |
| 4223G | Solution 1%, 30 mL   | #1       | -          | Fluoroplex                        | AG |
|       | FLURAZEPAM DIHYDROCHLORIDE   |          |            |                                   |    |
| 4226K | Capsule 15 mg  | 25       | -          | Dalmane                           | RO |
| 4227L | 30 mg  | 25       | -          | Dalmane                           | RO |
|       | FLURAZEPAM DIHYDROCHLORIDE<br>CAUTION: Where continuing<br>long term therapy is deemed<br>necessary by the prescriber                          |          |            |                                   |    |
| 4228M | Capsule 15 mg  | 50       | 1          | Dalmane                           | RO |
| 4229N | 30 mg  | 50       | 1          | Dalmane                           | RO |
|       | FRAMYCETIN SULPHATE  |          |            |                                   |    |
|       | Gauze dressing 1%,   |          |            |                                   |    |
| 4231Q | 10 cm x 10 cm  | 10       | 2          | Sofra-Tulle                       | RL |
| 4232R | 30 cm x 10 cm  | 10       | 2          | Sofra-Tulle                       | RL |
|       | FURAZOLIDONE   |          |            |                                   |    |
| 4236Y | Tablet 100mg   | 20       | -          | Furoxone                          | NW |
|       | GLUCOSE INDICATOR - BLOOD  |          |            |                                   |    |
| 4247M | Reagent Strips 25  | #1       | 2          | Dextrostix                        | AM |
|       | GLYCERYL TRINITRATE  |          |            |                                   |    |
| 4250Q | Ointment 3%, capsule packed  | 50       | 2          | Nitrolate                         | RO |

| Code  | Name, manner of administration and form   | Max. qty | No of rpts | Proprietary name and manufacturer |    |
|-------|---|----------|------------|-----------------------------------|----|
|       | HEPARINOID<br>CAUTION: Patch test for local tolerance before applying to chronic open lesions                   |          |            |                                   |    |
| 4253W | Ointment 0.3%, 14 g   | #1       | -          | Hirudoid                          | OR |
| 4254X | 0.3%, 40 g  | #1       | -          | Hirudoid                          | OR |
|       | HEPARINOID and HYALURONIDASE<br>CAUTION: Patch test for local tolerance before applying to chronic open lesions |          |            |                                   |    |
|       | Ointment  |          |            |                                   |    |
| 4256B | 5,000 H.D.B.U-15,000 units per 100 g, 14 g  | #1       | -          | Lasonil                           | BN |
| 4257C | 5,000 H.D.B.U-15,000 units per 100 g, 40 g  | #1       | -          | Lasonil                           | BN |
|       | HYDROCORTISONE, CINCHOCAINE HYDROCHLORIDE, FRAMYCETIN SULPHATE and AESCULIN                                     |          |            |                                   |    |
|       | Ointment  |          |            |                                   |    |
| 4260F | 0.5%-0.5%-1%-1%, 15 g   | #1       | 2          | Proctosedyl                       | RL |
| 4261G | 0.5%-0.5%-1%-1%, 30 g   | #1       | 2          | Proctosedyl                       | RL |
| 4262H | Suppositories - each contains 5 mg-5 mg-10 mg-10 mg, 12   | #1       | 2          | Proctosedyl                       | RL |
| 4265L | HYDROCORTISONE and CLIOQUINOL Cream 1%-1%, 100 g  | #1       | -          | Hydroform                         | DM |
|       | HYDROCORTISONE, LIGNOCAINE HYDROCHLORIDE, ALUMINIUM SUBACETATE and ZINC OXIDE                                   |          |            |                                   |    |
|       | Ointment  |          |            |                                   |    |
| 4267N | 0.25%-5%-3.5%-18%, 15 g   | #1       | 2          | Xyloproct                         | AP |
| 4268P | 0.25%-5%-3.5%-18%, 35 g   | #1       | 2          | Xyloproct                         | AP |
| 4269Q | Suppositories - each contains 5 mg-50 mg-50 mg-400 mg, 10   | #1       | 2          | Xyloproct                         | AP |
| 4271T | HYDROLYZED COLLAGEN PROTEINS Hair Conditioner 250 mL  | #1       | 2          | Ionil Rinse                       | AQ |
| 4272W | HYDROXYETHYL RUTOSIDES Capsule 250 mg   | 50       | -          | Paroven                           | ZY |

| Code  | Name, manner of administration and form  | Max. qty | No of rpts | Proprietary name and manufacturer |    |
|-------|--|----------|------------|-----------------------------------|----|
| 4276C | HYOSCINE METHOBROMIDE<br>Tablet 2.5 mg   | 100      | -          | Pamine                            | UP |
| 4278E | HYOSCINE-N-BUTYLBROMIDE<br>Tablet 10 mg  | 100      | -          | Buscopan                          | BY |
| 4282J | IPRATROPIUM BROMIDE<br>Inhalation, metered aerosol spray, 20 micrograms per dose (200 dose)    | #1       | 2          | Atrovent                          | BY |
| 4526F | ISOCONAZOLE NITRATE<br>Solution 1%, 20 mL  | #1       | 1          | Travogen                          | SC |
| 4285M | ISPAGHULA HUSK<br>Sachets 3.5 g, 30  | #1       | 1          | Fybogel                           | RC |
| 4301J | LIGNOCAINE, BENZALKONIUM CHLORIDE, VITAMIN A and ALLANTOIN<br>Cream 35 g                       | #1       | 1          | Paxyl                             | FA |
| 4304M | LIGNOCAINE HYDROCHLORIDE, CALAMINE and CAMPHOR<br>Cream 1.75%-8.1%-0.1%, 50 g                  | #1       | 1          | Caladryl                          | PD |
| 4305N | Lotion 1.75%-8.1%-0.1%, 100 mL   | #1       | 1          | Caladryl                          | PD |
| 4308R | LIGNOCAINE HYDROCHLORIDE and CARBOXYMETHYLCELLULOSE<br>Mucilage 2%-2.5%, 200 mL                | #1       | -          | Xylocaine Viscous                 | AP |
| 4314C | LORAZEPAM<br>Tablet 1 mg   | 50       | -          | Ativan                            | WY |
| 4315D | 2.5 mg   | 50       | -          | Ativan                            | WY |
|       | LORAZEPAM<br>CAUTION: Where continuing long term therapy is deemed necessary by the prescriber |          |            |                                   |    |
| 4316E | Tablet 1 mg  | 100      | 2          | Ativan                            | WY |
| 4317F | 2.5 mg   | 100      | 2          | Ativan                            | WY |
| 4318G | LUBRICATING AGENT<br>Jelly 50 g  | #1       | -          | Lubafax                           | BW |

| Code  | Name, manner of administration and form  | Max. qty | No of rpts | Proprietary name and manufacturer |          |
|-------|--|----------|------------|-----------------------------------|----------|
| 4321K | MAGNESIUM ASPARTATE<br>Tablet 500 mg   | 50       | -          | Magmin                            | VS       |
| 4325P | MEBENDAZOLE<br>Tablet 100 mg   | 6        | -          | Vermox                            | JP       |
| 4328T | MEBEVERINE HYDROCHLORIDE<br>Tablet 100 mg  | 100      | -          | Colofac                           | ET       |
| 4331Y | MEFENAMIC ACID<br>Capsule 250 mg   | 20       | 1          | Ponstan                           | PD       |
| 4335E | MENTHOL, EUCALYPTUS OIL and METHYL SALICYLATE<br>Cream 4%-10%-25%, 50 g  | #1       | 1          | Metsal                            | PK       |
| 4338H | MEXENONE<br>Cream 4%, 50 g   | #1       | -          | Uvistat                           | BY       |
| 4339J | Solid Stick 4%, 5g   | #1       | -          | Uvistat-L                         | BY       |
| 4344P | MULTIVITAMIN<br>Tablet   | 100      | 2          | Vitaminorum<br>Vitaminorum        | FM<br>SI |
| 4345Q | MULTIVITAMIN with MINERALS<br>Capsule  | 30       | 2          | Pluravit<br>Myadec                | NY<br>PD |
| 4348W | Capsule  | 50       | 1          | Accomin                           | LE       |
| 4346R | Capsule  | 100      | -          | SI                                |          |
| 4347T | Tablet   | 30       | 2          | Unicap-T                          | UP       |
| 4351B | NALIDIXIC ACID<br>Tablet 500 mg  | 56       | 1          | Negram                            | WL       |
| 4353D | NATAMYCIN, NEOMYCIN SULPHATE and HYDROCORTISONE<br>Ointment 1%-0.5%-1%, 15 g                                   | #1       | 2          | Pimafucort                        | GB       |
| 4356G | NITRAZEPAM<br>CAUTION: Where continuing long term therapy is deemed necessary by the prescriber<br>Tablet 5 mg | 50       | 1          | Dormicum<br>Mogadon               | PT<br>RO |

| Code  | Name, manner of administration and form   | Max. qty | No of rpts | Proprietary name and manufacturer |                |
|-------|---|----------|------------|-----------------------------------|----------------|
| 4358J | NONYLPHENOXYPOLYETHOXYETHANOL<br>Cream 5%, 80 g   | #1       | 2          | Delfen                            | ET             |
| 4359K | Aerosol foam 12.5%, with applicator   | #1       | 2          | Delfen                            | ET             |
| 4362N | NORMETHADONE HYDROCHLORIDE and HYDROXYEPHEDRINE<br>Tablet 7.5 mg-10 mg                              | 20       | -          | Ticarda                           | HP             |
| 4363P | Drops 10 mg-20 mg per mL, 10 mL   | #1       | -          | Ticarda                           | HP             |
| 4367W | OCTYL DIMETHYL PABA<br>Cream 4.5%, 100 g  | #1       | -          | U.V.<br>Sunfilter<br>Cream        | IC             |
| 4368X | Cream (water resistant)<br>5.5%, 100 g  | #1       | -          | U.V.<br>Sunblock<br>Cream(WR)     | IC             |
| 4369Y | Lotion 5.3%, 125 mL   | #1       | -          | U.V.<br>Sunfilter<br>Lotion       | IC             |
| 4370B | Solid Stick 6%, 30 g  | #1       | -          | U.V.<br>Sunblock<br>Stick         | IC             |
|       | OXAZEPAM<br>CAUTION: Where continuing<br>Long term therapy is deemed<br>necessary by the prescriber |          |            |                                   |                |
| 4372D | Tablet 15 mg  | 100      | 2          | Benzotran<br>Murelax<br>Serepax   | PT<br>AY<br>WY |
| 4373E | 30 mg   | 100      | 2          | Benzotran<br>Murelax<br>Serepax   | PT<br>AY<br>WY |
| 4374F | OXYCODONE PECTINATE<br>Injection 10 mg in 1 mL  | 6        | -          | Proladone                         | BT             |
| 4377J | OXYMETAZOLINE HYDROCHLORIDE<br>Nasal Drops 0.05%, 15 mL   | #1       | -          | Drixine                           | SH             |
| 4378K | Nasal Spray 0.05%, 15 mL  | #1       | -          | Drixine                           | SH             |

| Code  | Name, manner of administration and form   | Max. qty | No of rpts | Proprietary name and manufacturer |    |
|-------|---|----------|------------|-----------------------------------|----|
|       | <b>PANCREATIN ENZYME</b>  |          |            |                                   |    |
| 4381N | Powder - Pancreatin (not less than 1,400 B.P. units Protease, 2,500 B.P. units Lipase per g) 250 g. | #1       | 2          | Pancrex V                         | PA |
| 4382P | Tablet - not less than 110 B.P. units Protease, 1,900 B.P. units Lipase                             | 500      | 1          | Pancrex V                         | PA |
| 4383Q | Tablet - not less than 330 B.P. units Protease, 5,600 B.P. units Lipase                             | 500      | 1          | Pancrex V Forte                   | PA |
| 4384R | Granules 500 g  | #1       | 1          | Pancrex                           | PA |
|       | <b>PANCRELIPASE, CELLULASE and OX BILE EXTRACT</b>  |          |            |                                   |    |
| 4385T | Tablet 170 mg-10 mg-65 mg   | 120      | 2          | Cotazym-B                         | OR |
|       | <b>PENTAERYTHRITOL TETRANITRATE</b>   |          |            |                                   |    |
| 4387X | Tablet 20 mg  | 100      | 2          | Peritrate                         | WW |
| 4388Y | Tablet 80 mg (sustained release)  | 100      | 2          | Peritrate-S.A.                    | WW |
|       | <b>PENTAZOCINE HYDROCHLORIDE</b>  |          |            |                                   |    |
|       | CAUTION: Chronic use of this preparation is likely to cause drug dependence.                        |          |            |                                   |    |
| 4391D | Tablet 25 mg  | 25       | -          | Fortral                           | WL |
| 4392E | 50 mg   | 25       | -          | Fortral                           | WL |
|       | <b>PETHIDINE HYDROCHLORIDE</b>  |          |            |                                   |    |
| 4395H | Tablet 50 mg  | 25       | -          | SI                                |    |
|       | <b>PHENAZOPYRIDINE HYDROCHLORIDE</b>  |          |            |                                   |    |
| 4401P | Tablet 100 mg   | 50       | 1          | Pyridium                          | WW |
|       | <b>PHENYLEPHRINE HYDROCHLORIDE</b>  |          |            |                                   |    |
| 4404T | Nasal Drops 0.25%, 20 mL  | #1       | -          | Neo-Syneprine                     | WL |
|       | <b>PINE TAR and TRIETHANOLAMINE LAURYL SULPHATE</b>   |          |            |                                   |    |
| 4407Y | Solution 2.1%-5.6%, 100 mL  | #1       | 2          | Pinetarsol                        | EO |
| 4407Z | 2.1%-5.6%, 500 mL   | #1       | 2          | Pinetarsol                        | EO |

| Code  | Name, manner of administration and form   | Max. qty | No of rpts | Proprietary name and manufacturer |    |
|-------|---|----------|------------|-----------------------------------|----|
|       | POLYMYXIN B SULPHATE<br>ZINC BACITRACIN and<br>NEOMYCIN SULPHATE<br>NOTE: For use with indwelling catheters                     |          |            |                                   |    |
| 4410D | Irrigant consisting of a dry powder vial containing 75,000 units-1,000 units-2,000 units and one 10 mL ampoule of normal saline | 5        | -          | Polybactrin Soluble G.U.          | BW |
|       | PREDNISOLONE HEXANOATE,<br>CINCHOCALINE HYDROCHLORIDE,<br>HEXACHLOROPHANE and<br>CLEMIZOLE UNDECYLENATE<br>Ointment             |          |            |                                   |    |
| 4412F | 0.19%-0.5%-0.5%-1%,<br>10 g   | #1       | 2          | Scheriproct                       | SC |
| 4413G | 0.19%-0.5%-0.5%-1%,<br>30g  | #1       | 2          | Scheriproct                       | SC |
| 4414H | Suppositories - each contains<br>1.3 mg-1 mg-2.5 mg-5 mg, 12  | #1       | 2          | Scheriproct                       | SC |
|       | PROCAINAMIDE HYDROCHLORIDE<br>Tablet 500 mg<br>(controlled release)   | 100      | 2          | Procaynamide Durules              | AP |
|       | PSEUDOEPHEDRINE HYDROCHLORIDE<br>Tablet 60 mg   | 100      | 1          | Sudafed                           | BW |
|       | PSYLLIUM HYDROPHILIC<br>MUCILLOID<br>Powder 375 g   | #1       | 1          | Metamucil                         | SR |
|       | RANITIDINE HYDROCHLORIDE<br>Tablet 150 mg   | 60       | 1          | Zantac                            | GL |
|       | RAUWOLFIA ALKALOIDS<br>CAUTION: Should not be prescribed for patients not already established on therapy                        |          |            |                                   |    |
| 4426Y | Tablet 2 mg   | 100      | 2          | Rauwiloid                         | RK |

| Code  | Name, manner of administration and form  | Max. qty | No of rpts | Proprietary name and manufacturer |    |
|-------|--|----------|------------|-----------------------------------|----|
|       | RAUWOLFIA SERPENTINA<br>CAUTION: Should not be prescribed for patients not already established on therapy                                    |          |            |                                   |    |
| 4427B | Tablet 50 mg   | 100      | 2          | Raudixin                          | SQ |
|       | RESERPINE<br>CAUTION: Should not be prescribed for patients not already established on therapy   |          |            |                                   |    |
| 4430E | Tablet 250 micrograms  | 100      | 2          | Serpasil                          | CB |
| 4432G | RESORCINOL and SULPHUR<br>Ointment 2%-8%, 25 g   | #1       | 2          | Eskamel                           | SK |
| 4434J | RICINOLEIC ACID,<br>BORIC ACID, ACETIC ACID,<br>and OXYQUINOLINE SULPHATE<br>Vaginal Jelly 0.75%-3%-<br>0.92%-0.025%, 95 g                   | #1       | -          | Aci-Jel                           | ET |
| 4436L | RICINOLEIC ACID,<br>OXYQUINOLINE SULPHATE,<br>DIISOBUTYLPHENOXY-<br>POLYETHOXYETHANOL and BORIC<br>ACID<br>Jelly 0.75%-0.025%-1%-3%,<br>85 g | #1       | 2          | Ortho-Gynol                       | ET |
| 4438N | RICINOLEIC ACID, SODIUM LAURYL<br>SULPHATE, BORIC ACID and<br>NONYLPHENOXYPOLYETHOXYETHANOL<br>Cream 0.75%-0.28%-3%-2%, 80 g                 | #1       | 2          | Ortho-Creme                       | ET |
| 4441R | RIFAMPICIN<br>Capsule 150 mg   | 100      | 2          | Rifadin                           | PT |
| 4442T | 300 mg   | 100      | 2          | Rifadin                           | PT |
| 4445Y | SALICYLIC ACID,<br>BENZALKONIUM CHLORIDE, ALCOHOL<br>and POLYOXYETHYLENE ETHERS<br>Shampoo 250 mL  | #1       | 2          | Ionil                             | AQ |
| 4446B | SALICYLIC ACID,<br>BENZALKONIUM CHLORIDE,<br>ALCOHOL, COAL TAR and<br>POLYOXYETHYLENE ETHERS<br>Shampoo 125 mL                               | #1       | 2          | Ionil-T                           | AQ |

| Code  | Name, manner of administration and form  | Max. qty | No of rpts | Proprietary name and manufacturer |    |
|-------|--|----------|------------|-----------------------------------|----|
| 4449E | SALICYLIC ACID and<br>PODOPHYLLIN RESIN<br>Ointment 25%-20%, 15 g  | #1       | -          | Salicylin-P                       | MN |
| 4452H | SELENIUM SULPHIDE<br>Shampoo 2.5%, 125 mL  | #1       | 1          | Selsun                            | AB |
| 4455L | SENNA STANDARDISED<br>Tablet 7.5 mg  | 96       | 1          | Senokot                           | RC |
| 4456M | SILVER SULPHADIAZINE and<br>CHLORHEXIDINE DIGLUCONATE<br>Cream 1%-0.2%, 50 g   | #1       | 1          | Silvazine                         | SN |
| 4457N | 1%-0.2%, 100 g tube  | #1       | 1          | Silvazine                         | SN |
|       | SODIUM APOLATE and<br>BENZYL NICOTINATE<br>CAUTION: Patch test for local<br>tolerance before applying to<br>chronic open lesions |          |            |                                   |    |
| 4527G | Ointment 1%-0.125%, 20 g   | #1       | -          | Pergalen                          | HP |
| 4459Q | 1%-0.125%, 50 g  | #1       | -          | Pergalen                          | HP |
|       | SODIUM BICARBONATE<br>CAUTION: For use in the<br>treatment of renal disease  |          |            |                                   |    |
| 4458P | Capsule 840 mg   | 100      | 2          | Sodibic                           | PT |
|       | SODIUM CHLORIDE<br>Irrigation Solution 0.9%,<br>500 mL   | #1       | 2          | TV                                |    |
| 4460R | 1 L  | #1       | 2          | TV                                |    |
|       | SODIUM CITRATE and<br>SODIUM LAURYL<br>SULPHOACETATE   |          |            |                                   |    |
| 4462W | Enema 90 mg-9 mg in 1 mL, 5 mL   | 4        | 1          | Microlax                          | PS |
|       | SODIUM CROMOGLYATE<br>Capsule 10 mg<br>(nasal insufflation)  | 100      | 2          | Rynacrom                          | FC |
| 4467D | Nasal Spray 2%, 17.5 mL  | #1       | 2          | Rynacrom                          | FC |
|       | SODIUM FLUORIDE<br>Tablet 20 mg  | 100      | 1          | Hifluor                           | PT |
|       | SODIUM POLYSTYRENE SULPHONATE<br>CAUTION: For use in the<br>treatment of renal disease   |          |            |                                   |    |
| 4470G | Powder 454g  | #1       | 2          | Resonium-A                        | WL |

| Code  | Name, manner of administration and form  | Max. qty | No of rpts | Proprietary name and manufacturer    |          |
|-------|--|----------|------------|--------------------------------------|----------|
| 4472J | STERCULIA with FRANGULA BARK Granules 62%-8%, 200 g  | #1       | 1          | Normacol                             | NE       |
| 4529J | SUCRALFATE Tablet 1 g  | 120      | 2          | Ulsanic                              | DT       |
| 4475M | SULPHATHIAZOLE, SULPHACETAMIDE, N1-BENZOYLSULPHANILAMIDE and UREA Vaginal Cream 3.42%-2.86%-3.7%-0.64%, 85 g | #1       | -          | Sultrin                              | ET       |
|       | TEMAZEPAM<br>CAUTION: Where continuing long term therapy is deemed necessary by the prescriber               |          |            |                                      |          |
| 4474L | Capsule 10 mg  | 50       | 1          | Euhypnos Normison                    | SI<br>WY |
| 4476N | TERTIARYBUTYLMETHOXYDIBENZOYL METHANE and AMERSCREEN P Lotion 1.5%-5%, 100 mL                                | #1       | -          | Hamilton Broad Spectrum Clear Lotion | HA       |
| 4477P | TETRA-BROMO-ORTHOCHRESOL, UNDECENOIC ACID, ZINC UNDECENOATE and ZINC OXIDE Powder 1%-1%-5%-5%, 50 g          | #1       | -          | Pedoz                                | HA       |
| 4478Q | TOLNAFTATE Cream 1%, 20 g  | #1       | -          | Tinacidin Tinaderm                   | SH<br>PW |
| 4479R | Powder 1%, 20 g  | #1       | -          | Tinaderm                             | PW       |
| 4480T | Solution 1%, 10 mL   | #1       | -          | Tinacidin Tinaderm                   | SH<br>PW |
| 4481W | Spray Aerosol 1%, 150 g  | #1       | -          | Tinaderm                             | PW       |
| 4532M | TRIAMCINOLONE ACETONIDE Cream 0.05%, 30 g  | #1       | 2          | Aristocort 0.05% Kenalone            | LE<br>SQ |
| 4533N | Ointment 0.05%, 30 g   | #1       | 2          | Aristocort 0.05% Kenalone            | LE<br>SQ |

| Code  | Name, manner of administration and form                                 | Max. qty | No of rpts | Proprietary name and manufacturer |    |
|-------|---|----------|------------|-----------------------------------|----|
|       | TRIAMCINOLONE ACETONIDE with NEOMYCIN SULPHATE, GRAMICIDIN and NYSTATIN |          |            |                                   |    |
|       | Cream   |          |            |                                   |    |
| 4483Y | 0.1%-0.25% (base)-0.025%-100,000 units in 1 g, 15 g                     | #1       | 2          | Kenacomb                          | SQ |
| 4484B | 0.1%-0.25% (base)-0.025%-100,000 units in 1 g, 30 g                     | #1       | 2          | Kenacomb                          | SQ |
|       | Ointment  |          |            |                                   |    |
| 4482X | 0.1%-0.25% (base)- 0.025%-100,000 units in 1 g, 15 g                    | #1       | 2          | Kenacomb                          | SQ |
| 4485C | 0.1%-0.25% (base)- 0.025%-100,000 units in 1 g, 30 g                    | #1       | 2          | Kenacomb                          | SQ |
|       | TRI-POTASSIUM DI-CITRATO BISMUTHATE COMPLEX                             |          |            |                                   |    |
| 4487E | Tablet 107.7 mg (Bi)  | 112      | 1          | De-No1                            | PD |
|       | VITAMIN A   |          |            |                                   |    |
| 4488F | Ointment 1,800 units per g, 50 g  | #1       | 1          | Ungvita                           | NS |
|       | VITAMIN A, CALAMINE and SILICONE OIL                                    |          |            |                                   |    |
| 4490H | Cream 500 units per g, 10%-1%, 50 g                                     | #1       | 1          | Ungvita Cream                     | NS |
|       | VITAMIN B GROUP COMPLEX   |          |            |                                   |    |
| 4492K | Tablet  | 100      | 2          | Multi-B                           | GP |
| 4493L | Liquid 200 mL   | #1       | 2          | Accomin                           | LE |
|       | VITAMIN B GROUP COMPLEX with ASCORBIC ACID                              |          |            |                                   |    |
| 4494M | Injection 2 mL  | 10       | 1          | Intravite B Group                 | NS |
|       | VITAMIN B GROUP COMPLEX STRONG with ASCORBIC ACID                       |          |            |                                   |    |
| 4495N | Tablet  | 100      | 2          | FM Multi-B Forte                  | GP |
| 4496P | Injection I.M. - pair of 5 mL and 2 mL ampoules, 3                      | #1       | 1          | Parentrovite                      | BR |
|       | WHITE SOFT PARAFFIN with LIQUID PARAFFIN                                |          |            |                                   |    |
| 4536R | Eye Ointment, 3.5 g   | #1       | 2          | Lacri-Lube S.O.P.                 | AG |
|       | ZINC OXIDE, STARCH and CHLORPHENESIN                                    |          |            |                                   |    |
| 4497Q | Dusting Powder, 100 g   | #1       | 1          | Z.S.C.                            | SI |

# Section 2

REPATRIATION SCHEDULE  
OF BENEFITS  
Aids to treatment

| Code  | Item   | Max. qty | No of rpts | Proprietary name and manufacturer   |          |
|-------|--|----------|------------|-------------------------------------|----------|
| 4602F | ABSORBENT NAPKINS PANTS<br>pack of 2                                     | 3        | -          | Softeze<br>Dri Shield<br>Disposable | BS       |
| 4611Q | CONTRACEPTIVE DIAPHRAGM<br>Coil or Flat type,<br>sizes 55 mm to 95 mm    | #1       | -          | Ortho                               | ET       |
| 4612R | All Flex type,<br>sizes 55 mm to 95 mm                                   | #1       |            | Ortho                               | ET       |
| 4616Y | INJECTION SITE PREPARATION SWAB<br>Isopropyl Alcohol 70%,<br>pack of 100 | #1       | 1          | Medi Swab<br>5510<br>Curity<br>2323 | SN<br>KE |
|       | INTRAUTERINE DEVICES   |          |            |                                     |          |
| 4621F | Device   | #1       | -          | Gravigard                           | SR       |
| 4622G | Device   | #1       | -          | Gyne-T                              | ET       |
| 4623H | Device   | #1       | -          | Lippes Loop                         | ET       |
| 4624J | Device   | #1       | -          | Mini-Gravigard                      | SR       |
| 4625K | Device   | #1       | -          | Multiload<br>Cu250                  | OR       |
| 4631R | MOUTH PIECE FOR METERED<br>AEROSOLS                                      | #1       | -          | Mouthpiece                          | BY       |
| 4635Y | NASAL INSUFFLATOR  | #1       | -          | Rynacrom                            | FC       |
|       | ROTAHALERS   |          |            |                                     |          |
| 4637C | Rotahaler  | #1       | -          | Ventolin                            | AH       |
| 4638D | Rotahaler  | #1       | -          | Becotide                            | AH       |
| 4636B | SPINHALER  | #1       | -          | Intal                               | FC       |
| 4640F | VAGINAL APPLICATOR   | #1       | -          | Ortho                               | ET       |

NOTE: A number following the proprietary name denotes manufacturer's product code

# Section 3

REPATRIATION SCHEDULE  
OF BENEFITS  
Dressings

| Code  | Item  | Max. qty | No of rpts | Proprietary name and manufacturer |    |
|-------|---|----------|------------|-----------------------------------|----|
| 4704N | ABSORBENT COTTON GAUZE<br>90 cm x 1 m, pack | #1       | -          | Handy<br>4021                     | BE |
| 4705P | 11 cm x 373 cm, roll                        | #1       | -          | Kerlix<br>6715                    | KE |
| 4701K | ABSORBENT COTTON WOOL<br>100 g roll         | #1       | 2          | Handy<br>4004                     | BE |
| 4702L | 375 g roll                                  | #1       | 2          | JJ<br>Handy<br>4010<br>JJ         | BE |
| 4707R | ABSORBENT GAUZE PAD<br>5 cm x 5 cm, 100     | #1       | -          | Handy<br>5672                     | BE |
| 4709W | 7.5 cm x 7.5 cm, 100                        | #1       | -          | Curity<br>3381                    | KE |
| 4708T | 10 cm x 10 cm, 100                          | #1       | -          | Curity<br>6132                    | KE |
| 4711Y | ABSORBENT LINT<br>50 g, pack                | #1       | -          | Handy<br>4032                     | BE |
| 4714D | ABSORBENT NAPKINS<br>pack of 20             | #1       | 10         | Softze                            | BS |
| 4717G | BANDAGE CALICO TRIANGULAR<br>large size     | #1       | -          | Handy<br>5605                     | BE |
| 4720K | BANDAGE COTTON CONFORMING<br>2.5 cm         | 5        | -          | Handy<br>9483                     | BE |
| 4721L | 5 cm  | 5        | -          | Handy<br>9485                     | BE |
| 4722M | 7.5 cm                                      | 5        | -          | Handy<br>9488                     | BE |
| 4723N | 10 cm                                       | 5        | -          | Handy<br>9490                     | BE |
| 4724P | 15 cm                                       | 5        | -          | Handy<br>9495                     | BE |

NOTE: A number following the proprietary name denotes manufacturer's product code

| Code  | Item                                 | Max. qty | No of rpts | Proprietary name and manufacturer |    |
|-------|--------------------------------------|----------|------------|-----------------------------------|----|
| 4727T | BANDAGE COTTON CREPE<br>5 cm x 2.3 m | 2        | -          | Curaband<br>8252                  | KE |
|       |                                      |          |            | Elastocrepe<br>3005               | SN |
| 4728W | 7.5 cm x 2.3 m                       | 2        | -          | Curaband<br>8253                  | KE |
|       |                                      |          |            | Elastocrepe<br>3075               | SN |
| 4729X | 10 cm x 2.3 m                        | 2        | -          | Curaband<br>8254                  | KE |
|       |                                      |          |            | Elastocrepe<br>3010               | SN |
| 4730Y | 15 cm x 2.3 m                        | 2        | -          | Curaband<br>8256                  | KE |
|       |                                      |          |            | Elastocrepe<br>3015               | SN |
|       | BANDAGE ELASTIC ADHESIVE             |          |            |                                   |    |
| 4733D | 5 cm x 2.5 m                         | 1        | -          | Elastoplast<br>1002               | SN |
| 4734E | 7.5 cm x 2.5 m                       | 1        | -          | Elastoplast<br>1003               | SN |
| 4735F | 10 cm x 2.5 m                        | 1        | -          | Elastoplast<br>1004               | SN |
|       | BANDAGE ELASTIC CONFORMING           |          |            |                                   |    |
| 4801Q | 2.5 cm                               | 5        | -          | Curaband<br>8181                  | KE |
| 4802R | 5 cm                                 | 5        | -          | Curaband<br>8182                  | KE |
| 4803T | 7.5 cm                               | 5        | -          | Curaband<br>8183                  | KE |
| 4804W | 10 cm                                | 5        | -          | Curaband<br>8184                  | KE |
| 4805X | 15 cm                                | 5        | -          | Curaband<br>8186                  | KE |
|       | BANDAGE HEAVY ELASTIC SUPPORT        |          |            |                                   |    |
| 4737H | 7.5 cm x 2.75 m                      | 2        | -          | Curaband<br>8123                  | KE |
|       | BANDAGE OPEN-WOVE                    |          |            |                                   |    |
| 4738J | 2.5 cm                               | 5        | -          | Handy<br>5551                     | BE |
| 4739K | 5 cm                                 | 5        | -          | Handy<br>5552                     | BE |
| 4740L | 7.5 cm                               | 5        | -          | Handy<br>5553                     | BE |
| 4741M | 10 cm                                | 5        | -          | Handy<br>5554                     | BE |

NOTE: A number following the proprietary name denotes manufacturer's product code

| Code  | Item                                      | Max. qty | No of rpts | Proprietary name and manufacturer |          |
|-------|---|----------|------------|-----------------------------------|----------|
| 4744Q | BANDAGE PLASTER OF PARIS<br>5 cm x 2.75 m | 5        | -          | Gypsona<br>S5002                  | SN       |
| 4745R | 7.5 cm x 2.75 m                           | 5        | -          | Gypsona<br>S5003                  | SN       |
| 4746T | 10 cm x 2.75 m                            | 5        | -          | Gypsona<br>S5004                  | SN       |
| 4747W | 15 cm x 2.75 m                            | 5        | -          | Gypsona<br>S5006                  | SN       |
|       | <b>BANDAGE SELF ADHESIVE ELASTIC</b>      |          |            |                                   |          |
| 4811F | 5 cm x 1.3 m                              | 2        | -          | Peg                               | BK       |
| 4812G | 7.5 cm x 1.3 m                            | 2        | -          | Peg                               | BK       |
| 4813H | 10 cm x 1.3 m                             | 2        | -          | Peg                               | BK       |
| 4814J | 15 cm x 1.3 m                             | 2        | -          | Peg                               | BK       |
|       | <b>BANDAGE STRETCH</b>                    |          |            |                                   |          |
| 4820Q | 2.5 cm                                    | 5        | -          | Conform<br>2230                   | KE       |
| 4821R | 5 cm                                      | 5        | -          | Conform<br>2231                   | KE       |
| 4822T | 7.5 cm                                    | 5        | -          | Conform<br>2232                   | KE       |
| 4823W | 10 cm                                     | 5        | -          | Conform<br>2236                   | KE       |
| 4824X | 15 cm                                     | 5        | -          | Conform<br>2238                   | KE       |
|       | <b>BANDAGE UNDER CAST</b>                 |          |            |                                   |          |
| 4828D | 7.5 cm x 3 m                              | 5        | -          | Velband                           | JJ       |
| 4829E | 10 cm x 3 m                               | 5        | -          | Velband                           | JJ       |
|       | <b>BANDAGE WRINKLED<br/>COTTON CREPE</b>  |          |            |                                   |          |
| 4833J | 5 cm x 1.5 m<br>(hospital quality)        | 2        | -          | Curaband<br>8232<br>Handy<br>8235 | KE<br>BE |
| 4834K | 7.5 cm x 1.5 m<br>(hospital quality)      | 2        | -          | Curaband<br>8233<br>Handy<br>8238 | KE<br>BE |
| 4835L | 10 cm x 1.5 m<br>(hospital quality)       | 2        | -          | Curaband<br>8234<br>Handy<br>8240 | KE<br>BE |
| 4836M | 15 cm x 1.5 m<br>(hospital quality)       | 2        | -          | Curaband<br>8236<br>Handy<br>8245 | KE<br>BE |

NOTE: A number following the proprietary name denotes manufacturer's product code

| Code  | Item  | Max. qty | No of rpts | Proprietary name and manufacturer |          |
|-------|---|----------|------------|-----------------------------------|----------|
| 4750B | BANDAGE ZINC PASTE<br>7.5 cm x 6 m  | 2        | -          | Viscopaste<br>4949                | SN       |
| 4752D | BANDAGE ZINC PASTE and<br>ICHTHAMMOL<br>7.5 cm x 6 m  | 2        | -          | Ichthopaste<br>4959               | SN       |
| 4839Q | DRESSING ADHESIVE MEMBRANE<br>14 cm x 10 cm, sterile<br>sachets, pack of 10                         | #1       | 2          | Op-Site<br>4963                   | SN       |
| 4840R | 28 cm x 15 cm, sterile<br>sachets, pack of 10   | #1       | 2          | Op-Site<br>4986                   | SN       |
| 4754F | DRESSING ELASTIC ADHESIVE<br>6 cm x 1 m, pack   | 1        | -          | Elastoplast<br>4025               | SN       |
| 4756H | DRESSING NON ADHERENT DRY<br>ABSORBENT<br>5 cm x 5 cm, sterile<br>single pack                       | 10       | -          | Melolin<br>4940                   | SN       |
| 4755G | 5 cm x 7.5 cm, sterile<br>single pack   | 10       | -          | Telfa<br>1961                     | KE       |
| 4758K | 7.5 cm x 10 cm, sterile<br>single pack  | 10       | -          | Telfa<br>2132                     | KE       |
| 4757J | 10 cm x 10 cm, sterile<br>single pack   | 10       | -          | Melolin<br>4941                   | SN       |
| 4759L | DRESSING PARAFFIN GAUZE<br>10 cm x 10 cm, sterile foil,<br>pack of 10                               | #1       | -          | Unitulle<br>Jelonet<br>J7 7404    | RL<br>SN |
| 4845B | DRESSING PARAFFIN GAUZE with<br>CHLORHEXIDINE ACETATE<br>10 cm x 10 cm, sterile foil,<br>pack of 10 | #1       | 2          | Bactigras                         | SN       |
| 4846C | 10 cm x 40 cm, sterile foil,<br>pack of 10  | #1       | 2          | Bactigras                         | SN       |
| 4847D | 15 cm x 20 cm, sterile foil,<br>pack of 10  | #1       | 2          | Bactigras                         | SN       |

NOTE: A number following the proprietary name denotes manufacturer's product code

| Code  | Item  | Max. qty | No of rpts | Proprietary name and manufacturer |    |
|-------|---|----------|------------|-----------------------------------|----|
| 4843X | DRESSING SELF ADHESIVE<br>NON ADHERENT DRY ABSORBENT<br>5 cm x 7.5 cm, sterile<br>sachets, pack of 10 | #1       | 2          | Curity-Telfa<br>6020              | KE |
| 4844Y | 7.5 cm x 10 cm, sterile<br>sachets, pack of 6   | #1       | 2          | Curity-Telfa<br>7650              | KE |
| 4762P | FELT PAD BUNION<br>pack of 5  | #1       | -          | Scholl                            | SO |
| 4763Q | FELT PAD CALLOUS<br>pack of 5   | #1       | -          | Scholl                            | SO |
| 4764R | FELT PAD CORN<br>pack of 9  | #1       | -          | Scholl                            | SO |
| 4767X | GAUZE AND COTTON TISSUE<br>9 cm x 10 m<br>wrapped pack  | #1       | -          | SN<br>121216A<br>JJ               |    |
| 4768Y | GAUZE EYE PADS<br>Pack of 12  | #1       | -          | Curity<br>4112                    | KE |
| 4769B | Pack of 36  | #1       | -          | Handy<br>5652                     | BE |
| 4770C | GAUZE STERILE STRIP<br>1.25 cm x 4.5 m  | #1       | 2          | Nufold                            | JJ |
| 4771D | 2.5 cm x 4.5 m  | #1       | 2          | Nufold                            | JJ |
|       | GLOVES PLASTIC<br>(DISPOSABLE)<br>NOTE: For occlusive<br>dressing use only                            |          |            |                                   |    |
| 4772E | Small, pack of 100  | #1       | -          | Handy<br>4177                     | BE |
| 4773F | Medium, pack of 100   | #1       | -          | Handy<br>4178                     | BE |
| 4774G | Large, pack of 100  | #1       | -          | Handy<br>4179                     | BE |

NOTE: A number following the proprietary name denotes manufacturer's product code

| Code  | Item   | Max. qty | No of rpts | Proprietary name and manufacturer |    |
|-------|--|----------|------------|-----------------------------------|----|
| 4777K | LAMBS WOOL<br>original pack  | #1       | -          | Scholl                            | SO |
| 4779M | POVIDONE-IODINE GAUZE PAD<br>22.5 cm x 7.5 cm,<br>sterile foil, pack of 12 | #1       | 2          | Betadine                          | FA |
| 4780N | SELF ADHESIVE PLASTER ELASTIC<br>2.5 cm x 2.5 m roll                       | 1        | -          | Leukoplast<br>1071                | BE |
| 4781P | 5 cm x 2.5 m roll  | 1        | -          | Leukoplast<br>1072                | BE |
| 4782Q | 7.5 cm x 2.5 m roll  | 1        | -          | Leukoplast<br>1073                | BE |
| 4784T | SELF ADHESIVE PLASTER<br>HYPOALLERGENIC<br>1.25 cm x 5 m roll              | 1        | -          | Leukoflex<br>1121                 | BE |
| 4783R | 1.25 cm x 5 m roll   | 1        | -          | Leukopor<br>2471                  | BE |
| 4785W | 1.25 cm x 5 m roll   | 1        | -          | Leukosilk<br>1021                 | BE |
| 4786X | 2.5 cm x 5 m roll  | 1        | -          | Leukoflex<br>1122                 | BE |
| 4794H | 2.5 cm x 5 m roll  | 1        | -          | Leukopor<br>2472                  | BE |
| 4787Y | 2.5 cm x 5 m roll  | 1        | -          | Leukosilk<br>1022                 | BE |
| 4788B | 5 cm x 5 m roll  | 1        | -          | Leukoflex<br>1124                 | BE |
| 4790D | 5 cm x 5 m roll  | 1        | -          | Leukopor<br>2474                  | BE |
| 4789C | 5 cm x 5 m roll  | 1        | -          | Leukosilk<br>1024                 | BE |
| 4791E | SELF ADHESIVE PLASTER<br>WATERPROOF<br>2.5 cm x 5 m roll                   | 1        | -          | Leukoplast<br>2322                | BE |
| 4792F | 5 cm x 5 m roll  | 1        | -          | Leukoplast<br>2324                | BE |
| 4793G | 7.5 cm x 5 m roll  | 1        | -          | Leukoplast<br>2325                | BE |

NOTE: A number following the proprietary name denotes manufacturer's product code

| Code  | Item  | Max.<br>qty | No<br>of<br>rpts | Proprietary name and<br>manufacturer                               |                            |
|-------|---|-------------|------------------|--|----------------------------|
| 4796K | TUBULAR DRESSING<br>1 m length                                    | 1           | -                | Tubigrip B<br>Tubigrip C<br>Tubigrip D<br>Tubigrip E<br>Tubigrip F | BT<br>BT<br>BT<br>BT<br>BT |
| 4798M | TUBULAR FINGER DRESSING<br>Complete pack, including<br>applicator | #1          | -                | Scholl<br>Tubegauz   | S0                         |

NOTE: A number following the proprietary name denotes  
manufacturer's product code

# Section 4

REPATRIATION SCHEDULE  
OF BENEFITS

Proprietary Name Index

| Proprietary name                     | Manufacturer | Approved name  |
|--------------------------------------|--------------|--|
| Accomin                              | LE           | Multivitamin with Minerals   |
| Accomin                              | LE           | Vitamin B Group Complex  |
| Acci-Jel                             | ET           | Ricinoleic Acid, Boric Acid, Acetic Acid, and Oxyquinoline Sulphate      |
| Aldecin                              | SH           | Beclomethasone Dipropionate  |
| Alpha-Keri                           | RK           | Bath Emollient   |
| Alphosyl                             | SV           | Allantoin and Coal Tar Extract   |
| Amoxil                               | BR           | Amoxycillin  |
| Antabuse                             | ET           | Disulfiram   |
| Aristocort 0.05%                     | LE           | Triamcinolone Acetonide  |
| Ativan                               | WY           | Lorazepam  |
| Atrovent                             | BY           | Ipratropium Bromide  |
| Bactigras                            | SN           | Dressing Paraffin Gauze with Chlorhexidine Acetate (Section 3)           |
| Balnetar                             | RK           | Bath Emollient   |
| Beconase                             | AH           | Beclomethasone Dipropionate  |
| Becotide                             | AH           | Rotahalers (Section 2)   |
| Benadryl Expectorant                 | PD           | Diphenhydramine Hydrochloride  |
| Benzotran                            | PT           | Oxazepam   |
| Betadine                             | FA           | Povidone-Iodine Gauze Pad (Section 3)                                    |
| Betnovate ½                          | GL           | Betamethasone Valerate   |
| Betnovate                            | GL           | Betamethasone Valerate   |
| B.F.I.                               | MK           | Bismuth Formic Iodide  |
| Bioral                               | SN           | Carbenoxolone Sodium   |
| Bonjela                              | RC           | Choline Salicylate, Cetylalcohol Chloride, Menthol, Glycerol and Ethanol |
| Buscopan                             | BY           | Hyoscine-N-Butylbromide  |
| Caladryl                             | PD           | Lignocaine Hydrochloride, Calamine and Camphor                           |
| Canesten                             | BN           | Clotrimazole   |
| Capadex                              | FM           | Dextropropoxyphene Hydrochloride with Paracetamol                        |
| Celestone V Half Strength            | SH           | Betamethasone Valerate   |
| Celestone V                          | SH           | Betamethasone Valerate   |
| Celestone-VG½                        | SH           | Betamethasone Valerate and Gentamicin Sulphate                           |
| Celestone-VG                         | SH           | Betamethasone Valerate and Gentamicin Sulphate                           |
| Chlorohex                            | OM           | Chlorhexidine Gluconate  |
| Cogentin                             | MK           | Benztropine  |
| Colofac                              | ET           | Mebeverine Hydrochloride   |
| Coloxyl 50                           | FM           | Diethyl Sodium Sulphosuccinate   |
| Coloxyl 120                          | FM           | Diethyl Sodium Sulphosuccinate   |
| Coloxyl with Danthron                | FM           | Diethyl Sodium Sulphosuccinate with Danthron                             |
| Conform 2230/2231/<br>2232/2236/2238 | KE           | Bandage Stretch (Section 3)  |
| Cotazym-B                            | OR           | Pancrelipase, Cellulase and Ox Bile Extract                              |

Note: A number following the proprietary name denotes manufacturer's product code.

| Proprietary name                      | Manufacturer | Approved name   |
|---------------------------------------|--------------|---|
| Curaband 8252/8253/<br>8254/8256      | KE           | Bandage Cotton Crepe (Section 3)  |
| Curaband 8181/8182/<br>8183/8184/8186 | KE           | Bandage Elastic Conforming<br>(Section 3)                                       |
| Curaband 8123                         | KE           | Bandage Heavy Elastic Support<br>(Section 3)                                    |
| Curaband 8232/8233/<br>8234/8236      | KE           | Bandage Wrinkled Cotton Crepe<br>(Section 3)                                    |
| Curity 3381/6132/6309                 | KE           | Absorbent Gauze Pad (Section 3)   |
| Curity 4112                           | KE           | Gauze Eye Pads (Section 3)  |
| Curity 2323                           | KE           | Injection Site Preparation Swab<br>(Section 2)                                  |
| Curity-Telfa 6020/7650                | KE           | Dressing Self Adhesive Non<br>Adherent Dry Absorbent<br>(Section 3)             |
| Dalmane                               | RO           | Flurazepam Dihydrochloride  |
| Dan Gard                              | HP           | Zinc Pyrithione   |
| Dan Gard Hold & Care                  | HP           | Zinc Pyrithione   |
| Delfen                                | ET           | Nonylphenoxypolyethoxyethanol   |
| Dencorub                              | CW           | Camphor, Menthol, Eucalyptus<br>Oil, Isobornyl Acetate and<br>Methyl Salicylate |
| De-No1                                | PD           | Tri-Potassium Di-Citrato<br>Bismuthate Complex                                  |
| Dextrostix                            | AM           | Glucose Indicator - Blood   |
| Di-Gesic                              | DL           | Dextropropoxyphene Hydrochloride<br>with Paracetamol                            |
| Diprosone                             | SH           | Betamethasone Dipropionate  |
| Dormicum                              | PT           | Nitrazepam  |
| Drapo1ex                              | BW           | Benzalkonium Chloride,<br>Cetrimide and Lanolin                                 |
| Drixine                               | SH           | Oxymetazoline Hydrochloride   |
| Ducene                                | SU           | Diazepam  |
| Duoquel                               | BW           | Aluminium Hydroxide with<br>Magnesium Hydroxide and<br>Simethicone              |
| Duro1ax                               | BY           | Bisacodyl   |
| Efudix                                | RO           | Fluorouracil  |
| Egopsoryl-TA                          | EO           | Allantoin, Sulphur, Phenol, Coal Tar<br>Solution and Menthol                    |
| Elastocrepe 3005/3075/<br>3010/3015   | SN           | Bandage Cotton Crepe (Section 3)  |
| Elastoplast 1002/1003/<br>1004        | SN           | Bandage Elastic Adhesive<br>(Section 3)   |
| Elastoplast 4025                      | SN           | Dressing Elastic Adhesive<br>(Section 3)  |
| Endoxan-Asta                          | BC           | Cyclophosphamide  |
| Eskamel                               | SK           | Resorcinol and Sulphur  |
| Euhypnos                              | SI           | Temazepam   |
| Eurax                                 | GE           | Crotamiton  |
| Fibyrax                               | RL           | Fibrous Extracts of Grain<br>and Citrus   |

Note: A number following the proprietary name denotes  
manufacturer's product code.

| Proprietary name                        | Manufacturer | Approved name   |
|---|--------------|---|
| Fluoroplex                              | AG           | Fluorouracil  |
| Fortral                                 | WL           | Pentazocine Hydrochloride   |
| Furoxone                                | NW           | Furazolidone  |
| Fybogel                                 | RC           | Ispaghula Husk  |
| Gavigrans                               | RC           | Alginic Acid Compound   |
| Gravigard                               | SR           | Intrauterine Devices (Section 2)  |
| Gyne-T                                  | ET           | Intrauterine Devices (Section 2)  |
| Gypsona S5002/S5003/<br>S5004/S5006     | SN           | Bandage Plaster of Paris<br>(Section 3)   |
| Hamilton Bath Oil                       | HA           | Bath Emollient  |
| Hamilton Broad<br>Spectrum Clear Lotion | HA           | Tertiarybutylmethoxydibenzoyl<br>Methane and Amerscreen P                                 |
| Hamilton Broad<br>Spectrum Cream        | HA           | Ethylhexylparamethoxycinnamate<br>and Tertiarybutylmethoxydibenzoyl<br>Methane            |
| Hamilton Broad<br>Spectrum Solastick    | HA           | Ethylhexylparamethoxycinnamate<br>and Tertiarybutylmethoxydibenzoyl<br>Methane            |
| Handy 4004/4010                         | BE           | Absorbent Cotton Wool (Section 3)   |
| Handy 4021                              | BE           | Absorbent Cotton Wool Gauze<br>(Section 3)  |
| Handy 5672/5674                         | BE           | Absorbent Gauze Pad (Section 3)   |
| Handy 4032                              | BE           | Absorbent Lint (Section 3)  |
| Handy 5605                              | BE           | Bandage Calico Triangular<br>(Section 3)  |
| Handy 9483/9485/<br>9488/9490/9495      | BE           | Bandage Cotton Conforming<br>(Section 3)  |
| Handy 5551/5552/<br>5553/5554           | BE           | Bandage Open-Weave (Section 3)  |
| Handy 8235/8238/<br>8240/8245           | BE           | Bandage Wrinkled Cotton Crepe<br>(Section 3)  |
| Handy 5652                              | BE           | Gauze Eye Pad (Section 3)   |
| Handy 4177/4178/4179                    | BE           | Gloves Plastic (Disposable)<br>(Section 3)  |
| Hifluor                                 | PT           | Sodium Fluoride   |
| Hirudoid                                | OR           | Heparinoid  |
| Hydroform                               | DM           | Hydrocortisone and Cloiquinol   |
| Ichthopaste 4959                        | SN           | Bandage Zinc Paste and<br>Ichthammol (Section 3)  |
| Intal                                   | FC           | Spinhaler (Section 2)   |
| Intravite B Group                       | NS           | Vitamin B Group Complex with<br>Ascorbic Acid   |
| Ionil                                   | AQ           | Salicylic Acid, Benzalkonium<br>Chloride, Alcohol and<br>Polyoxyethylene Ethers           |
| Ionil Rinse                             | AQ           | Hydrolyzed Collagen Proteins  |
| Ionil-T                                 | AQ           | Salicylic Acid, Benzalkonium<br>Chloride, Alcohol, Coal Tar<br>and Polyoxyethylene Ethers |
| Jelonet J7 7404                         | SN           | Dressing Paraffin Gauze<br>(Section 3)  |

Note: A number following the proprietary name denotes manufacturer's product code.

| Proprietary name          | Manufacturer | Approved name   |
|---------------------------|--------------|---|
| Kenacomb                  | SQ           | Triamcinolone Acetonide with Neomycin Sulphate, Gramicidin and Nystatin |
| Kenalone                  | SQ           | Triamcinolone Acetonide   |
| Kerlix 6715               | KF           | Absorbent Cotton Gauze (Section 3)                                      |
| Lacri-Lube S.O.P.         | AG           | White Soft Paraffin with Liquid Paraffin                                |
| Lasonil                   | BN           | Heparinoid and Hyaluronidase  |
| Leukoflex 1121/1122/1124  | BE           | Self Adhesive Plaster Hypoallergenic (Section 3)                        |
| Leukoplast 1071/1072/1073 | BE           | Self Adhesive Plaster Elastic (Section 3)                               |
| Leukoplast 2322/2324/2325 | BE           | Self Adhesive Plaster Waterproof (Section 3)                            |
| Leukopor 2471/2472/2474   | BE           | Self Adhesive Plaster Hypoallergenic (Section 3)                        |
| Leukosilk 1021/1022/1024  | BE           | Self Adhesive Plaster Hypoallergenic (Section 3)                        |
| Lexotan                   | RO           | Bromazepam  |
| Librium                   | RO           | Chlordiazepoxide  |
| Lippes Loop               | ET           | Intrauterine Devices (Section 2)  |
| Locasalen                 | CB           | Flumethasone Pivalate and Salicylic Acid                                |
| Lubafax                   | BW           | Lubricating Agent   |
| Magmin                    | VS           | Magnesium Aspartate   |
| Medi Swab 5510            | SN           | Injection Site Preparation Swab (Section 2)                             |
| Melolin 4940/4941         | SN           | Dressing Non Adherent Dry Absorbent (Section 3)                         |
| Merbentyl                 | ML           | Dicyclomine Hydrochloride   |
| Mersyndol                 | ML           | Codeine Phosphate, Paracetamol and Doxylamine Succinate                 |
| Metamucil                 | SR           | Psyllium Hydrophilic Mucilloid  |
| Metsal                    | RK           | Menthol, Eucalyptus Oil and Methyl Salicylate                           |
| MicroLax                  | PS           | Sodium Citrate and Sodium Lauryl Sulphoacetate                          |
| Mini-Gravigard            | SR           | Intrauterine Devices (Section 2)  |
| Mogadon                   | RO           | Nitrazepam  |
| Mouthpiece                | BY           | Mouth Piece for Metered Aerosols (Section 2)                            |
| Moxacin                   | CS           | Amoxycillin   |
| Multi-B                   | GP           | Vitamin B Group Complex   |
| Multi-B Forte             | GP           | Vitamin B Group Complex Strong with Ascorbic Acid                       |
| Multiload Cu250           | OR           | Intrauterine Devices (Section 2)  |
| Murelax                   | AY           | Oxazepam  |
| Myadec                    | PD           | Multi Vitamins with Minerals  |
| Myambutol                 | LE           | Ethambutol Hydrochloride  |
| Mylanta II                | PD           | Aluminium Hydroxide with Magnesium Hydroxide and Simethicone            |
| Negram                    | WL           | Nalidixic Acid  |

Note: A number following the proprietary name denotes manufacturer's product code.

| Proprietary name         | Manufacturer | Approved name  |
|--------------------------|--------------|--|
| Neo-Synephrine           | WL           | Phenylephrine Hydrochloride  |
| Nitrolate                | RO           | Glyceryl Trinitrate  |
| Normacol                 | NE           | Sterculia with Frangula Bark   |
| Normison                 | WY           | Temazepam  |
| Nufold                   | JJ           | Gauze Sterile Strip (Section 3)  |
| Op-Site 4963/4986        | SN           | Dressing Adhesive Membrane<br>(Section 3)  |
| Orabase                  | SQ           | Carmellose Sodium with Pectin and Gelatin  |
| Ortho                    | ET           | Contraceptive Diaphragm (Section 2)  |
| Ortho                    | ET           | Vaginal Applicator (Section 2)   |
| Ortho-Creme              | ET           | Ricinoleic Acid, Sodium Lauryl<br>Sulphate, Boric Acid and<br>Nonylphenoxypolyethoxyethanol        |
| Ortho-Gyno1              | ET           | Ricinoleic Acid, Oxyquinoline<br>Sulphate,<br>Diisobutylphenoxypolyethoxyethanol<br>and Boric Acid |
| Pamine                   | UP           | Hyoscine Methobromide  |
| Panadeine Forte          | WL           | Codeine Phosphate with Paracetamol   |
| Pancrex                  | PA           | Pancreatin Enzyme  |
| Pancrex V                | PA           | Pancreatin Enzyme  |
| Pancrex V Forte          | PA           | Pancreatin Enzyme  |
| Paradex                  | PT           | Dextropropoxyphene Hydrochloride<br>with Paracetamol   |
| Parentrovite             | BR           | Vitamin B Group Complex Strong<br>with Ascorbic Acid   |
| Paroven                  | ZY           | Hydroxyethylrutosides  |
| Paxyl                    | FA           | Lignocaine, Benzalkonium<br>Chloride, Vitamin A and<br>Allantoin                                   |
| Pedoz                    | HA           | Tetra-bromo-orthocresol,<br>Undecenoic Acid, Zinc Undecenoate<br>and Zinc Oxide                    |
| Peg                      | BK           | Bandage Self Adhesive Elastic<br>(Section 3)   |
| Pergalen                 | HP           | Sodium Apolate and Benzyl Nicotinate   |
| Peritrate                | WW           | Pentaerythritol Tetranitrate   |
| Peritrate-S.A.           | WW           | Pentaerythritol Tetranitrate   |
| Pevaryl                  | SK           | Econazole Nitrate  |
| Pimafucort               | GB           | Natamycin, Neomycin Sulphate and<br>Hydrocortisone   |
| Pinetarso1               | EO           | Pine Tar and Triethanolamine<br>Lauryl Sulphate  |
| Plaqacide                | CP           | Chlorhexidine Gluconate  |
| Pluravit                 | NY           | Multivitamin with Minerals   |
| Polybactrin Soluble G.U. | BW           | Polymyxin B Sulphate, Zinc<br>Bacitracin and Neomycin<br>Sulphate                                  |
| Ponstan                  | PD           | Mefenamic Acid   |
| Pragmatar                | SK           | Cetylalcohol Coal Tar Distillate,<br>Sulphur and Salicylic Acid                                    |

Note: A number following the proprietary name denotes manufacturer's product code.

| Proprietary name             | Manufacturer | Approved name   |
|------------------------------|--------------|---|
| Prantal                      | SH           | Diphenamyl Methylsulphate   |
| Procainamide Durules         | AP           | Procainamide Hydrochloride  |
| Proctosedyl                  | RL           | Hydrocortisone, Cinchocaine Hydrochloride, Framycetin Sulphate and Aesculin                   |
| Proladone                    | BT           | Oxycodone Pectinate   |
| Pro-Pam                      | PT           | Diazepam  |
| Pyridium                     | WW           | Phenazopyridine Hydrochloride   |
| Quotane                      | SK           | Dimethisoquin Hydrochloride   |
| Q V Bath Oil                 | EO           | Bath Emollient  |
| Raudixin                     | SQ           | Rauwolfia Serpentina  |
| Rauwiloid                    | RK           | Rauwolfia Alkaloids   |
| Resonium-A                   | WL           | Sodium Polystyrene Sulphonate   |
| Rifadin                      | PT           | Rifampicin  |
| Rohypnol                     | RO           | Flunitrazepam   |
| Rynacrom                     | FC           | Sodium Cromoglycate   |
| Rynacrom                     | FC           | Nasal Insufflator (Section 2)   |
| Salicylin-P                  | MN           | Salicylic Acid and Podophyllin Resin  |
| Savacol                      | IC           | Chlorhexidine Gluconate   |
| Scheriproct                  | SC           | Prednisolone Hexanoate, Cinchocaine Hydrochloride, Hexachlorophane and Clemizole Undecylenate |
| Scholl                       | SO           | Felt Pad Bunion (Section 3)   |
| Scholl                       | SO           | Felt Pad Callous (Section 3)  |
| Scholl                       | SO           | Felt Pad Corn (Section 3)   |
| Scholl                       | SO           | Lambs Wool (Section 3)  |
| Scholl Tubegauz              | SO           | Tubular Finger Dressing with Applicator (Section 3)   |
| Selsun                       | AB           | Selenium Sulphide   |
| Senokot                      | RC           | Senna Standardised  |
| Serepax                      | WY           | Oxazepam  |
| Serpasil                     | CB           | Reserpine   |
| Silvazine                    | SN           | Silver Sulphadiazine and Chlorhexidine Digluconate  |
| Sodexol DS                   | SC           | Aluminium Hydroxide with Magnesium Hydroxide and Simethicone                                  |
| Sodibic                      | PT           | Sodium Bicarbonate  |
| Sofra-Tulle                  | RL           | Framycetin Sulphate   |
| Softze                       | BS           | Absorbent Napkins (Section 3)   |
| Softze Dri Shield Disposable | BS           | Absorbent Napkins Pants (Section 2)   |
| Sudafed                      | BW           | Pseudoephedrine Hydrochloride   |
| Sultrin                      | ET           | Sulphathiazole, Sulphacetamide, N1-Benzoylsulphanilamide and Urea                             |
| Synalar                      | IC           | Fluocinolone Acetonide  |

Note: A number following the proprietary name denotes manufacturer's product code.

| Proprietary name         | Manufacturer | Approved name  |
|--------------------------|--------------|--|
| Synalar O1               | IC           | Fluocinolone Acetonide   |
| Tagamet                  | SK           | Cimetidine   |
| Teifa 1961/2132          | KE           | Dressing Non Adherent Dry Absorbent (Section 3)  |
| Thrombostat              | PD           | Bovine Plasma Derivative   |
| Ticarda                  | HP           | Normethadone Hydrochloride and Hydroxyephedrine  |
| Tinacidin                | SH           | Tolnaftate   |
| Tinaderm                 | PW           | Tolnaftate   |
| Topilar                  | SD           | Fluclorolone Acetonide   |
| Tranxene                 | GL           | Clorazepate Dipotassium  |
| Travogen                 | SC           | Isoconazole Nitrate  |
| Tubigrip B/C/D/E/F       | BT           | Tubular Dressing (Section 3)   |
| Ulsanic                  | DT           | Sucralfate   |
| Ultralain                | SC           | Fluocortolone Pivalate and Fluocortolone Hexanoate   |
| Ultraproct               | SC           | Fluocortolone Pivalate, Fluocortolone Hexanoate, Clemizole Undecylenate, Hexachlorophane and Cinchocaine Hydrochloride |
| Ungvita                  | NS           | Vitamin A  |
| Ungvita Cream            | NS           | Vitamin A, Calamine and Silicone Oil   |
| Unicap-T                 | UP           | Multivitamin with Minerals   |
| Unitulle                 | RL           | Dressing Paraffin Gauze (Section 3)  |
| Uvistat                  | BY           | Mexenone   |
| Uvistat-L                | BY           | Mexenone   |
| U.V. Sunblock Cream (WR) | IC           | Octyl Dimethyl PABA  |
| U.V. Sunblock Stick      | IC           | Octyl Dimethyl PABA  |
| U.V. Sunfilter Cream     | IC           | Octyl Dimethyl PABA  |
| U.V. Sunfilter Lotion    | IC           | Octyl Dimethyl PABA  |
| Valium                   | RO           | Diazepam   |
| Velband                  | JJ           | Bandage Under Cast (Section 3)   |
| Ventolin                 | AH           | Rotahalers (Section 2)   |
| Vermox                   | JP           | Mebendazole  |
| Viscopaste 4949          | SN           | Bandage Zinc Paste (Section 3)   |
| Vitaminorum              | FM           | Multivitamin   |
| Vitaminorum              | SI           | Multivitamin   |
| Xylocaine Viscous        | AP           | Lignocaine Hydrochloride and Carboxymethylcellulose  |
| Xyloproct                | AP           | Hydrocortisone, Lignocaine Hydrochloride, Aluminium Subacetate and Zinc Oxide  |
| Zantac                   | GL           | Ranitidine Hydrochloride   |
| Z.S.C.                   | SI           | Zinc Oxide, Starch and Chlorphenesin   |

Note: A number following the proprietary name denotes manufacturer's product code.

# Section 5

REPATRIATION SCHEDULE  
OF BENEFITS

Manufacturer's Codes

| Code | Manufacturer   | Code | Manufacturer                         |
|------|--|------|--------------------------------------|
| AB   | Abbott Laboratories Pty Ltd                                    | CW   | Carter-Wallace (Aust) Pty Ltd        |
| AG   | Allergan Pharmaceuticals Pty Ltd                               | DL   | Dista Products (Australia) & Company |
| AH   | Allen and Hanburys   | DM   | Dermacare Pty Ltd                    |
| AM   | Ames Company, Division of Miles Laboratories Australia Pty Ltd | DT   | Du Pont Pharmaceuticals              |
| AP   | Astra Pharmaceuticals Pty Ltd                                  | EO   | Ego Pharmaceuticals Pty Ltd          |
| AQ   | Alcon Laboratories (Australia) Pty Ltd                         | ET   | Ethnor Pty Ltd                       |
| AY   | Ayerst Laboratories Pty Ltd                                    | FA   | F.H. Faulding & Co Ltd               |
| BC   | Bristol Laboratories Pty Ltd                                   | FC   | Fisons Pty Ltd                       |
| BE   | Befersdorf (Australia) Ltd                                     | FM   | Fawns and McAllan Pty Ltd            |
| BK   | Becton Dickinson (USA)   | GB   | Gist-Brocades Australia Pty Ltd      |
| BN   | Bayer Pharmaceutical Company                                   | GE   | Geigy Pharmaceuticals                |
| BR   | Beecham Research Laboratories                                  | GL   | Glaxo                                |
| BS   | Bowater-Scott Ltd  | GP   | G.P. Laboratories                    |
| BT   | The Boots Company (Australia) Pty Ltd                          | HA   | Hamilton Laboratories Pty Ltd        |
| BW   | Wellcome Australia Limited                                     | HP   | Hoechst Australia Ltd                |
| BY   | Boehringer Ingelheim Pty Ltd                                   | IC   | ICI Australia Operations Pty Ltd     |
| CB   | Ciba Pharmaceuticals   | JJ   | Johnson & Johnson Pty Ltd            |
| CP   | Cooper Laboratories Pty Ltd                                    | JP   | Janssen Pharmaceutical Pty Ltd       |
| CS   | Commonwealth Serum Laboratories                                | KE   | Kendall (Australia)                  |

| Code | Manufacturer                                  | Code | Manufacturer                                       |
|------|---|------|--|
| LE   | Lederle Laboratories<br>Division              | SH   | Schering Corporation                               |
| MK   | Merck, Sharp & Dohme<br>(Aust) Pty Ltd        | SI   | Sigma Co. Ltd                                      |
| ML   | Wm S. Merrell Pty Ltd                         | SK   | Smith Kline & French<br>Laboratories (Aust)<br>Ltd |
| MN   | Muir & Neil Pty Ltd                           | SN   | Smith & Nephew (Aust)<br>Pty Ltd                   |
| NE   | Norgine Pty Ltd                               | SO   | Scholl Manufacturing<br>Co Pty Ltd                 |
| NS   | Nicholas Pty Ltd                              | SQ   | E.R. Squibb & Sons<br>Pty Ltd                      |
| NW   | Norwich-Eaton Pty Ltd                         | SR   | Searle Laboratories                                |
| NY   | Nyal Company                                  | SU   | Sauter Laboratories<br>(Aust) Pty Ltd              |
| OM   | Orapharm Products                             | SV   | Stafford-Miller Ltd                                |
| OR   | Organon (Australia) Pty<br>Ltd                | TV   | Travenol Laboratories<br>Pty Ltd                   |
| PA   | Paines and Byrne Ltd                          | UP   | Upjohn Pty Ltd                                     |
| PD   | Parke Davis Pty Ltd                           | VS   | Vitamin Supplies Pty<br>Ltd                        |
| PS   | Pharmacia (South Seas)<br>Pty Ltd             | WL   | Winthrop Laboratories                              |
| PT   | Protea Pharmaceuticals                        | WW   | Wm R. Warner                                       |
| PW   | Plough (Aust) Pty Ltd                         | WY   | Wyeth Pharmaceuticals<br>Pty Ltd                   |
| RC   | Reckitt and Colman<br>Pharmaceutical Division | ZY   | Zyma Pharmaceuticals                               |
| RK   | Riker Laboratories<br>Australia Pty Ltd       |      |  |
| RL   | Roussel Pharmaceuticals<br>Pty Ltd            |      |  |
| RO   | Roche Products Pty Ltd                        |      |  |
| SC   | Schering, A.G.                                |      |  |
| SD   | Syntex Pharmaceuticals<br>Ltd                 |      |  |

# Repatriation Schedule of Pharmaceutical Benefits No. 3